



1 LIGHTING PLAN
SCALE: 1/8"=1'-0"

LIGHTING FIXTURE SCHEDULE			
TYPE	DESCRIPTION	LAMPS QUANTITY & TYPE	REMARKS
A	TO BE DETERMINED	(2) 4', 32W T8	2x4 RECESSED INDIRECT LIGHTS
B	TO BE DETERMINED	(3) 17W, 2'-T8	GRID MOUNTED 2x2
C	TO BE DETERMINED	(1)	RECESSED CAN LIGHTS
D	TO BE DETERMINED	...	1x4 FIXTURES
E	NOT USED	.	.
F	TO BE DETERMINED	...	RECESSED CANS IN SHOWER STALLS
G	TO BE DETERMINED	...	FINANCIAL SUPPLY OPEN OFFICE
J

ALL LIGHTING FIXTURES SHALL BE ENERGY STAR RATED OR HAVE HIGH PERFORMANCE BALLAST AND LAMPS TO MEET EFFICIENCY MAINE CRITERIA.

Prepared For:

Consulting Engineer: **BENNETT ENGINEERING**
MECHANICAL/ELECTRICAL (207) 865-9476

Architect: **ARCHETYPE architects**
48 Union Wharf Portland, Maine 04101
(207) 772-6022 Fax (207) 772-4056

Project:

Revisions:

Date: 16 September 2013 Scale: 1/8" = 1'-0"

LIGHTING PLAN

E1