City of Portland, Maine - Buildin	g or Use Permit Application	on 389 Congress	Street, 04101, Tel: (207) 874-8703, FAX: 874-8716
Location of Construction: 1 MONUMENT SQUARE	Owner: FINARD &	Owner: FINARD & COMPANY		Permit No: 0026
Owner Address: 1 MONUMENT SQUARE, SUITE 200, PO	Lessee/Buyer's Name:	Phone: 773-9830	BusinessName:	1 (2)
Contractor Name: EASTERN COMMUNICATIONS ***	Address: *** THEDEUS, SOU)6	Permit Issued:
Past Use:	Proposed Use:	COST OF WORK	K: PERMIT FEE:	
	•	\$4,000.00	\$48.00	JAN 9
		FIRE DEPT. DV A		
COMMERCIAL	COMMERCIAL	□ D	enied Use Group: B Type	28 Zone; CBL: 032-K-012
		Signature:	Signature: The	, B
Proposed Project Description:			CTIVITIES DISTRICT (1.4.D	Zowieg Abbroval:
CHANGE OUTOF EXISTING ANTENNAS,	INSTALL NEW METAL WAVE	•	Approved	Special Zone or Reviews:
		,	Approved with Conditions: Denied	□ □ Shoreland □ □ Wetland
			Demed	□ □ Wetland (/8/o/ □ Flood Zone
		Signature:	Date:	□Subdivision
Permit Taken By: GAYLE	Date Applied For:	ANUARY 5, 2001		☐ Site Plan maj ☐minor ☐mm ☐
				Zoning Appeal
1. This permit application does not preclude the		State and Federal rules.		☐ Variance ☐ Miscellaneous
2. Building permits do not include plumbing, se	•			☐ Conditional Use
3. Building permits are void if work is not started		ssuance. False informa-		☐ Interpretation
tion may invalidate a building permit and sto	op all work			☐ Approved☐ Denied
				III-ti- Dtion
			PERMIT ISSUED WITH REQUIREMENTS	Historic Preservation ☐ Not in District or Landmark
			PERMIT IS NENT!	□ Does Not Require Review
			WITH REQUIRE	□ Requires Review
			441.	Action:
	CERTIFICATION		•1	□Appoved
I hereby certify that I am the owner of record of the	e named property, or that the proposed			been Approved with Conditions
authorized by the owner to make this application a				
if a permit for work described in the application is areas covered by such permit at any reasonable ho				Date:
control of coon points at the rouse me	our to emotee the provisions of the cov	ac(o) appricable to such p	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
		JANUARY 8, 20	001	
SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE:	PERMIT ISSUED
				WITH REQUIREMENT
RESPONSIBLE PERSON IN CHARGE OF WOR	K, TITLE		PHONE:	CEO DISTRICT
White_Pe	ermit Desk Green–Assessor's Ca	nanc_D PW Bink_Buk	olic File Ivony Card Incocato	
AAIIIF—Le	Dear Dieell-Maacaaula Va	naiy-Diritt. Filik-Ful	mo ine ivory cara-mopecto	• •

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Minor/Minor Site Review for New Detached Single Family Dwelling, Additions/Alterations/Accessory Structures, Multi-Family, Commercial Interior Rehab (other than additions), Change of Use

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: OUE N	lonument. Square.	
Total Square Footage of Proposed Structure	3'x 5' Square Footage of Lot	nosī
Tax Assessor's Chart, Block & Lot Number	OWEN FINARD 4C6.	Telephone#:
Chart# 03 2 Block# Lot# 013	SUITE 200 PERTUND	n.E
Lessee/Buyer's Name (If Applicable) MBIL# BOB HOCHU 1-781-771-8300.	Owner's/Purchaser/Lessee Address:	Cost Of Work 4,000. 36 Fee: \$ 8.00
Project description:	WILERS Proposed use: NEW MNT.	
Contractor's Name, Address & Telephone COLLEGE MINIMACATION Separate permits are required for I	nternal & External Plumbing, HVAC and El	Rec'd By:
 6-Art II. All plumbing must be conducted in comp All Electrical Installation must comply v 	ompliance with the 1999 B.O.C.A. Building pliance with the State of Maine Plumbing with the 1999 National Electrical Code as a nditioning) installation must comply with	Code. OF Section 6-Art III.
YOU MUST INCLUDE THE FOLLOWING	G WITH YOUR APPLICATION:	5300
A Copy of Your Deed or Purchase and Sale	Agreement if purchased in the last 365 da	ys EF TO

A "minor/minor" site plan review is required for New Single Family Homes Only (does not include additions, alterations or accessory structures) prior to permit issuance. The Site plan must be prepared

and sealed by a registered land surveyor. FOUR COPIES ARE REQUIRED FOR NEW SINGLE

FAMILY HOMES

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

A complete plot plan (Site Plan) includes:

- The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the actual property lines. Structures include decks porches, a bow windows cantilever sections and roof overhangs, as well as, sheds, pools, garages and any other accessory structures.
- · Scale and North arrow; Zoning District & Setbacks
- First Floor sill elevation (based on mean sea level datum);
- · Location and dimensions of parking areas and driveways;
- Location and size of both existing utilities in the street and the proposed utilities serving the building;
- Location of areas on the site that will be used to dispose of surface water.
- Existing and proposed grade contours

Building Plans are required for all construction, including interior rehab (Sample Attached)

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and damp proofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas
 equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: Solet Ptogan, Date: 1-05-01

Minor/Minor Site Review Fee: \$300.00/Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter.

AUTOCAD OR ADOBE FORMAT REQUIRED FOR ALL COMMERICAL PROJECTS

BUILDING PERMIT REPORT

	DOMEDING I EXCEPT REPORT
DA	ATE: 8 January 2600 ADDRESS: / Monument So CBL: \$32-K-01.
RI	EASON FOR PERMIT: Change Out of existing Antenna's (Install Mote)
Bſ	JILDING OWNER: Finand & Company
PE	RMIT APPLICANT: /CONTRACTOR EasTorn Communic
US	SE GROUP: B CONSTRUCTION TYPE: 2-B CONSTRUCTION COST: 4060. 66PERMIT FEES: 48/
Th Th	e City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments) e City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
	CONDITION(S) OF APPROVAL
Th	is permit is being issued with the understanding that the following conditions shall be met: $\frac{1}{2}$
10.	This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING." Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2 Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6" O.C. between bolts. Section 2305.17 Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code. Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions a
12	material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 ¼" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7) Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
13.	Stair construction in <u>Use Group R-3 & R-4 is a minimum of 10" tread and 7 %" maximum rise.</u> All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
15.	The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4 Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
	Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
	All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self-closure's.
18.	The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

- 19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
- 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 21. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
- 22. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
- 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
- 24. Section 25 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 26. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
- 27. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
- 28. All requirements must be met before a final Certificate of Occupancy is issued.
- 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
- 30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 31. Please read and implement the attached Land Use Zoning report requirements.
- 32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
- 33. Bridging shall comply with Section 2305.16.
- 34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)

35. All flashing shall comply with Section 1406.3.10.

			in accordance with		f the City's Building	g Code, (The BOC	A National Building C	ode/1999).
37	The	Dropase	d BATER	Section 3102.0 signs o	' COMPLY	with so	c1101 3109.	of of
	The	Citys	blda. Cod	le. IBOCA	NATional	BLdg. Code	1999).	
				(-	*			

e Hornes, Ruilding Inspector Lt. McDougall, PFD

Marge Schmuckal, Zoning Administrator Michael Nugent, Inspection Service Manager

PSHIOVION US, GO

**This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.

***THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)

****ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.



Engineering
Construction
Construction
Value Engineering
Real Extrate Services

January 5, 2001

Mr. Dan Fitzpatrick Verizon Wireless 400 Friberg Parkway Westborough, MA 01581

> Subject: Structural Analysis of Roof With Additional Tripod Antenna Loads One Monument Square, Portland, ME EK Project No. 010083087

Dear Mr. Fitzpatrick:

Edwards and Kelcey has conducted a field investigation of the existing Verizon facility located at the above referenced site. Verizon requested we inspect and analyze the existing penthouse roof to determine if it can safely support the three proposed tripod antennas located where shown on the plans.

Limited existing plans were made available to us. There were no structural plans for the penthouse roof. Our analysis is based on limiting the proposed applied load to be less than the original design live load. Each of the tripods were located as close as physically possible to a column or support beam.

Our findings show the proposed distributed applied load is less than the original design live load. No structural modifications to the existing roof/support system will be necessary for the intended loading conditions.

If you have any questions, please contact Arjan Kloet at 617-242-9222.

Sincerely,


EDWARDS AND KELCEY

Gregory T. Stefano ME P.E. #7662

The Schrafft Center 529 Main Street, Suite 203 Boston, Massachusetts 02129

Voice 617.242.9222 Fax 617.242.9824 www.skcorp.com

AutoCAD digital format Final plans depicting the as-built condition must be filed with this office prior to closure.




400 FRIBERG PARKWAY, WESTBOROUGH, MA 01581

COMMUNICATIONS FACILITY EXPANSION ONE MONUMENT SQUARE PORTLAND, MAINE 04101 CUMBERLAND COUNTY


INDEX OF SHEETS


TITLE SHEET
PENTHOUSE/ROOF PLAN
NORTHEAST ELEVATION AND DETAILS
STRUCTURAL DETAILS AND NOTES




FOR BUILDING PERMI

EDWARDS & KELCEY
THE SCHRAFFT CENTER
529 MAIN STREET
BOSTON, MA 02129
EK PROJECT NO:: 01008:
ISSUED: 12/15/00 010083087








NOTES:


- COAX SIZES AND GROUNDING CONDUCTOR SPECIFICATIONS TO BE PROVIDED BY VERIZON REPRESENTATIVE
- DETERMINATION OF STRUCTURAL BALLAST REQUIRED FOR VALMONT ADAPTER AS PER MANUFACTURER.



GENERAL CONSTRUCTION NOTES

- PLANS ARE NOT TO BE SCALED. THESE PLANS ARE INTENDED TO BE A DIAGRAMMATIC OUTLINE ONLY UNLESS OTHERWISE NOTED. THE WORK SHALL INCLUDE FURNISHING MATERIALS, EQUIPMENT AND APPURTENANCES, AND LABOR NECESSARY TO EFFECT ALL INSTALLATIONS AS INDICATED ON THE DRAWINGS.
- 2. PRIOR TO THE SUBMISSION OF BIOS, THE CONTRACTOR SHALL VISIT THE JOBSITE AND SHALL BE FAMILIAR WITH ALL CONDITIONS AFFECTING THE GENERAL CONSTRUCTION, POPOOSED MECHANICAL AND ELECTRICAL INSTALLATION, DEMOLITION, AND SHALL MAKE PROVISIONS AS TO THE COST THEREOF. CONTRACTOR SHALL BE RESPONSIBLE FOR FAMILIARIZING HIMSELF WITH ALL CONTRACT DOCUMENTS, FIELD CONDITIONS AND DIMENSIONS AND CONFIRMING THAT THE WORK MAY BE ACCOMPLISHED AS SHOWN PRIOR TO PROCEEDING WITH CONSTRUCTION.
- 3. DIMENSIONS SHOWN ARE TO FINISH SURFACES UNLESS OTHERWISE NOTED. SPACING BETWEEN EQUIPMENT IS REQUIRED CLEARANCE. THEREFORE, IT IS CRITICAL TO FIELD VERIFY DIMENSIONS, SHOULD THERE BE ANY QUESTIONS REGARDING THE CONTRACT DOCUMENTS, EXISTING CONDITIONS AND/OR DESIGN INTENT. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING A CLARIFICATION FROM THE VERIZON WIRELESS, (VERIZON) AUTHORIZED REPRESENTATIVE OR THE ARCHITECT/ENGINEER PRIOR TO PROCEEDING WITH THE WORK.
- 4. THE CONTRACTOR SHALL RECEIVE CLARIFICATION IN WRITING, AND SHALL RECEIVE IN WRITING AUTHORIZATION TO PROCEED BEFORE STARTING WORK ON ANY ITEMS NOT CLEARLY DEFINED OR IDENTIFIED BY THE CONTRACT DOCUMENTS.
- 5. INSTALL ALL EQUIPMENT AND MATERIALS IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS UNLESS SPECIFICALLY OTHERWISE INDICATED OR WHERE LOCAL CODES OR REGULATIONS TAKE PRECEDENCE.
- 6. CONTRACTOR SHALL NOTIFY VERIZON PROJECT MANAGER OF ALL PRODUCTS OR ITEMS NOTED AS "EXISTING" WHICH ARE NOT FOUND TO BE IN THE FIELD,
- 7. ALL WORK PERFORMED AND MATERIALS INSTALLED SHALL BE IN STRICT ACCORDANCE, AS A MINIMUM STANDARD, WITH ALL APPLICABLE CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION. CONTRACTOR SHALL GIVE ALL NOTICES AND COMPLY WITH ALL LAWS, ORDINANCES, RULES, REGULATIONS AND LAWFUL ORDERS OF ANY PUBLIC AUTHORITY BEARING ON THE PERFORMANCE OF THE WORK, ELECTRICAL SYSTEMS SHALL BE INSTALLED IN ACCORDANCE WITH ALL APPLICABLE MUNICIPAL CODES, NATIONAL ELECTRIC CODE, AND UTILITY COMPANY SPECIFICATIONS, AND LOCAL AND STATE JURISDICTIONAL CODES, ORDINANCES AND APPLICABLE REGULATIONS.
- 8. THE DESIGN, SPECIFICATIONS, PERFORMANCE AND LOCATION OF ALL RADIO EQUIPMENT AND RELATED ELECTRICAL ITEMS WITHIN THE RADIO EQUIPMENT ROOM ARE BY THE RADIO EQUIPMENT VENDOR. THE CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING HIS WORK WITH THE WORK OF OTHERS AS IT MAY RELATE TO RADIO EQUIPMENT AND ANY OTHER RELATED PORTIONS OF THE WORK.
- 9. ANTENNAS ARE SUPPLIED BY VERIZON. THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR INSTALLATION OF COAX AND ANTENNAS.
- SEAL PENETRATIONS THROUGH FIRE RATED AREAS WITH U.L. LISTED AND FIRE CODE APPROVED MATERIALS.

- 11. PROVIDE A PORTABLE FIRE EXTINGUISHER WITH A RATING OF NOT LESS THAN 2-A OR 2-A108C WITHIN 75 FEET TRAVEL DISTANCE TO ALL PORTIONS OF THE BUILDOUT AREA DURING CONSTRUCTION.
- 12. DETAILS ARE INTENDED TO SHOW END RESULT OF DESIGN, MINOR MODIFICATIONS MAY BE REQUIRED TO SUIT JOB DIMENSIONS OR CONDITIONS, AND SUCH MODIFICATIONS SHALL BE INCLUDED AS PART OF THE WORK.
- MAKE NECESSARY PROVISIONS TO PROTECT EXISTING IMPROVEMENTS, WALLS, DOORS, ETC., AND UPON COMPLETION OF WORK REPAIR ANY DAMAGE THAT OCCURRED DURING CONSTRUCTION.
- 14. VERIFY FINAL EQUIPMENT LOCATIONS WITH THE RADIO EQUIPMENT VENDOR.
- 15. KEEP CONTRACT AREA CLEAN, HAZARD FREE, AND DISPOSE OF ALL DIRT, DEBRIS, RUBBISH, EQUIPMENT REMOVED AND NOT SPECIFIED AS REMAINING ON THE PROPERTY OF THE OWNER, ETC. LEAVE PREMISES IN CLEAN CONDITION AND FREE FROM PAINT SPOTS, DUST, OR SMUDGES OF ANY NATURE. CONTRACTOR SHALL BE RESPONSIBLE FOR MAINTAINING EQUIPMENT, MATERIALS. ETC.
- 16. THE CONTRACTOR SHALL SUPERVISE AND DIRECT THE WORK USING THE BEST CONSTRUCTION SKILLS AND ATTENTION. THE CONTRACTOR SHALL BE SOLELY RESPONSIBLE AND HAVE CONTROL OVER CONSTRUCTION MEANS, METHODS, TECHNIQUES, SEQUENCES AND PROCEDURES AND FOR COORDINATING ALL PORTIONS OF THE WORK UNDER CONTRACT, UNLESS CONTRACT DOCUMENTS GIVE OTHER SPECIFIC INSTRUCTIONS CONCERNING CERTAIN MATTERS.
- 17. PROVIDE ADDITIONAL BLOCKING OR BACKING PLATE IN WALLS AS REQUIRED FOR WALL MOUNTED PANELS, EQUIPMENT, CABINETS, ETC.
- PROVIDE BLOCKING BEHIND GYPSUM BOARD FOR WALL STOPS WHERE SCHEDULED.
- 19. REPAIR ALL EXISTING WALL SURFACES DAMAGED DURING CONSTRUCTION SUCH THAT THEY MATCH AND BLEND WITH ADJACENT SURFACES.
- 20. EXISTING STRUCTURES HAVE BEEN CHECKED FOR EQUIPMENT LOADING AS NOTED AND PLACED ON THE PLANS. ANY CHANGES OR ADDITIONAL EQUIPMENT PROPOSALS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT. BEFORE ANY CHANGES OR ADDITIONS ARE MADE BY THE CONTRACTOR OR ANYONE, HE IS TO OBTIAN WRITTEN PERMISSION FROM THE ARCHITECT OR VERIZON PROJECT MANAGER.
- 21. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND CONDITIONS ON THE SITE AND NOTIFY THE VERIZON PROJECT MANAGER OF ANY DISCREPANCIES BEFORE STARTING ANY WORK.
- 22. CONTRACTOR TO PROVIDE COMPLETE SET OF AS-BUILT DRAWINGS WITHIN 10 WORKING DAYS OF PROJECT COMPLETION.
- 23. ANY CORING THAT IS NECESSARY SHOULD BE COORDINATED WITH ON SITE PROPERTY MANAGEMENT AND MAY REQUIRE THE WORK TO BE PERFORMED ON OFF HOURS.
- 24. PLANS ARE ISSUED FOR BUILDING PERMIT ONLY, AND ARE NOT SUBJECT FOR CONSTRUCTION.



A-3