

POWER TEL-DATA NOTES ALL DEVICES TO BE NEW UNLESS NOTED AS "EX" FOR EXISTING TO REMAIN. ANY DEVICES NOT SHOWN ON PLAN ARE EXISTING TO REMAIN. GC RESPONSIBLE FOR REMOVAL OF ALL DEVICES IN THEIR ENTIRETY IF NOTED ON PLAN TO BE DEMOLISHED. BLANK COVER PLATES ARE NOTE ACCEPTABLE. PATCH WALL AS REQUIRED FOR FINAL FINISH. ALL DEVICES TO BE MOUNTED AT 18" AFF UNLESS NOTED OTHERWISE. VERIFY LOCATION OF FLOOR-MOUNTED OUTLETS / FLOOR CORES WITH ARCHITECT IN FIELD. OUTLETS SHOWN ABOVE COUNTERS (COFFEE STATIONS, KITCHENS) TO BE MOUNTED AT 44" AFF TO CENTER LINE UNLESS NOTED OTHERWISE. CENTER ALL THERMOSTATS OVER CENTER LINE OF SWITCH OR SWITCH BANK WHERE APPLICABLE. AFFIX DEVICE BOXES TO CLOSEST STUD UNLESS SPECIFIC DIMENSION SHOWN.

- STAGGER DEVICE BOXES IN STUD BAYS.
- SEE ENGINEERING DRAWINGS FOR EMERGENCY LIGHTING, EXIT SIGNS AND SMOKE DETECTORS. COORDINATE WITH ENGINEERING DRAWINGS.
- THIS DRAWING IS FOR LOCATION PURPOSES ONLY. COORDINATE WORK WITH MEP/FP DRAWINGS. REPORT ANY DISCREPANCIES TO THE ARCHITECT BEFORE PROCEEDING WITH AFFECTED WORK.
- THERMOSTAT AND OUTLET DIMENSIONS ARE TO CENTER OF DEVICE
- 2. GC SHALL REVIEW ALL LIGHTING AND POWERED FIXTURES TO CONFIRM AND PROVIDE CORRECT MOUNTING AND INSTALLATION CLEARANCES AND CONSTRUCTION, COMPLYING WITH MANUFACTURERS SPECIFICATIONS.
- REFER TO BANK OF AMERICA TBOD AND TYCO SECURITY DRAWINGS FOR LOCATIONS, SPECIFICATIONS AND POWER REQUIREMENTS OF EQUIPMENT INCLUDING SECURITY CAMERAS AND WIRELESS ACCESS POINTS. G.C. TO COORDINATE INSTALLATION AND ANY CABELING CONDUIT REQUIREMENTS.

NAEB RKNMN®

dyerbrown.com

T 617 426 1680 F 617 426 2187

Dyer Brown Architects One Winthrop Square Boston, MA 02110-1209



REVISIONS



POWER PLAN KEYNOTES	
NOTE	DESCRIPTION
E1	SEE ENGINEERS DRAWINGS FOR ADDITIONAL INFORMATION
E2	CONFIRM ALL FLOOR BOX LOCATIONS WITH FURNITURE VENDOR. COORDINATE WITH WAFFLE SLAB STRUCTURE, FLOOR CORES CANNOT BE PLACED AT STRUCTURAL WEB MEMBERS.

BANK OF AMERICA - 9TH & 10TH FLOORS

BANK OF AMERICA

I MONUMENT SQUARE Portland, ME

TITLE 9TH FLOOR POWER/TEL/DATA PLAN

DATE May II, 2015

JOB NO. 15051.00

 \searrow

DRAWING NO.



ISSUED FOR CONSTRUCTION

©2015 Dyer Brown & Associates, Inc. ALL RIGHTS RESERVED

- EDGE OF DOOR IN OPEN POSITION OR EDGE OF FRAME. ALL DEVICES WITHIN A SINGLE RUN OF WALL OR BETWEEN DOORS TO BE ALIGNED VERTICALLY AS FEASIBLE. CONTACT ARCHITECT TO REVIEW LOCATION OF UNALIGNED DEVICES IN FIELD PRIOR TO INSTALLATION. SMOKE DETECTOR TYP. FOR FIRE STROBE **4** TYP. FOR THERMOSTATS TYP. LIGHT SWITCH MANUAL PULL SWITCH TYP. FOR OUTLET

> TYPICAL OUTLET AND DEVICE LOCATIONS 1/2" = 1'-0"