





29 Black Point Road Scarborough, Maine 04074 www.gawronturgeon.com 207-883-6307 *tel* 207-883-0361 *fax* 

LIFE SAFETY LEGEND

EXIT DIRECTIONAL EXIT SIGNAGE

EXII EXIT SIGNAGE

FE FIRE EXTINGUISHER

FIRE ALARM AUDIO/VISUAL STROBE
NUMERAL DENOTES CANDELA RATING

EMERGENCY BATTERY UNIT - 2 HEADS

FIRE ALARM PULL STATION

## LIGHT FIXTURE LEGEND

RECESSED CAN FIXTURE, FOCAL POINT LIGHTING, ID DOWN LIGHT, 4

AIMABLE RECESSED MULTI-LAMP FIXTURE; RSA LIGHTING, COMBOLIGHT, 4 LIGHTS- C4

COMBOLIGHT, 4 LIGHTS 4" RECESSED LINEAR

ASSYMMETRICAL THROW, ZUMTOBEL LIGHTING, SLOTLIGHT PRO, 情" SLOT—GRID, FLUSH INSTALLATION, 8' LENGTHS

LED TRACK LIGHTING; ZUMTOBEL LIGHTING, KAVEROS SERIES, SMALL TACK HEAD, 2 \( \frac{3}{4} \)" APERTURE, WHITE FINISH. PROVIDE (5) HEADS PER TRACK STRIP

DECORATIVE FIXTURE, TBS BY TENANT — G.C. TO INSTALL

ACT — USG MARS CLIMA PLUS, HIGH NRC, WHITE GRID —WHITE DONN CENTRICITEE 9/16" WITH SHADOWLINE MOLDINGS AT PERIMETER 6" SONOBATT INSULATION AND TIE HOLD DOWN CLIPS ONLY OVER ENCLOSED AREAS FOR ACOUSTIC PERFORMANCE WITH VIA [L-0]

## GENERAL NOTES

- MECH SUBCONTRACTOR TO VERIFY SIZE AND LOCATION OF ANY MECH REGISTERS WITH ARCHITECT PRIOR TO CONSTRUCTION.
- 2. REMOVE ALL TILES AND RECESSED FIXTURES, PREPARE FOR NEW
- 3. INDEPENDENTLY SWITCH ALL OFFICES & MEETING SPACES..
- 4. INDEPENDENTLY SWITCH TRACK LIGHTING SYSTEM.
- 5. PROVIDE POWER TO OWNER SUPPLIED FURNITURE. POWER SHALL BE PROVIDED THROUGH WALLS, COLUMNS OR THROUGH FLOOR MONUMENTS.

REFLECTED CEILING PLAN

LEGEND / NOTES

DRAWING SCALE AS NOTED

PROJECT #

DRAWN BY:

CHECKED BY:

08.28.13

060413

REVISIONS

DATE DESCRIPTION

A300

© COPYRIGHT 1985-2008
REPRODUCTION OR REUSE OF THIS
DOCUMENT WITHOUT WRITTEN
PERMISSION OF GAWRON TURGEON
ARCHITECTS IS PROHIBITED

A17 LEGEND AND NOTES