City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

——————————————————————————————————————						
Location of Construction:	Owner:		Phone:		Permit No: 98 (0084
l City Center		nter Associates			/ (3007
Owner Address:	Lessee/Buyer's Name:	Phone:	Business	Name:	PERMIT IS	SSUED
		& 5th floors		771 1000	Permit Issued:	SOLD
Contractor Name:	Address:	Phone	_	371–1080		l l
One City Center Assoc. o	/o Dirigo Management Co Proposed Use:	o. One City Center COST OF WOR	Ptld, M	<u>1E_04101</u>	MB - 5	1998
Fast Use.	Froposed Ose.	\$ 10,000.00		\$ 70.00		1 1
Office	Same			INSPECTION:	CITY OF POF	RTLAND
		FIRE DEPT. D	Approved Denied	Use Group: B Type: A	101101101	TILANU
		L 1	Jenied	BOCA G	Zone; CBL:	
		Signature:	4500	Signature: William	032	2-L-002
Proposed Project Description:				S DISTRICT (P.A.D.)	Zoning/Approval	-12/00
			Approved		00	21498
				rith Conditions:	Special Zulle ul	r Reviews:
Make Interior Renovations			Denied			
2nd & 5th floors Lincol	n Life Spaces				□ Flood Zone	
		Signature:		Date:	Subdivision	
Permit Taken By:	Date Applied For:	00			☐ Site Plan maj □	Jminor □mm □
Mary Gresik		30 Januray 1998			Zoning Ap	ppeal
1. This permit application does not preclude the A	Applicant(s) from meeting applica	ble State and Federal rules.			□ Variance	, p - u -
2. Building permits do not include plumbing, se					☐ Miscellaneous	
		. C			☐ Conditional Use)
3. Building permits are void if work is not started tion may invalidate a building permit and stop		of issuance. Faise informa-			☐ Interpretation☐ Approved	
tion may invalidate a building permit and stop	all work				Denied	
			Dr.	AIT ISSUED PUIREMENTS	Historic Pres	
			WITLERM	117 1-	☑-Not in District or	
			"I'M REC	SULSOUP	☐ Does Not Require ☐ Requires Review	
			γ,	UIREME	Linequiles Neviev	N
				MENTS	Action:	
	CEDTATICATION			· ·		
The makes a self-that I am the assume of maked of the	CERTIFICATION				☐ Approved	Conditions
I hereby certify that I am the owner of record of the authorized by the owner to make this application a		•			1 /	Jonaillons
if a permit for work described in the application is					, , , , , , , , , , , , , , , , , , , ,	7 6
areas covered by such permit at any reasonable ho				to the admornly to enter an	Date: <u>Z/ Z/ 9</u>	<u>'E</u>
•	1	11	r			
() A K. ' AL	WACH CAT	20 T-	muow 10	100		
SIGNATURE OF A HPLICANT	NO CLA COMON	DATE: \	nuary 19	PHONE:	- IM+	
SIGNATURE OF APPLICANT Al Knight	ADDRESS.	DAIL.	~	I IIONL.		
1 Jouan Marca amen	A Co.		X71	- 1080		
RESPONSIBLE PERSON IN CHARGE OF WORK	K, TITLE			PHONE:	CEO DISTRICT	171
White De	rmit Dock Groon Assessor's	Canani D.P.W. Bink B.	blic File !	von Cord Inchester		

Issued to One City Center Assoc.

Date of Issue 19 March 1998

This is to certify that the building premises, or part thereof, at the above location, built—altered—changed as to use under Building Permit No. 980084, has had final impection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, impact on otherwise, as indicated below.

Portion of Building Or Primities

Approved Occupancy

2nd & Vifth Floors
Lingoln Life Spaces.

Office

This certificate superstates
certificate superstates

COMMENTS						
3/5/18	Work completed . No change of one. no cofoneeded,					
3/19/98 not	Request for Cof O grented even though it is specifically regulared a Nove					
	Inspection Record Type Foundation: Framing:					

Plumbing: ______
Final: ______
Other: _____

BUILDING PERMIT REPORT

DATE: 2/3/98	ADDRESS:_	1 City Center	2 hd +5 hh
REASON FOR PERMIT:	renovations		
BUILDING OWNER:	1 city Center Ass	ocieta:	
CONTRACTOR:	ч .		
PERMIT APPLICANT:	Allanght APPRO	OVAL: 4/, */278 ×19 20	*26 *29 * 30 DENIED
use group <u>B-</u> /	BOCA 199		

CONDITION(S) OF APPROVAL

- 🔏 I. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
 - 2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
 - 3. Precaution must be taken to protect concrete from freezing.
 - 4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
 - 5. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from
 - the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
 - 6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code, (The BOCA National Mechanical Code/1993).
 - Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's building code.
 - 8. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of clevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".)
 - 9. Hendroom in habitable space is a minimum of 7'6".
 - 10. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread. 7" maximum rise.
 - 11. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6' 8")
 - 12. Every sleeping room below the fourth story in buildings of use Groups R and 1-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.
 - 13. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
 - 14. All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self-closer's
 - 15. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
 - All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - in all bedrooms

	1-1 shall receive power from a battery when the AC primary power source is into	errupted. (Interconnection	n is required)			
17.	A portable fire extinguisher shall be located as per NFPA #10. They shall bear approved type.	the label of an approved a	igency and be of an			
$\overline{(18)}$	The Fire Alarm System shall be maintained to NFPA #72 Standard.					
(<u>1</u>	The Sprinkler System shall maintained to NFPA #13 Standard.					
263	All exit signs, lights, and means of egress lighting shall be done in accordance v	vith Chapter 10 Section &	L Subsections			
	1023. & 1024. Of the City's building code. (The BOCA National Building Code					
21.	No construction or demolition work shall begin until you have obtained perr		nta iners. A work			
	Stop Order shall be issued if this requirement is not met.	•				
22.	Section 25-135 of the Municipal Code for the City of Portland states, "No person	n or utility shall be grante	d a permit to			
	excavate or open any street or sidewalk from the time of November 15 of each ye					
23.	The builder of a facility to which Section 4594-C of the Maine State Human Rig					
	certification from a design professional that the plans commencing construction of the facility, the builder shall submit the					
	certification to the Division of Inspection Services.	••				
24.	This permit does not excuse the applicant from obtaining any license which may	be needed from the City	Clerk's office.			
25.	Ventilation shall meet the requirements of Chapter 12 Sections 1210, of the City					
X 2 6.	All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade.					
27.	All requirements must be met before a final Certificate of Occupancy is issued.					
28.	All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA					
	National Building Code/1996).		-			
X -39.	Ventilation of spaces within a building shall be done in accordance with the City	s Mechanical Code (The	BOCA National			
	Mechanical Code/1993).					
(30.)	Medification to spenkler to system over 20 heads	require State	Fire Marshill			
	approx.1.					
31.		(
20			•			
32.			*			
22						
33.						
J						
34.	·					
54.						
: / ~						
1-11	T ////					
(6)	el House Code Enforcement					
	el House/ Kode Enforcement	·				
	1cDougall, OFD	•				
THE LEL IV	nebuight, 41.1					

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and

In each story within a dwelling unit, including basements

Marge Schmuckal