



GENERAL REMOVALS NOTES:

- 1. PROTECT ALL SPRINKLER HEADS DURING REMOVAL OF EXISTING CEILING AND CEILING GRID.
- 2. DISPOSE OF ALL REMOVED AND UNUSED FLOURESENT LIGHTS PROPERLY.
- 3. SAVE ALL HORN/STROBE FIXTURES FOR REUSE WHERE POSSIBLE IN NEW CONSTRUCTION, REFER TO ELECTRICAL DRAWINGS.
- 4. DOORS THAT REMAIN FOR REUSE MUST MATCH NEW DOORS. WHERE EXISTING DOORS DO NOT MATCH, THEY MUST BE REPLACED WITH NEW.

REMOVALS NOTES:

- 1 REMOVE EXISTING INTERIOR WALL ASSEMBLY COMPLETE.
- 2 REMOVE EXISTING DOOR AND DOOR FRAME ASSEMBLY COMPLETE.
- 3 REMOVE A PORTION OF EXISTING WALL ASSEMBLY AS REQUIRED FOR NEW OPENING.
- 4 REMOVE PORTION OF EXISTING WALL ASSEMBLY.
- 5 REMOVE EXISTING CABINETS, COUNTERTOP, AND ALL ASSOCIATED ACCESSORIES COMPLETE.
- 6 REMOVE ANY AND ALL FLOOR FINISHES COMPLETE. PREPARE SUBSTRATE FOR NEW FLOOR FINISHES PER FLOORING MANUFACTURERS RECOMMENDATIONS.
- 7 REMOVE EXISTING CEILING TILES AND GRID ASSEMBLIES COMPLETE.
- 8 REMOVE EXISTING LIGHT TROUFFERS COMPLETE
- 9 PATCH AND REPAIR ALL EXISTING GWB WALL FINSHES DAMAGED BY REMOVALS.
- 10 REMOVE EXISTING BASEBOARD HEAT COVER AND PREP FOR NEW COVER.
- 11 MODIFY EXISTING BASEBOARD HEAT AT NEW WALL CONSTRUCTION.

CWS

CWS Architects

Architecture

Space Planning

Value Design

434 Cumberland Avenue
Portland, ME 04101
Phone: (207)774-4441
Fax: (207)774-4016

www.CWSarch.com

Owner:

DIRIGO
MANAGEMENT CO.

ONE CITY CENTER
PORTLAND, MAINE 04101-7189
(207) 871-1080

Client:

GSA - FEDERAL
PUBLIC DEFENDER

ONE CITY CENTER
PORTLAND, MAINE 04101-7189

SECOND FLOOR
RENOVATION

ONE CITY CENTER
PORTLAND, MAINE 04101

Project No: 06401FOD

Drawing Title:

REMOVALS
PLAN

Scale: 1/4"=1'-0"
Date: APRIL 7,2006

Revisions:

- △
- △
- △
- △
- △
- △

Drawing Number:

D1.1