



SYMBOL	DESCRIPTION
	2x2 A-C T INSTALLED @ 8'-0" AFF U.L.O.
	WFL-AMSTRONG - ULTIMA VECTOR 3/4" 3/8" SHADOW MOLING AROUND DOORS
	ACROPER CEILING TILE WFL-AMSTRONG - ULTIMA VECTOR FINE TEXTURE COLOR: WHITE
	BRWALL CEILING @ 8'-0" AFF U.L.O. BUILDING STANDARD
	BEIGES CEILING SPRING POINT
	DATA COORDINATE SWITCH REFER TO ELECTRICAL DRAWINGS
	OCCUPANCY SENSOR - REFER TO ENGINEERING DOCUMENTS CENTER IN THE U.L.O.
	VIDEO PROJECTOR (COORDINATE WITH AV DRAWINGS)
	PROJECTION SCREEN (COORDINATE WITH AV DRAWINGS)
	SECURITY CAMERA (COORDINATE WITH SECURITY VENDOR DRAWINGS)

SYMBOL	DESCRIPTION
	H910 2x2 RECESSED FLUORESCENT LAMP (2) 2x4 W/180
	H910 2x2 RECESSED FLUORESCENT (FOR CORRIDORS) LAMP (1) 2x4 W/180
	H910 2x2 RECESSED FLUORESCENT (FOR CORRIDORS) LAMP (2) 2x4 W/180
	H910 2x2 RECESSED FLUORESCENT (FOR CORRIDORS) LAMP (2) 2x4 W/180
	H910 2x2 RECESSED FLUORESCENT (FOR CORRIDORS) LAMP (2) 2x4 W/180

SYMBOL	DESCRIPTION
	H910 2x2 RECESSED FLUORESCENT (FOR CORRIDORS) LAMP (2) 2x4 W/180
	H910 2x2 RECESSED FLUORESCENT (FOR CORRIDORS) LAMP (2) 2x4 W/180
	H910 2x2 RECESSED FLUORESCENT (FOR CORRIDORS) LAMP (2) 2x4 W/180
	H910 2x2 RECESSED FLUORESCENT (FOR CORRIDORS) LAMP (2) 2x4 W/180

SYMBOL	DESCRIPTION
	H910 2x2 RECESSED FLUORESCENT (FOR CORRIDORS) LAMP (2) 2x4 W/180
	H910 2x2 RECESSED FLUORESCENT (FOR CORRIDORS) LAMP (2) 2x4 W/180
	H910 2x2 RECESSED FLUORESCENT (FOR CORRIDORS) LAMP (2) 2x4 W/180
	H910 2x2 RECESSED FLUORESCENT (FOR CORRIDORS) LAMP (2) 2x4 W/180

SYMBOL	DESCRIPTION
	H910 2x2 RECESSED FLUORESCENT (FOR CORRIDORS) LAMP (2) 2x4 W/180
	H910 2x2 RECESSED FLUORESCENT (FOR CORRIDORS) LAMP (2) 2x4 W/180
	H910 2x2 RECESSED FLUORESCENT (FOR CORRIDORS) LAMP (2) 2x4 W/180
	H910 2x2 RECESSED FLUORESCENT (FOR CORRIDORS) LAMP (2) 2x4 W/180

SYMBOL	DESCRIPTION
	H910 2x2 RECESSED FLUORESCENT (FOR CORRIDORS) LAMP (2) 2x4 W/180
	H910 2x2 RECESSED FLUORESCENT (FOR CORRIDORS) LAMP (2) 2x4 W/180
	H910 2x2 RECESSED FLUORESCENT (FOR CORRIDORS) LAMP (2) 2x4 W/180
	H910 2x2 RECESSED FLUORESCENT (FOR CORRIDORS) LAMP (2) 2x4 W/180

SYMBOL	DESCRIPTION
	H910 2x2 RECESSED FLUORESCENT (FOR CORRIDORS) LAMP (2) 2x4 W/180
	H910 2x2 RECESSED FLUORESCENT (FOR CORRIDORS) LAMP (2) 2x4 W/180
	H910 2x2 RECESSED FLUORESCENT (FOR CORRIDORS) LAMP (2) 2x4 W/180
	H910 2x2 RECESSED FLUORESCENT (FOR CORRIDORS) LAMP (2) 2x4 W/180


**REFLECTED CEILING NOTES**

1. COMPRISE ALL LIGHT SWITCHES AND CIRCUITS OF ALL LIGHTING FIXTURES WITH ARCHITECT, ENGINEER AND TENANT PRIOR TO INSTALLATION.
2. NIGHT LIGHTS, EXIT LIGHTS AND ALARMS SHALL BE PROVIDED BY C.C. AS REQUIRED BY APPLICABLE CODE.
3. ENGINEER TO CHECK AND/OR RECOMMEND BULB MAKE/AGE AND ADJUSTMENT IN FIXTURE SWITCHING PLACEMENT AS NECESSARY. ALL LIGHTING SHALL BE INSTALLED IN CONFORMANCE WITH ELECTRICAL CODES.
4. SOME LIGHTING FIXTURES MAY REQUIRE LONGER LEAD TIME WHICH ELECTRICAL CONTRACTOR IS RESPONSIBLE FOR ALLOWING ORDER RELEASE.
5. SUBSTITUTIONS FOR SPECIFIED LIGHTING PRODUCTS ARE NOT ACCEPTABLE & WILL NOT BE CONSIDERED FAILURE TO INCLUDE SPECIFICATION OF OWNER, FINAL DATE THE ENTIRE LIGHTING PRODUCT BE & SCHEDULE DERIVED FROM OWNER'S CONSTRUCTION.
6. INSURANCE NET PRICES HAS BEEN SECURED FROM MANUFACTURER'S WEBSITE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING A RECORD OF SPECIFIC UNIT COSTS HAS BEEN SHARED W/ OWNERS TO ASSIST IN ANALYSIS OF BID SUBMITTALS.
7. UNIT PRICING SHOULD BE MADE AVAILABLE ON ALL SPECIFIED LIGHTING FIXTURES.
8. U.L.O. LIGHT SWITCH COORDINATE FINISH SHALL BE METAL AND PAINTED TO MATCH WALL COLOR IN A SEMI-GLOSS FINISH.
9. LIGHTS WILL BE CONTROLLED VIA CEILING MOUNTED MOTION SENSORS AND SWITCH OVER-RIDES. REFER TO ENGINEERING DRAWINGS.
10. NEW SMOKE DETECTORS &/OR FIRE ALARM STROBES & SPEAKERS, ETC. SHALL BE FURNISHED AND INSTALLED AS REQUIRED. LOCATION TO BE DETERMINED IN THE FIELD. COORDINATE WITH BUILDING MANAGEMENT AND ARCHITECT. REFER TO ENGINEERING DRAWINGS.
11. GENERAL CONTRACTOR SHALL INSTALL NEW EXIT SIGNS AS LOCATIONS.
12. REFER TO ENGINEERING DRAWINGS FOR SPECIFIC LIGHT FIXTURES.
13. REFER TO ENGINEERING DRAWINGS FOR SPECIFIC LIGHT FIXTURES.
14. H.V.C. CONTRACTOR TO PROVIDE BALANCING REPORT & SUBMIT TO BUILDING MANAGEMENT. H.V.C. CONTRACTOR TO NOTIFY BUILDING MANAGEMENT OF DATE & TIME OF BALANCING FOR WINDINGS.
15. LOCATION OF REPAIRS/WORK TO BE ACCEPTED PRIOR TO BEING INSTALLED. CONTRACTOR SHALL PROVIDE FURNITURE INSTALLER.
16. FINISHES
17. U.L.O. ORGYMA BOARD CEILING TO BE PAINTED CEILING WHITE.
18. GENERAL CONTRACTOR TO CLEAN/ Wipe DUST FROM TOPS OF EXISTING ACROPER DOORS AND LIGHT FIXTURES PRIOR TO FINISHING INSTALLATION.
19. COORDINATE CONTRACTOR SHALL COORDINATE ALL TRADES AFFECTED BY HANGING CEILING CONSTRUCTION (H.V.C., SPRINKLER, LIGHTING, POWER, ETC.).
20. ELECTRICAL CONTRACTOR SHALL BE RESPONSIBLE FOR ENSURING COMPATIBILITY BETWEEN FIXTURE TRIMS & CEILING GRID.
21. ELECTRICAL CONTRACTOR SHALL BE RESPONSIBLE FOR SUPPLYING SHOP DRAWINGS FOR SPECIFIED EQUIPMENT FOR APPROVAL TO ARCHITECT ON TIMELY BASIS.
22. COORDINATE INTERCOM SPEAKER LOCATIONS WITH AV DRAWINGS.

**REFLECTED CEILING KEY NOTES**

1. NOT USED
2. REFER TO DETAILS FOR LOCATION OF F4, F7, & F8 FIXTURES. LENGTHS TBD IN FIELD.
3. GYP. BD. CEILING.
4. RECESSED MOTORISED PROJECTION SCREEN - 10th FLOOR ONLY. SEE AV DRAWINGS FOR ADDITIONAL INFORMATION.
5. CEILING MOUNTED PROJECTOR. REFER TO AV DRAWINGS FOR ADDITIONAL INFORMATION.
6. NOT USED
7. COORDINATE LOCATION OF LIGHT FIXTURES WITH RACK LAYOUT PER ENGINEERING DRAWINGS - 10th FLOOR ONLY.
8. IF ROOM AND DOOR ARE EXISTING TO REMAIN REUSE EXISTING LIGHT SWITCH LOCATION.
9. COORDINATE LOCATION OF CAMERA WITH EXISTING CEILING LAYOUT. NO OTHER CEILING WORK TO BE DONE IN THIS ROOM, 7th FLOOR ONLY.
10. PROJECTION SCREEN RAISE/ LOWER SWITCH - 10th FLOOR ONLY.

NO.	DATE	DESCRIPTION



**Red Mountain Associates**  
ARCHITECTURE  
INTERIORS

One Financial Place  
New York, NY 10017  
Tel: 212.261.2000  
Fax: 212.261.2000  
www.redmountain.com

**UBS**

7th FL. REFLECTED CEILING PLAN

PROJECT NUMBER: 107126.01  
SCALE: 1/8"=1'-0"  
DATE: 07.13.07  
PROJECT ARCHITECT: AE  
DRAWN BY: AE  
CHECKED BY: AE  
CADD FILE: RA\3007\107126.01\01

**KEY PLAN**

AREA OF WORK

**ISSUE**

NO.	DATE	COPIES	ISSUE FOR PERMIT	ISSUE FOR CLIENT REVIEW	ISSUE TO ENGINEER	TO WHOM
2	07.13.07					
1	07.13.07					
	06.26.07					
	06.13.07					