

1 SECTION @ PROJECTION SCREEN
SCALE: 1 1/2"=1'-0"



2 TYP. GYP. BD. CEILING DETAIL AT RECEPTION
SCALE: 1 1/2"=1'-0"



3 GYP. BD. TO TILE CEILING
SCALE: 1 1/2"=1'-0"



4 SECTION @ EXTERIOR WINDOW
SCALE: 1 1/2"=1'-0"



NOTE: PROVIDE FIRESTOPPING @ PENETRATIONS THROUGH RATED WALLS @ CORRIDORS, SHAFTS & EXIT ENCLOSURES, F RATINGS TO MATCH PARTITION RATING

5 FIRESTOP SYSTEM @ WALL
SCALE: 1 1/2"=1'-0"

NOTE:

PROVIDE FIRESTOPPING @ PENETRATIONS THROUGH RATED WALLS @ CORRIDORS, SHAFTS & EXIT ENCLOSURES, F RATINGS TO MATCH PARTITION RATING

FIRESTOPPING TO MEET THE EXACTING CRITERIA OF ASTM E814, (UL 1479) AS WELL AS TIME TEMPERATURE REQUIREMENTS OF ASTM E119

PROVIDE FIRESTOPPING, UL SYSTEM W-L-1088-90, F RATING 1, 2HRS.



NOTE: PROVIDE FIRESTOPPING @ PENETRATIONS THROUGH RATED FLOOR ASSEMBLY, F&T RATINGS TO MATCH FLOOR/CEILING RATING

6 FIRESTOP SYSTEM @ FLOOR
SCALE: 1 1/2"=1'-0"

NOTE:

PROVIDE FIRESTOPPING @ PENETRATIONS THROUGH RATED WALLS @ CORRIDORS, SHAFTS & EXIT ENCLOSURES, F RATINGS TO MATCH PARTITION RATING

FIRESTOPPING TO MEET THE EXACTING CRITERIA OF ASTM E814, (UL 1479) AS WELL AS TIME TEMPERATURE REQUIREMENTS OF ASTM E119

PROVIDE FIRESTOPPING, UL SYSTEM W-L-1088-90, F RATING 1, 2HRS.

UBS

REVISIONS

NO.	DATE	DESCRIPTION

NO.	DATE	COPIES	TO WHOM
2	07.13.07		ISSUE FOR BID
1	07.13.07		ISSUE FOR PERMIT
	06.26.07		ISSUE FOR CLIENT REVIEW
	06.13.07		ISSUE TO ENGINEER

ISSUE

KEY PLAN

Ted Moudis Associates
ARCHITECTURE
INTERIOR DESIGN
NEW YORK | CHICAGO

79 Madison Avenue
New York, NY 10017
212.308.4080
Fax/212.561 2020

One Financial Place
440 South LaSalle Street
Chicago, IL 60605
312.663.0130
Fax/312.663.0138

www.tedmoudis.com

PROJECT NUMBER	107126.01
SCALE	AS NOTED
DATE	07.13.07
PROJECT MANAGER	
PROJECT ARCHITECT	
DRAWN BY	AE
CHECKED BY	--
CADD FILE	R:\2007\107126.01\CD

7th and 10th FL. DETAILS

UBS
ONE CITY CENTER
PORTLAND, ME 04101

A-301