



SECTION AT BEAM REINFORCING

SCALE: 3/4" = 1'-0"




B1 SECTION AT BEAM REINFORCING

SCALE: 1 1/2" = 1'-0"



SECTION AT JOIST BEARING

SCALE: 1 1/2" = 1'-0"





B2 SECTION AT CANTILEVER BEAM

SCALE: 3/4" = 1'-0"

SECTION

) SCALE: 1 1/2" = 1'-0"





EXIST. FOUNDATION

WALL

- EXIST. FLOOR PLANKS PLANE TO 2 1/8"

> - 5/8" T&G PLYWOOD SHEATHING (GLUED AND SCREWED)

2x10 JOISTS

2x10 FRAMING —

SIMPSON MODEL H4 -AT EACH JOIST

2x6 P.T. PLATE (CONT.) -

GROUT SPACE SOLID ——/ AFTER PLATE IS LEVELED

DRILL AND EPOXY 1/2" DIA. -ANCHOR BOLTS AT 5'-4" O.C. (MIN. EMBED. = 5")

SECTION

SCALE: 1 1/2" = 1'-0"





AUBURN PORTLAND MANCHESTER

GOULD RESTAURANT

414 FORE STREET

PORTLAND, ME 04101			
Harriman Project No.		12752	
Key Plan			Proj No





Drawing Scales As indicated	0 6" 1' 2' 3/4" = 1'-0"	
0 4" 8" 1' 1 1/2" = 1'-0"	****	
No. Alba	No. of the last of	
PA/PE: BKB	© 2013 Harriman Associates	
Drawn By: MRM		

STRUCTURAL DETAILS

S60.1