Location of Construction:	Owner:		Phone:		Permit No: 970611
- 422 Fore St	Harding, R	ichard (?)			910042
Owner Address:	Lessee/Buyer's Name:	Phone:	Business	sName:	DEDILLE LOCKED
	Maine Rosaters				I PERMIT ISSUED
Contractor Name:	Address:	Pho			Permit Issued:
Eider Construction	P.O. Box 1357 S		04074	883-0157	III I O com
Past Use:	Proposed Use:	COST OF WO		PERMIT FEE:	JUN 8 1997
		\$ 14,000	.00	\$ 90.00	
Retail	Same	FIRE DEPT.	Approved	INSPECTION:	CITY OF PORTLAND
			Denied	Use Group: 1 Type: 3/	
	r 150 5/2			BOCA96	Zone: CBL: 032-N-011
	1 loc such	Signature:	1417	Signature:	
Proposed Project Description:			ACTIVITIE	S DISTRICT (P.J.D.)	Zoning Approval:
		Action:	Approved	" /	Sunday Sunday
Nake Interior Renovation	one.	2000 2000		vith Conditions:	Special Zone of Reviews.
			Denied		LI Officially
					□ Flood Zone
		Signature:		Date:	☐ Subdivision
Permit Taken By:	Date Applied For:				☐ Site Plan maj ☐minor ☐mm
Hary Grestk	Transfer of the state of the st	13 June 1997			Show The ballete
- 3 -2 141					Zoning Appeal
 This permit application does not preclude 	the Applicant(s) from meeting applicable	State and Federal rule	S.		□ Variance
2. Building permits do not include plumbin	g, septic or electrical work.				☐ Miscellaneous ☐ Conditional Use
3. Building permits are void if work is not st	arted within six (6) months of the date of	issuance. False informa	a_		☐ Interpretation
tion may invalidate a building permit and					□ Approved
tion may invandate a banding permit and	Total and work.				□ Denied
		Man PE	n.		4/17/11
		HILL	TARIT		Historic Preservation
		1	501.150		□ Not in District or Landmark
			TOIRE	Sh .	☐ Does Not Require Review ☐ Requires Review
			ME	1	Direquiles Review
			PMIT ISSUE	SLA.	Action:
					2 10 1 10 1 10 1 10 1 10 1 10 1 10 1 10
	CERTIFICATION				□Appoved
I hereby certify that I am the owner of record of					
authorized by the owner to make this applicat	ion as his authorized agent and I agree to	conform to all applical	ble laws of thi	is jurisdiction. In addition	, Denied
if a permit for work described in the application	on is issued, I certify that the code official	's authorized represent	ative shall hav	e the authority to enter all	Day. 107 103
areas covered by such permit at any reasonab	le hour to enforce the provisions of the co	ode(s) applicable to suc	ch permit		Date:
		13.1	me 1997		
SIGNATURE OF APPLICANT Larry Wo	ADDRESS:	DATE:	1327	PHONE:	- 1 2 141
SIGNATURE OF ATTECANT BELLY BE	ADDRESS.	DAIL.		FINALIA.	
	4				
RESPONSIBLE PERSON IN CHARGE OF W	ORK, TITLE			PHONE:	CEO DISTRICT
					220 01011101
E					

Location of Construction:	Owner:	Owner:			Permit No: y 7	0611
422 Fore St	Harding, R	ichard (?)	Phone:		1 6111112 140. 9	0022
Owner Address:	Lessee/Buyer's Name: Maine Roasters	Phone:	Busines	ssName:	PERMIT	ISSUED
Contractor Name: Eider Construction	Address: P.O. Box 1357 S	Phoroacarborough, ME	04074	883-0157	Fermi Issued:	8 1997
Past Use:	Proposed Use:	\$ 14,000.		PERMIT FEE: \$ 90.00		
Retail	Same Coffee Ship		Approved Denied	INSPECTION: Use Group: B Type: 35 BOC 496 J J J	Zone: CBL: 032	
Proposed Project Description: Make Interior Renovatio	ns		Approved	with Conditions:	□ Wetland 71. □ Flood Zone □ Subdivision	old fortover
Permit Taken By: Mary Gresik	Date Applied For:	13 June 1997			Sheps Thus	SHALL BEAL
Building permits do not include plumbing Building permits are void if work is not station may invalidate a building permit and	arted within six (6) months of the date of	issuance. False informa WITH REQU	ISSUED IREMEN	- Nijanma	☐ Miscellaneous ☐ Conditional Us ☐ Interpretation ☐ Approved ☐ Denied ☐ Historic Pre ☐ Not in District of ☐ Does Not Requires Review Action:	servation or Landmark uire Review
I hereby certify that I am the owner of record of authorized by the owner to make this application if a permit for work described in the application areas covered by such permit at any reasonable	on as his authorized agent and I agree to n is issued, I certify that the code official	conform to all applicable is authorized representated ode(s) applicable to such	ole laws of th trive shall ha	nis jurisdiction. In addition,	□ Denied	Conditions
SIGNATURE OF APPLICANT Larry Wa	gner ADDRESS:	DATE:	116 177/	PHONE:	100	Mun
RESPONSIBLE PERSON IN CHARGE OF W	ORK, TITLE			PHONE:	CEO DISTRICT	2
White	-Permit Desk Green-Assessor's C	anary-D.P.W. Pink-P	ublic File	Ivory Card-Inspector	A	Roux

	PLUMBING A	APPLICATION	NC	522-7V-0		Department of Human Sciences Division of Health Engineering		
	PROPERT	Y ADDRESS						
Tow Plant	en or tation	Hd						
Str. Subdivisi	eet ion Lot #	Fore SA		CODTLANA		DATA A I/ TABLE BODY		
	PROPERTY O	WNERS NAME		PODATE AND Permit Issued:	00	7234 247 TOWN COPY ON Double Fee		
Last:		First:	artist.	Local Planting Inse	ctor Signature	LPI. # 01/1-14		
Applie Nan		SI-le	V+14					
Mailing Ac Owner/A	pplicant	-	1-4					
		licant Statement			ution: Inspect			
knowle	y that the information sub edge and understand that	any lai lification is reason	est of my on for the Local			rized above and found it to be in Rules.		
Plumbi	ing Inspectors to denive	Maril	4.1	a de derve	1171	2) 4/14/00		
	Signature of Owner	/Applicant	Dat	e Local Plumbing In	spector Signature	Date Approved		
		•	PERM	IIT INFORMATION				
This A	pplication is for	Typ	e of Struct	ure To Be Served:	Plum	bing To Be Installed By:		
	EW PLUMBING	- AC-5		MILY DWELLING		1. MASTER PLUMBER 2. OIL BURNERMAN		
	ELOCATED LUMBING		DDULAR OR MOBILE HOME		3. MFG'D, HOUSING DEALER/MECHANIC			
3. ☐ MULTIPLE FAMILY DWE 4. ☐ OTHER – SPECIFY _			4. □ PUBLIC UTILITY EMPLOYEE					
		4. Li Officia	OF COIL I		A Section of the section of	ERTY OWNER		
				LICENSE	# 4 4 4 4 4 4			
Н	look-Up & Piping Reloc Maximum of 1 Hook-U		Number	Column 2 Type of Fixture	Number	Column 1 Type of Fixture		
HOOK-UP: to public sewer in those cases where the connection is not regulated and inspected by the local Sanitary District. OR HOOK-UP: to an existing subsurface wastewater disposal system.			Hosebibb / Sillcock		Bathtub (and Shower)			
			Floor Drain		Shower (Separate)			
			Urinal		Sink			
		1	Drinking Fountain	1011	Wash Basin			
				Indirect Waste		Water Closet (Toilet)		
PIPING RELOCATION: of sanitary lines, drains, and piping without new fixtures.			Water Treatment Softener, Filter, etc.		Clothes Washer			
				Grease / Oil Separator		Dish Washer		
				Dental Cuspidor	1	Garbage Disposal		
OR TRANSFER FEE [\$6.00]			Bidet		Laundry Tub			
			Other:	日本致	Water Heater			
			Fixtures (Subtotal) Column 2		Fixtures (Subtotal) Column 1			
			1		00	Fixtures (Subtotal) Column 2		
SEE PERMIT FEE SCHEDULE					02	Total Fixtures		
FOR CALCULATING FEE					54	Fixture Fee		
						Transfer Fee		
_						Hook-Up & Relocation Fee		
	age 1 of 1 211 Rev. 6:94				i di	Permit Fee (Total)		

BUILDING PERMIT REPORT

DATE: (//6/9	ADDRESS: 422 Face 10	
REASON FOR PERMIT:_	(110,100)	
BUILDING OWNER:	P. Harding	
	Fider Cont	
PERMIT APPLICANT:	1y 1y APPROVAL: X / 4/6*/9 - 220*28	DENTED
	*25 ×34	

CONDITION(S) OF APPROVAL

This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

- 2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
- 3. Precaution must be taken to protect concrete from freezing.
- 4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 5. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
- 6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993) U.L. 103.
- Guardrail & Handrails A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
- 8. Headroom in habitable space is a minimum of 7'6".
- 9. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread, 7" maximum rise.
- 10. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
- 11. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.
- 12. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
- 13. All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self closer's.
- 14. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
- All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

16. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be approved type. 17. The Fire Alarm System shall be maintained to NFPA #72 Standard. The Sprinkler System shall maintained to NFPA #13 Standard. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996) 20. All construction and demolition debris must be disposed at the City's authorized reclamation site. The fee rate is attached. Proof of such disposal must be furnished to the office of Inspection Services before final Certificate of Occupancy is issued, or demolition permit is granted. 21. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year". 22. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services. 23. This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's office. Ventilation shall meet the requirements of Chapter 12 Sections 1210, of the City's Building Code. All electrical and plumbing permits must be obtained by a Master Licensed holders of their trade. Permit 15 For Interior Work only X 27. required £28. y Brew That reg a verly The Shall MeT TBR requirements of OLL City and STATE ALL Food Service equipment P. Samuel Hoffses, Chief of Code Enforcement

cc: Lt. McDougall, PFD Marge Schmuckal

DANdrews S.P.