D1 HEAT PUMP SOFFIT DETAIL
SCALE: 1" = 1'-0"

D3 DISHWASHING WALL DETAIL
SCALE: 1 1/2" = 1'-0"

1. BOTTOM OF FLIGHT AT FLOOR

D5 STAIR DETAILS
SCALE: 1 1/2" = 1'-0"

C1 WALL CAP HANDRAIL DETAIL
SCALE: 3" = 1'-0"

C2 TYP WALL MTD HANDRAIL
SCALE: 3/8" = 1'-0"

NOTES:

1. ALL HANDRAILS, INTERMEDIATE RAILS AND BALUSTERS SHALL BE 1 1/4" DIA STD STEEL PIPE, UNLESS NOTED OTHERWISE
2. WELD ALL JOINTS AND GRIND SMOOTH
3. BALUSTERS SET IN CONC SHALL BE CORE DRILLED (4") AND SET IN GROUT
4. VERIFY LENGTH OF HANDRAIL EXTENSIONS AT TOP & BOTTOM OF STAIR FLIGHTS WITH STAIR SECTIONS

C3 TYP WALL MTD HANDRAIL DETAIL
SCALE: 3" = 1'-0"

NOTE:
1. WELD AND GRIND SMOOTH ALL JOINTS.
2. PRIME & PAINT ALL STEEL STAIR COMPONENTS.

C4 TYP GUARDRAIL
SCALE: 1" = 1'-0"

C5 STAIR ELEVATION DETAIL
SCALE: 1 1/2" = 1'-0"

A1 Section 15
SCALE: 3/8" = 1'-0"

A3 LAVATORY COUNTER DETAIL
SCALE: 1 1/2" = 1'-0"

A4 STAIR SECTION
SCALE: 3/8" = 1'-0"

Plot Date: 9/23/2013 1:14:19 PM

Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 10/31/13

HARRIMAN

AUBURN PORTLAND MANCHESTER

GOULD RESTAURANT

414 FORE STREET
PORTLAND, ME 04101

Harriman Project No.	12752
Key Plan	Proj North

Issues and Revisions

Mark	Date	Description
	05-21-13	75% REVIEW
	05-31-13	ISSUED FOR CONSTRUCTION
	06-10-13	ISSUED FOR PERMITTING
	07-26-13	RE-ISSUED FOR CONSTRUCTION
	09-23-13	RE-ISSUED FOR CONSTRUCTION

LICENSED ARCHITECT JUDY L. JOHNSON No. 2090 STATE OF MAINE

Drawing Scales As indicated	0 1' 2' 4' 3/8" = 1'-0"
0 4" 8" 1' 1 1/2" = 1'-0"	0 2" 4" 6" 3" = 1'-0"
PA / PE: RBB	© 2013 Harriman Associates
Drawn By: CMP	

STAIR SECTIONS AND DETAILS

A35.1