WHARF STREET COBBLESTONE PAVER ROAD

WHARF STREET BRICK SIDEWALK

FORE STREET

NOTE: USE THICKNESSES SHOWN OR MATCH EXISTING, WHICH EVER IS GREATER.

PAVEMENT DETAILS — C1

NOT TO SCALE

PIPE TRENCH — B1

NOT TO SCALE

1000 GALLON

P.C. CONCRETE GREASE TRAP — A1

NOT TO SCALE

GENERAL DATA FOR BLOCKING STANDARD FITTINGS

MINIMUM SURFACE AREA OF CONCRETE BLOCK AGAINST UNDISTURBED EARTH – SQ.FT.

PIPE SIZE	HYDRANT, PLUG, CAP, TEE	90° BEND	45° BEND	22.5° BEND	11.25° BEND
4"	4	4	4 6	3 4	2
6"	8	10	10	6 8	3
8"	12	16	14	12	4
10"	18	26	20	16	5
12"	26	36	28	20	7
14"	36	50	36		9
16"	46	64			12

RESTRAINT AT WATER LINE FITTINGS — A2

NOT TO SCALE

Reviewed for Code Compliance Inspections Division Approved with Conditions

Date: 10/31/13

HARRIMAN

AUBURN PORTLAND MANCHESTER

GOULD RESTAURANT

PORTLAND, MAINE

Harriman Project No.	12752

Key Plan

Issues and Revisions

Mark	Date	Description
	5-21-13	75% REVIEW
	5-31-13	ISSUED FOR CONSTRUCTION
	7-26-13	RE-ISSUED FOR CONSTRUCTION
	9-23-13	RE-ISSUED FOR CONSTRUCTION

STATE OF MAINE FRANK L. CRABTREE No. 3993 LICENSED PROFESSIONAL ENGINEER

Drawing Scales

PA / PE: FLC

Drawn By: PLS

© 2013 Harriman Associates

SITE PLAN

C00.1