DOOR SCHEDULE

Mark	Door: Size: Width	Door: Size: Height	Door: Size: Thickness	Door: Door Material	Door: Door Type	Door: Glass	Frame: Frame Material	Frame: Frame Type	Frame: Details: Head	Frame: Details: Jamb	Frame: Details: Sill	Fire Rating	Comments
A002	2' - 0"	6' - 0"	1 3/4"	STL	F	-							INSULATED STEEL DOOR. GASKETED @ WALK IN.
A101	4' - 10"	6' - 10"	1 3/4"	WD	EXG	-							EXISTING DOUBLE DOOR. STRIP AND REFINISH.
A101A	3' - 0"	6' - 8"	1 3/4"	WD	F	-	WD	1	A4	A5			SOLID CORE WOOD DOOR. STAINED.
A104	2' - 0"	6' - 8"	1 3/4"	STL	F	-							INSULATED STEEL DOOR. GASKETED @ WALK IN.
A105	3' - 0"	6' - 8"	1 3/4"	WD	B	-							BARN DOOR. BY OWNER.
A201	4' - 10"	6' - 10"	1 3/4"	WD	EXG	-							EXISTING DOUBLE DOOR. STRIP AND REFINISH.
A204	3' - 0"	6' - 8"	1 3/4"	WD	B	-							BARN DOOR. BY OWNER.

DOOR NOTES:

1. SEE SPECIFICATIONS FOR HARDWARE SET DESCRIPTIONS.
2. SEE TITLE SHEET A00.1 FOR STANDARD ABBREVIATIONS.
3. ALL SWINGING DOORS TO BE 1-3/4" THICK (U.N.O.).
4. ALL DOORS SHALL BE 3/4" UNDERCUT (TYPICAL) EXCEPT WHEN THERE IS A BOTTOM FRAME OR SILL THRESHOLD OR SPECIFICALLY NOTED OTHERWISE.
5. ALL DOORS WITH BOTTOM FRAMES OR SILL THRESHOLDS SHALL HAVE MANUFACTURERS RECOMMENDED STANDARD UNDERCUT.
6. REFER TO C1/A10.3 FOR FRAME TYPES.
7. REFER TO C2/A10.3 FOR DOOR TYPES.

DOOR ABBREVIATIONS:

AL	ALUMINUM
GL	GLASS
HM	HOLLOW METAL
INS	INSULATED
S/S	STAINLESS STEEL
STL	STEEL
TEMP	TEMPERED GLASS
WD	WOOD DOOR OR FRAME
OBS	OBSCURE GLASS
ETR	EXISTING TO REMAIN
MANU	MANUFACTURER

GENERAL NOTES:
1. ALL HM FRAMES SHALL BE 2" UNLESS NOTED OTHERWISE.
2. ALL FRAMES TO BE PAINTED .

C3 DOOR FRAME TYPES
SCALE: 1/4" = 1'-0"

C4 DOOR TYPES
SCALE: 1/4" = 1'-0"

B3 BARN DOOR DETAIL
SCALE: 1/2" = 1'-0"

B4 DETAIL
SCALE: 3" = 1'-0"

B5 DETAIL
SCALE: 6" = 1'-0"

A3 BARN DOOR DETAIL
SCALE: 1 1/2" = 1'-0"

A4 TYP STUD HEAD DETAIL
SCALE: 1 1/2" = 1'-0"

A5 TYP STUD JAMB DETAIL
SCALE: 1 1/2" = 1'-0"

Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 10/31/13

HARRIMAN

AUBURN PORTLAND MANCHESTER

GOULD RESTAURANT

414 FORE STREET
PORTLAND, ME 04101

Harriman Project No.	12752

Key Plan

Issues and Revisions

Mark	Date	Description
	05-21-13	75% REVIEW
	05-31-13	ISSUED FOR CONSTRUCTION
	06-10-13	ISSUED FOR PERMITTING
	07-26-13	RE-ISSUED FOR CONSTRUCTION
	09-23-13	RE-ISSUED FOR CONSTRUCTION

LICENSED ARCHITECT
JUDY L. JOHNSON
NO. 2000
STATE OF MAINE

Drawing Scales
As indicated

0 2' 4' 6' — 1/4" = 1'-0"
0 1' 2' 3' — 1/2" = 1'-0"
0 4" 8" 1' — 1 1/2" = 1'-0"
0 2" 4" 6" — 3" = 1'-0"
0 1" 2" 3" — 6" = 1'-0"

PA / PE: RBB
Drawn By: CMP

© 2013
Harriman Associates

DOOR SCHEDULE AND DETAILS

A60.1

Plot Date: 9/23/2013 4:09:09 PM