1 Spring St/2 City Cent	or Owner: Niddae Deer	Ausoc. n	Phone:		Permit No: 970753
Owner Address:	Lessee/Buyer's Name:	65 Fore St Pt1d,	BusinessName:		PERMIT ISSUED
Contractor Name: David Martin/775-4352	Address:	Phon	e: 761-5811		Permit issued:
Past Use:	Proposed Use:	COST OF WOR \$ 3,000.0	tons and an interest of the states		JUL 5 1997
Printing/Shipping	Salon	FIRE DEPT.		Туре:	CITY OF PORTLAND
Proposed Project Description:		orgitatate.	CTIVITIES DISTRICT (I	A.D.)	Zoning Approval:
Change Use/Nake Interior	r Removations	1	Approved Approved with Conditions: Denied		Special Zone or Reviews:
Permit Taken By: Mary Greeik	Date Applied For:	Signature:	Date:		□ Subdivision □ Site Plan maj □minor □mm
Building permits are void if work is not sta tion may invalidate a building permit and			Part Suide		Conditional Use Interpretation Approved Denied Historic Preservation Not in District or Landmark Does Not Require Review Requires Review
					Action:
I hereby certify that I am the owner of record of authorized by the owner to make this application if a permit for work described in the application areas covered by such permit at any reasonable	on as his authorized agent and I agree t is issued, I certify that the code offici	to conform to all applicabl al's authorized representat code(s) applicable to such	e laws of this jurisdiction. In ive shall have the authority to permit	addition,	□ Approved with Conditions □ Denied Date:
authorized by the owner to make this application if a permit for work described in the application	the named property, or that the propose on as his authorized agent and I agree to is issued, I certify that the code offici	to conform to all applicabl al's authorized representat	e laws of this jurisdiction. In ive shall have the authority to permit	addition,	

Butteevi SimkT Cloth leuning rom 1001 20010 .--Tanning 1 30% Souting Pien -rir stations drie Spring (-(1'3 M. M. 1 (GY

Location of Construction:	Owner: Middle Deer As	500	Phone:		Permit Ng 70753
1 Spring St/2 City Center Owner Address:	Lessee/Buyer's Name:	Phone:	BusinessN	ame:	PERMIT ISSUED
0 N		Fore St Ptld			Permit Issued:
Contractor Name: David Martin/775-4352	Address:	Pho	ne: 761-5	811	1 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1
Past Use:	Proposed Use:	COST OF WO		ERMIT FEE:	JUL 5 1997
		\$ 3,000.0	1	A	OTV OF DODT AND
Printing/Shipping	Salon	FIRE DEPT.		SPECTION:	CITY OF PORTLAND
if incing/ontpping			Denied	Jse Group: B Type: 2/7	Zone: CBL:
		Signature: 🌱	64917 3	Ignature And	
Proposed Project Description:		PEDESTRIAN	the second second second second second	11	Sep. permits Needed
		Action:	Approved Approved with	Conditions:	Special Zone or Reviews:
Change Use/Make Interior D	Renovations		Denied		D Shoreland Sign A Se
					EFlood Zone 7/11/9/
Permit Taken By:	Date Applied For:	Signature:		Date:	□ Subdivision □ Site Plan maj □minor □mm □
Mary Gresik	Date Applied For. 0	8 July 1997			
1. This permit application does not preclude the	Applicant(s) from meeting applicable St	ate and Federal rules	2		Zoning Appeal
 Building permits do not include plumbing, se 		are and a cucran rates	1.0		□ Miscellaneous
 Building permits are void if work is not started 		nance. False informa	-		Conditional Use
tion may invalidate a building permit and sto					□ Approved
					Denied
					Historic Preservation
					Does Not Require Review
					□ Requires Review
					Action:
					Action.
	CERTIFICATION			and the second second second	Appoved Approved with Conditions
I hereby certify that I am the owner of record of the authorized by the owner to make this application a					
if a permit for work described in the application is					attila
areas covered by such permit at any reasonable he	our to enforce the provisions of the code	(s) applicable to suc	h permit		Date: 8 /(4/7/7)
X I PIIO	2				211
Jach Pyle	ADDRESS.	08 July 19		HONE	
SIGNATURE OF APPLICANT Xanh Pyle	ADDRESS:	DATE:	r	HONE:	
SPARAMANT - SPEAAT AL AD LEAP OF TOO				HOME	
RESPONSIBLE PERSON IN CHARGE OF WOR	s, HILE		p	HONE:	CEO DISTRICT
White-Pe	ermit Desk Green-Assessor's Cana	ary-D.P.W. Pink-P	ublic File Ivo	ry Card-Inspector	A
					1 Lowe

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

ELECTRICAL PERMIT City of Portland, Me.

To the Chief Electrical Inspector, Portland Maine:

The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine, the City of Portland Electrical Ordinance, National Electrical Code and the following specifications:



Date	13	August	1997	
Permit #		34	72	

LOCATION: 1 Spring St/2 City Center

OWNER Xanh's Hair Salon ADDRESS

						EACH F	
OUTLETS	Telephone	Data	CATV			.20	
	Receptacles 4	Switches	Smoke Detector		4	.20	.80
FIBER OPTICS						15.00	
FIXTURES	incandescent	fluorescent				.20	
	fluorescent strip					.20	_
SERVICES	Overhead		TTL AMPS TO	800		15.00	
	Underground			800		15.00	
Temporary Service	Overhead		AMPS OVER	800		25.00	
	Underground			800	-	25.00	
METERS	(number of)					1.00	
MOTORS	(number of)					2.00	
RESID/COM	Electric units					1.00	
HEATING	oil/gas units	Interior	Exterior			5.00	
APPLIANCES	Ranges	Cook Tops	Wall Ovens			2.00	
Insta-Hot	Water heaters	Fans	Dryers			2.00	
Disposals	Dishwasher	Compactors	Others (denote)			2.00	
MISC. (number of)	Air Cond/win		and the second sec			3.00	
	Air Cond/cent		Pools			10.00	
	HVAC	EMS	Thermostat			5.00	
	Signs					10.00	
	Alarms/res					5.00	
	Alarms/com					15.00	
	Heavy Duty(CRKT)					2,00	
	Circus/Carnv					25.00	1
	Alterations				1	5.00	
	Fire Repairs					15.00	
	E Lights					1.00	
	E Generators					20.00	
PANELS	Service	Remote	Main			4.00	
TRANSFORMER	0-25 Kva					5.00	
	25-200 Kva					8.00	
	Over 200 Kva					10.00	
			TOTAL AMOUN	T DUE			
	MINIMUM FEE/COM	IMERCIAL 35.00	MINIMUM FEE		25.00		35.00

oon no no no na						1
ADDRESS	CXXXXXXXX	31	Stockman	Ave/Saco	LIMITED LIC. #	
TELEPHONE	767-8340					

LOCATION:

OWNER

ELECTRICAL PERMIT City of Portland, Me.

To the Chief Electrical Inspector, Portland Maine:

1 Spring St

The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine, the City of Portland Electrical Ordinance, National Electrical Code and the following specifications:



Date	25	August	1997
Permit #		15110)

27 a 14 a 17 a 14 a

Lil's Hair & Tan ADDRESS

				IOIAL	EACH I	-CC
Telephone	Data	CATV			.20	
Receptacles	Switches	Smoke Detector		2	.20	4.00
					15.00	
incandescent	fluorescent				.20	
fluorescent strip					.20	
Overhead		TTL AMPS TO	800		15.00	
Underground			800		15.00	
Overhead		AMPS OVER	800		25.00	
Underground			800		25.00	
(number of)					1.00	
(number of)					2.00	
Electric units					1.00	
oil/gas units	Interior	Exterior			5.00	
Ranges	Cook Tops	Wall Ovens			2.00	
Water heaters	Fans	Dryers			2.00	
Dishwasher	Compactors	Others (denote)			2.00	
Air Cond/win					3.00	
Air Cond/cent		Pools			10.00	
HVAC	EMS	Thermostat			5.00	
Signs					10.00	
Alarms/res					5.00	
Alarms/com					15.00	
Heavy Duty(CRKT)					2.00	
Circus/Carnv					25.00	
Alterations					5.00	
Fire Repairs					15.00	
E Lights					1.00	
E Generators					20.00	
Service	Remote	Main			4.00	
0-25 Kva					5.00	
25-200 Kva					8.00	
Over 200 Kva					10.00	
		TOTAL AMOUN	T DUE			
MINIMUM FEE/COM	MERCIAL 35.00	MINIMUM FEE		25.00		35.00
Will be ready Read	У	or will call				
Folsom Electric		MASTER LIC. #		1511	0	
unset Rd Scarborou	1	The second se				
	Receptacles incandescent fluorescent strip Overhead Underground Overhead Underground (number of) Electric units oil/gas units Ranges Water heaters Dishwasher Air Cond/cent HVAC Signs Alarms/res Alarms/com Heavy Duty(CRKT) Circus/Carnv Alterations Fire Repairs E Lights E Generators Service 0-25 Kva Over 200 Kva Will be ready Read Folsom Electric	Receptacles Switches incandescent fluorescent fluorescent strip Image: Strip strip Overhead Image: Strip strip Image: Strip strip Image: Strip strip Oil/gas units Interior Ranges Cook Tops Water heaters Fans Dishwasher Compactors Air Cond/win Image: Strip strip Air Cond/cent Image: Strip strip HVAC EMS Signs Image: Strip strip Alarms/com Image: Strip strip Alarms/com Image: Strip strip E Lights Image: Strip strip Service Remote Over 200 Kva Image: Strip	Receptacles Switches Smoke Detector incandescent fluorescent incandescent fluorescent strip Incandescent TTL AMPS TO Overhead AMPS OVER AMPS OVER Underground Interior Exterior (number of) Interior Exterior Ranges Cook Tops Wall Ovens Water heaters Fans Dryers Dishwasher Compactors Others (denote) Air Cond/win Alarms/res Alarms/res Alarms/res Alarms/com Interior Fire Repairs E Lights Interations Fire Repairs Service Remote Main 0-25 Kva TOTAL AMOUN' TOTAL AMOUN' MINIMUM FEE/COMMERCIAL 35.00 MINIMUM FEE Will be ready Will be ready Ready or will call	Telephone Data CATV Receptacles Switches Smoke Detector incandescent fluorescent	Telephone Data CATV	Tetephone Data CATV .20 Receptacles Switches Smoke Detector 2 .20 Incandescent Ituorescent .20 15.00 fluorescent strip .20 .20 Overhead TTL AMPS TO 800 15.00 Underground .20 .20 .20 Overhead AMPS OVER 800 15.00 Underground .200 .200 .200 Underground .20 .200 .200 Overhead .200 .200 .200 Underground .200 .200 .200 Interior Exterior .500 .200 Ranges Cook Tops Wall Ovens .2.00 Water heaters Fans Dryers .2.00 Dishwasher Compactors Others (denote) .2.00 Air Cond/cent Pools .10.00 .2.00 Airms/res .5.00 .5.00 .5.00 Alarms/res .5

lo

SIGNATURE OF CONTRACTOR

BUILDING PERMIT REPORT

DATE:	7/2/20	ADDRESS: / (1) Jak	
REASON F	OR PERMIT:	r de la	
BUILDING	OWNER:	Malak Drev Ance	
CONTRAC	TOR:	Denel Martin	
PERMIT A	PPLICANT:	Approval: *1, *16 *17 *18 *19 DEN	EÐ
		CONDITION(S) OF APPROVAL	

- This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
 Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services
 - must be obtained. (A 24 hour notice is required prior to inspection)
 - 3. Precaution must be taken to protect concrete from freezing.
 - 4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
 - 5. Private garages located <u>beneath habitable rooms</u> in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsun board or the equivalent applied to the garage means of ½ inch gypsun board or the eQUivalent applied to the garage means of ½ inch gypsun board or the eQUivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
 - 6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993) U.L. 103.
 - 7. Guardrail & Handrails A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
 - 8. Headroom in habitable space is a minimum of 7'6".
 - 9. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread, 7" maximum rise.
 - 10. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
 - 11. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508min), and a minimum net clear opening of 5.7 sq. ft.
 - 12. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
 - 13. All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self closer's.
 - 14. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
- 15. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19 (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms.
 - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-I shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

- (16.)A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
- The Fire Alarm System shall be maintained to NFPA #72 Standard.
- The Sprinkler System shall maintained to NFPA #13 Standard.
- (17. (18. (19) All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
- 20. All construction and demolition debris must be disposed at the City's authorized reclamation site. The fee rate is attached. Proof of such disposal must be furnished to the office of Inspection Services before final Certificate of Occupancy is issued or demolition permit is granted.
- Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to 21. excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 22. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
- 23. This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's office.
- 24. Ventilation shall meet the requirements of Chapter 12 Sections 1210, of the City's Building Code.
- 25. All electrical and plumbing permits must be obtained by a Master Licensed holders of their trade. 26.
- 27.

28.

Hoffset Chief of Code Enforcement x: Lt. McDougall, PFD

Marge Schmuckal

Armay