



STATE OF MAINE - DEPARTMENT OF PUBLIC SAFETY
OFFICE OF STATE FIRE MARSHAL
45 COMMERCE DR STE 1
AUGUSTA, ME 04333-0001

Construction Permit

No.22106

In accordance with the provisions of M.R.S.A. Title 25, Chapter 317, Sec.317 and Title 5, Section 4594-F, permission is hereby granted to construct or alter the following referenced building according to the plans hitherto filed with the Commissioner and now approved. No departure from application form/plans shall be made without prior approval in writing. Nothing herein shall excuse the holder of this permit for failure to comply with local ordinances, zoning laws, or other pertinent legal restrictions.

Each permit issued shall be displayed at the site of construction.

Building: BONFIRE LLC
Location: 37 WHARF ST, PORTLAND, ME 04101-4145
Owner: 428 FORE STREET LLC
Owner Address: 42 CHAMBERLAIN AVE, PORTLAND, ME 04101-1911

Occupancy Type: Assembly Class <300
Secondary Use: Business
Use Layout: Separated Use
Sprinkler System
Monitored Fire Alarm System
Barrier Free
Construction Mode: Renovation, Occupancy Change
Unprotected Ordinary: Type III (200)
Final Number of Stories: 6

Permit Date: 04/28/2014 **Expiration Date:** 10/27/2014

Notes and additional requirements:

Bathroom Doors must meet the requirements of Section 404 of ADA 2010, specifically for Clear Width of 32", per 404.2.3, Clear Space per 404.2.4.2, Hardware per 404.2.7, and Opening Forces per 404.2.9

COMMISSIONER OF PUBLIC SAFETY



STATE OF MAINE - DEPARTMENT OF PUBLIC SAFETY
OFFICE OF STATE FIRE MARSHAL
45 COMMERCE DR STE 1
AUGUSTA, ME 04333-0001

Construction Permit

No.22106

In accordance with the provisions of M.R.S.A. Title 25, Chapter 317, Sec.317 and Title 5, Section 4594-F, permission is hereby granted to construct or alter the following referenced building according to the plans hitherto filed with the Commissioner and now approved. No departure from application form/plans shall be made without prior approval in writing. Nothing herein shall excuse the holder of this permit for failure to comply with local ordinances, zoning laws, or other pertinent legal restrictions.

Each permit issued shall be displayed at the site of construction.

Building: BONFIRE LLC
Location: 37 WHARF ST, PORTLAND, ME 04101-4145
Owner: 428 FORE STREET LLC
Owner Address: 42 CHAMBERLAIN AVE, PORTLAND, ME 04101-1911

Occupancy Type: Assembly Class <300
Secondary Use: Business
Use Layout: Separated Use
Sprinkler System
Monitored Fire Alarm System
Barrier Free
Construction Mode: Renovation, Occupancy Change
Unprotected Ordinary: Type III (200)
Final Number of Stories: 6

Permit Date: 04/28/2014 **Expiration Date:** 10/27/2014

Notes and additional requirements:

Bathroom Doors must meet the requirements of Section 404 of ADA 2010, specifically for Clear Width of 32", per 404.2.3, Clear Space per 404.2.4.2, Hardware per 404.2.7, and Opening Forces per 404.2.9

COMMISSIONER OF PUBLIC SAFETY