Luminaire Schedule (note fixture cataloge numbers are not complete)											
Type	Symbol	Qty	Lum. Lumens	s LLF	Lum. Watts	Description					
G	\odot	2	3391	0.900	41.7	ARS-18L3K-070-5M-CS					
D	\odot	1	998	0.900	13.68	FLC4D-RO-1000L-120-L11-T					
W1		2	1471	0.900	13.9	TRP1-12L15-3K7-4					

Calculation Summary										
Label	Avg	Max	Min	Avg/Min	Max/Min					
SITE	0.50	4.4	0.0	N.A.	N.A.					


1) EXACT MOUNTING DETAILS TO BE DETERMINED AT JOBSITE BY OTHERS. 2) CALCULATIONS DO NOT SHOW THE EFFECT OF SHADOWING CAUSED BY

BUILDINGS AND OBJECTS WITHIN THE CALCULATED SPACE OR IN THE SITE AREA. 3) READINGS SHOWN ARE INITIAL HORIZONTAL FOOTCANDLES ON A FLAT SITE WITHOUT REFLECTIONS OR OBSTRUCTIONS UNLESS OTHERWISE INDICATED.

4) THIS CALCULATION IS BASED ON LIMITED INFORMATION SUPPLIED BY OTHERS TO SWANEY LIGHTING ASSOCIATES AND STANDARD ASSUMPTIONS OF THE SPACE AND/OR SITE. 5) CONFORMANCE TO CODES AND OTHER LOCAL REQUIREMENTS AS DETERMINED BY THE AHJ

ARE THE RESPONSIBILITY OF THE OWNER AND/OR THE OWNER'S REPRESENTATIVE. 6) THIS LAYOUT DRAWING MUST BE COORDINATED WITH THE SITE LOCATION FOR CORRECT FIXTURE ORIENTATION.

7) DOCUMENTS PRINTED OR PLOTTED FROM ELECTRONIC FILES MAY APPEAR AT OTHER THAN THE DESIRED OR ASSUMED GRAPHIC SCALES. IT IS THE RESPONSIBILITY OF THE RECIPIENT TO VERIFY THAT THE PRINTED OR PLOTTED-TO-SCALE DRAWING IS PRINTED TO SCALE.







PARRIS ST PORTLAND, ME SITE LIGHTING L

SWANEY LIGHTING ASSOCIATES, INC.

HUBBELL GARAGE LED



HUBBELL WALL PACK



PLAN VIEW