City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 55 Portland St	Owner:	Ph	one:	Permit No: 980199
Owner Address:	Lessee/Buyer's Name:	Phone: Bu	isinessName:	PERMIT ISSUED
Contractor Name: Address: Public Morke 28633 Phone:				Permit Issued:
Past Use:	Proposed Use:	COST OF WORK: \$ 3,000,05	PERMIT FEE: \$ N/C	
Office Space	Same	FIRE DEPT. Appro		Zone: CBL:
		Signature: 44	Signature:	557150
Proposed Project Description: PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: Approved Approved with Conditions: Denied Denied			Zoning Approval: Special Zone or Reviews: Shoreland Wetland Flood Zone Subdivision	
Permit Taken By: Mary Grestk	Date Applied For:	Signature:	Date:	
 Building permits do not include plumbing Building permits are void if work is not station may invalidate a building permit and 	□ Miscellaneous □ Conditional Use □ Interpretation □ Approved □ Denied Historic Preservation □ Not in District or Landmark □ Does Not Require Review □ Requires Review			
			PERMIT ISSUED WITH REQUIREMENTS	Action:
I hereby certify that I am the owner of record of authorized by the owner to make this applicati- if a permit for work described in the application areas covered by such permit at any reasonable	on as his authorized agent and I agree to n is issued, I certify that the code official e hour to enforce the provisions of the co	conform to all applicable laws 's authorized representative sha de(s) applicable to such permi	of this jurisdiction. In addition, all have the authority to enter all	Denied
SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE:))T
RESPONSIBLE PERSON IN CHARGE OF WO	ORK, TITLE		PHONE:	
White	-Permit Desk Green-Assessor's Ca	nary-D.P.W. Pink-Public F	ile Ivory Card-Inspector	

CITY OF PORTLAND, MAINE DEPARTMENT OF PUBLIC WORKS OPERATIONS/ENGINEERING - INSPECTIONS M E M O R A N D U M

TO:	Sam Hoffses, Inspections/ Building Code Enforcement
FROM:	William B. Clark, Jr. PLS Assoc. Engineer Wallean B. Clark, Jr. PLS Assoc. Engineer
DATE:	March 5, 1998
SUBJECT:	Building Permit Application
	Proposed First and Second Floor Renovations 55 Portland Street
	Engineering and Inspections
	Department of Public Works

Attached are floor plans outlining work we plan to perform on the first an second floors to accommodate the Engineering Inspectors and Wastewater personnel.

On the first floor we need to expand the Engineering Inspectors' office into half of the existing conference room and create a receptionist's office with the remaining half which adjoins the hallway.

On the second floor we intend to combine two offices on the Portland Street side of the building to provide for the addition of Wastewater personnel to our staff. No modifications to the ceilings, lighting, or HVAC are expected to be needed.

As stated on sheet two, all wiring shall be performed by a Licensed Electrician. Electrical outlet and light switch placement shall be determined by the Electrician. HVAC and Fire Alarm work shall also be performed by personnel qualified to do so. We hope to start the renovations next week.

I can be available to meet you at your convenience, either today or anytime next week.

PC: Kathi Staples, PE City Engineer Todd Merkle, Materials Engineer William Scott, PLS Project Engineer

BUILDING PERMIT REPORT

DATE	3/8/51	ADDRESS:	55 Putland It							
REAS	ON FOR PERMIT:	Repair timis								
BUILI	DING OWNER:	City of Poitlow)							
CONT	'RACTOR:	/	Λ							
PERM	UT APPLICANT:									
USE G	ROUP B	BOCA 1996	CONSTRUCTION TYPE ZB							
<u>CONDITION(\$) OF APPROVAL</u>										
Thie P	armit is baing issued wi	th the understanding that the fo	llouring conditions are mot							
Appro	oved with the following o	conditions: <u>*/ */8-*/9</u>								
1.	This permit does not e	xcuse the applicant from meeting a	pplicable State and Federal rules and laws.							
2.			the Development Review Coordinator and Inspection Services must be							
3.		notice is required prior to inspectio ten to protect concrete from freezin								
4.			r check all foundation forms before concrete is placed. This is done to							
_	verify that the proper s	etbacks are maintained.								
5.			ancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from							
			assembly which are constructed with not less than 1-hour fire resisting the above occupancies shall be completely separated from the interior							
			rd or the equivalent applied to the garage means of ½ inch gypsum							
			ter 4 Section 407.0 of the BOCA/1996)							
5.			as per Chapter 12 of the City's Mechanical Code. (The BOCA National							
7.	 Mechanical Code/1993). Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's 									
	building code.									
8.			of building components located near the open sides of elevated walking in accidental fall from the walking surface to the lower level. Minimum							
			36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and							
	public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a									
	diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.									
	(Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38". Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2".									
9.	Headroom in habitable	e space is a minimum of 7'6".	C C C C C C C C C C C C C C C C C C C							
10.			of 10" tread and 7 3/4" maximum rise. All other Use group minimum							
11.	11" tread. 7" maximum	n rise. om in all parts of a stairway shall no	at be less than 80 inches (6' 8")							
12.			f use Groups R and I-1 shall have at least one operable window or							
		0,0	The units must be operable from the inside without the use of special							
			ed as <u>means of egress or rescue</u> they shall have a sill height not more rescue windows from sleeping rooms shall have a minimum net clear							
			inimum net clear opening width dimension shall be 20 inches (508mm),							
	and a minimum net cle	ar opening of 5.7 sq. ft.								
13.	Each apartment shall h	ave access to two (2) separate, rem	note and approved means of egress. A single exit is acceptable when it with no communications to other apartment units.							
14.			having a fire rating of at lest one (1)hour, including fire doors with self							
- 10	closer's. (Over 3 storie	es in height requirements for fire ra	ating is two (2) hours.)							
15.			ire-rated construction including fire doors and ceiling, or by providing							
	automatic extinguishm	ent.								
16.	All single and multiple	station smoke detectors shall be o	f an approved type and shall be installed in accordance with the							

First + Secul Flees			Date	
Wallson Reen mo est t Sur old			Inspection Record	
point of have			anvT	Foundation:
~ ~ ~				
5 198 I called Plan . 5 not comple are Been Renzied 7 - 20 - 98 wheet B. I clack they are going to Instal	the an			
515198 I called Plan. 5 not complicated have Been Renzied 7.20.98 meet B.11 clark all they are going to Install (1	my waspit /			

provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):

- In the immediate vicinity of bedrooms
- In all bedrooms
- In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

- 17. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
- 18. The Fire Alarm System shall be maintained to NFPA #72 Standard.
- The Sprinkler System shall maintained to NFPA #13 Standard.
- 20. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
- 21. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 22. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
- 23. Ventilation shall meet the requirements of Chapter 12'Sections 1210. Of the City's Building Code.
- 24. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade.
- 25. All requirements must be met before a final Certificate of Occupancy is issued.
- 26. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA National Building Code/1996).
- 27 Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993).
- 28. Please read and implement the attached Land Use-Zoning report requirements.

29.

30.

31.

32.

ode Enforcement Hoffses Samua LI Silve

cc: Lt. McDougail, PFD Marge Schmuckal