


GENERAL NOTES:

1. ROOF CONTRACTOR/BIDDER SHALL VERIFY ALL EXISTING CONDITIONS AND DIMENSIONS.
2. TOP OF PARAPET TO ALIGN WITH TOP OF EXISTING CORNICE AT ARC. CONTRACTOR TO VERIFY EXISTING CORNICE HEIGHT PRIOR TO ISSUING STRUCTURAL SHOP DRAWINGS.
3. MECHANICAL CONTRACTOR SHALL DETERMINE LIMITATIONS AND/OR CONFLICTS RELATIVE TO THE EXECUTION OF HIS WORK PRIOR TO BID. VERIFY EXACT DETAIL OF INSTALLATION REQUIRED TO PROVIDE SYSTEMS SHOWN WITHIN THE SPACE INTENDED.
4. COORDINATE THE LOCATION OF ALL MECHANICAL AND PLUMBING ITEMS WITH MECHANICAL AND PLUMBING DWGS.
5. BUILDING EXHAUST AND PLUMBING VENTS SHALL BE LOCATED A MINIMUM OF 10 FEET FROM ALL VENTILATION INTAKES.
6. REFER TO STRUCTURAL DWGS. FOR WIND UPLIFT SCHEDULE.
7. ROOF SLOPE SHALL BE OBTAINED BY PITCHING THE STRUCTURE. REFER TO STRUCTURAL DWGS FOR ADDITIONAL INFO.

Bild Architecture
 PO Box 8235
 Portland, ME
 04104
 207.408.0168
 evan@bildarchitecture.com



PROJECT NO. **15031**
 PROJECT NAME **SALVATION ARMY ARC PORTLAND, ME**

REVISIONS

1	
2	
3	
4	
5	

CONSTRUCTION DOCUMENTS

ISSUE DATE **10/25/16**
 DRAWN BY **AEW**
 SHEET TITLE **ROOF PLAN**
 SHEET SCALE **1/4" = 1'-0"**