Calculation Summary									
Label	Avg	Max	Min	Avg/Min	Max/Min	<b>PtSpcLr</b>	<b>PtSpcTb</b>		
BACK PARKING	0.73	1.9	0.3	2.43	6.33	10	10		
ENTRY DRIVE	1.25	3.1	0.3	4.17	10.33	10	10		
FRONT PARKING	0.93	2.6	0.3	3.10	8.67	10	10		
FULL SITE	0.26	3.6	0.0	N.A.	N.A.	10	10		

Luminaire Schedule (note fixture cataloge numbers are not complete)										
Type	Symbol	Qty	Lum. Lumens	LLF	Lum. Watts	Description				
A4N	•	1	3912	0.900	63.4	RA174E35-60L3K-NFO				
A3N	•	5	3248	0.900	63.2	RA173E35-60L3K-NFO				
С	$\odot$	7	6220	0.900	109	ESL 110 4K AS X 7 DS				
D	•	2	4812	0.900	65.1	PGL71WE35-60L3K				
F		2	1058	0.900	19.5	SW1-18LED-3500K				
RI	$\bigcirc$	10	1125	0.800	95	BOL ED45 13 L-CL XX-M50 00.				

## NOTES

1) EXACT MOUNTING DETAILS TO BE DETERMINED AT JOBSITE BY OTHERS.

CALCULATIONS MAY SHOW THE EFFECT OF SHADOWING CAUSED BY BUILDING

OBJECTS WITHIN THE CALCULATED SPACE OR IN THE SITE AREA.

3) READINGS SHOWN ARE INITIAL HORIZONTAL FOOTCANDLES ON A FLAT SITE


UNLESS OTHERWISE INDICATED.


SWANEY LIGHTING ASSOCIATES AND STANDARD ASSUMPTIONS OF THE SPACE AND/OR SITE
5) CONFORMANCE TO CODES AND OTHER LOCAL REQUIREMENTS AS DETERMINED BY THE AND
ARE THE DESPONSIBILITY OF THE OWNER AND/OR THE OWNERS REPRESENTATIVE

ARE THE RESPONSIBILITY OF THE OWNER AND/OR THE OWNER'S REPRESENTATIVE 6) THIS LAYOUT DRAWING MUST BE COORDINATED WITH THE SITE LOCATION FOR

7) CHECK GRAPHIC SCALE. DOCUMENTS PRINTED OR PLOTTED FROM ELECTRONI
FILES MAY OCCUR AT OTHER THAN THE DESIRED OR ASSUMED GRAPHIC SCALE
IT IS THE RESPONSIBILITY OF THE RECIPIENT TO VERIFY THAT THE PRINTED

## STREET LIGHTING TURNED OFF





ASSOCIATES, INC