

CITY OF PORTLAND, MAINE Department of Building Inspection

Certificate of Occupancy

LOCATION 363 Cumberland Avenue CBL: 033-J-018

Issued to Roger Passmore

Date of Issue August 2, 1999

an in a stand of the second description and stand and stand and stand and a second second second second second

This is to certify that the building, premises, or part thereof, at the above location, built – altered

- changed as to use under Building Permit No. 990779 , has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

APPROVED OCCUPANCY

Change of use from 3 to 4 unit

Use group R-2 Type 5B BOCA 96

Limiting Conditions:

NMAX None

This certificate supersedes certificate issued Approved: 8-2.99 (Datc) Inspector Inspector of Notice: This certificate identifies lawful use of building or premises, and ought to be transferred from owner to owner when property changes hands. Copy will be furnished to owner or lessee for one dollar,

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 363 Subber Land Ave.	Owner: Basensoro	·	Phone: ***?/3-213.	Permit No:
Owner Address: 5 arockaide St. Cureaerland, but	Lessee/Buyer's Name:	Phone:	BusinessName:	
Contractor Name:	Address:	Phone	×:	Permit Issued:
Past Use:	Proposed Use:	COST OF WORI	K: PERMIT FEE: \$ ³⁰ •00	JUL 2 3 1999
lligger four unit apertment	legsi font unit apartment	FIRE DEPT.	Denied Use Group <i>R</i>-2 Type:	Zone: CBL:033-J-018
		Signature:	BOCA9C Signature: Holfie	4
Proposed Project Description:			CTIVITIES DISTRICT (9/A.D.)	
describe lour unit Apartaens		Approved Approved with Conditions: Denied	□ Special Zone or Reviews: □ □ Shoreland □ □ Wetland	
		Signature:	Date:	☐ Flood Zone □ Subdivision
Permit Taken By: kathy	Date Applied For: 07/19/	(4) 14	Duci	Zoning Apped
 This permit application does not preclude the Building permits do not include plumbing, see Building permits are void if work is not started tion may invalidate a building permit and store 	□ Variance □ Miscellaneous □ Conditional Use □ Interpretation □ Approved □ Denied			
	aaaaplaana Gall rogat	- Pauriners - 173-	-1131 when porals to the	Historic Preservation In Not in District or Landmark □ Does Not Require Review □ Requires Review
	CEDTUDICATION		PERMIT ISSUED WITH REQUIREMENTS	Action:
I hereby certify that I am the owner of record of the authorized by the owner to make this application if a permit for work described in the application is areas covered by such permit at any reasonable he	as his authorized agent and I agree to cor issued, I certify that the code official's a	form to all applicable uthorized representati	e owner of record and that I have be e laws of this jurisdiction. In additi ive shall have the authority to enter	on, Denied
		ef egga		
SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE:	
RESPONSIBLE PERSON IN CHARGE OF WOR	K. TITLE		PHONE:	
	ermit Desk Green–Assessor's Cana	ry–D.P.W. Pink–Pu		
		-		22

	BUILDING PERMIT REPORT						
	ADDRESS: 363 Cumberland AVE. CBL: \$33-J-\$18						
REAS	ONFORPERMIT: Legalore Four Unit apts.						
BUIL	on For permit: <u>Legalze Four Unit apTs</u> . DING OWNER: <u>Roger Passmore</u>						
PERM	11T APPLICANT:						
USE G	GROUP $R-2$ BOCA 1996 CONSTRUCTION TYPE $5B$						
	CONDITION(S) OF APPROVAL						
	ermit is being issued with the understanding that the following conditions are met:						
Appro	ved with the following conditions: $(1, 49, 49, 40, 41, 412, 413, 414, 415, 416, 47, 418, 419, 427, 429, 433, 433)$						
∠ <u>1.</u> 2. 3.	This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel at complete to and shall be gravered with an approved filter membrane material. Section 1813 5.2						
4.	placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2 Foundations anchors shall be a minimum of $\frac{1}{2}$ " in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' o.c. between bolts. (Section 2305.17)						
5. 6.	5. Waterproofing and damp proofing shall be done in accordance with Section 1813.0 of the building code.						
0. 7.	7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify						
8.	that the proper setbacks are maintained. Private garages located <u>beneath habitable rooms</u> in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. <u>Private</u> <u>garages attached side-by-side to rooms</u> in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)						
⊁€ 9.	All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211						
-X 10.	Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.						
↓ 11.	Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 ¼" and not greater than 2". (Sections 1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7)						
¥12. ≰13.	Headroom in habitable space is a minimum of 76". (Section 1204.0) Stein construction in Lie Crown P. 3. 6. P. dis a minimum of 10" traced and 7.34 " maximum rise. All other Lies Group minimum [1]"						
	Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)						
- ↓ 14. ↓ 15.	The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4 Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as <u>means of egress or rescue</u> they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)						
★16.	Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits						
4 17.	directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1) All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.0)						

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED Building or Use Permit Pre-Application

Attached Single Family Dwellings/Two-Family Dwelling

Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building):	343	Cumberland	A.	rf				
Total Square Footage of Proposed Structure		Square Footage of Lot						
Tax Assessor's Chart, Block & Lot Number Chart#033 Block# J Lot#018	owner: ROG	le Passmore	2	Telephone#: 173 - X37				
Owner's Address: 5 Brock Side Drive (Umberland nue	Lessæ/Buyer's N	ame (If Applicable)	Cos \$	a Of Work: Fee \$ 20 -				
Proposed Project Description: (Please be as specific as possible). TO Legenlige Yunit Apartment								
Contractor's Name, Address & Telephone				Rec'd Br				
Current Use: Migul 4 Unit al	pr	Proposed Use: Legal L	U	inct Apt -				

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.


•All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II. •All plumbing must be conducted in compliance with the State of Maine Plumbing Code.

•All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.

•HVAC(Heating, Ventililation and Air Conditioning) installation must comply with the 1967 to burding with you application:

1) ACopy of Your Deed or Purchase and Sale Agreement

2) A Copy of your Construction Contract, if available



Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

4) Building Plans

Unless exempted by State Law, construction documents must be designed by a registered design professional. A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant:

Date:

19100

Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter. Additional Site review and related fees are attached on a separate addendum