



4TH FLOOR FRAMING PLAN

PRELIMINARY
NOT FOR CONSTRUCTION
UNDER NO CIRCUMSTANCES SHALL THIS DRAWING BE USED TO DEVELOP SHOP DRAWINGS OR FABRICATE NEW MATERIALS.

NOTES

- 1. Top of steel shall be E1, X, X' unless noted otherwise by a + or - from this...
2. All floor joists shall have 2 1/2" w/2".
3. See XX / SSSX for special details at equipment and deck openings.
4. See Drawings S110 and S111 for additional notes and requirements.
5. Install bridging where specified. Bridging shall not be interrupted for ductwork or other components without approval from Prior Structural Engineers, Inc.
6. See Drawings S50, S51, S52, and S53 for required typical details.
7. See Architectural Drawings for dimensions not shown.
8. Coordinate brick relieving angle requirements at building perimeter with Architectural Drawings. In case of conflict between Structural and Architectural Drawings, notify Architect prior to proceeding with construction.

REVISIONS table with columns for Description, Date, and CAD Filename.

Owner: BAYSIDE HOLDINGS, LLC
50 PORTLAND PIER SUITE 400
PORTLAND, MAINE 04101

MULTI-TENANT OFFICE BUILDING
MARGINAL WAY
PORTLAND, MAINE 04101



434 Cumberland Avenue
Portland, ME 04101
Phone: (207) 774-4441
Fax: (207) 774-4016
www.CWSarch.com



Drawing Number: S4.2

Drawing Title: FOURTH FLOOR FRAMING PLAN
Scale: 3/16" = 1'-0"
Date: 10/25/05
PSE Proj. No.: 127-O5