

YMCA High Street Entry										5/13/2005
Portland, ME										5/25/2005
Door Schedule										
No.	W	H	T	Door Material	Door Type	Frame Type	Lock Function	Hardware	Label	Notes
R100	36	84	1-3/4	Solid Core Wood	L	D	Privacy	Closer 2		
R101	36	84	1-3/4	Solid Core Wood	L	D	Privacy	Closer 2		
R102	36	84	1-3/4	Solid Core Wood	L	D	Privacy	Closer 2		
R103	36	84	1-3/4	Solid Core Wood	L	D	Privacy	Closer 2		
R104	36	84	1-3/4	Solid Core Wood	L	D	Privacy	Closer 2		
R105	36	84	1-3/4	Solid Core Wood	L	D	Privacy	Closer 2		
R106	(2)36 Pair	84	1-3/4	Solid Core Wood	2NVL	E	Exit Device No. 1 on each leaf	Closer 1 on each leaf, kick plates each leaf, each side	60 min.	Tempered, Wire Glass, Center Astragal, Provide electric strike on right hand leaf and tie to card access system. Provide electric hinge(ccy) assembly. Provide 56 - Prefix Latch Retraction on exit leaf only.
R107A	(2)36 Pair	84	1-3/4	Hollow Metal	2FG	A	Push/Pull on each leaf	Provide Power Assisted Operator on right hand leaf upon exiting. Closer 1 on opposite leaf.		
R107B	(2)36 Pair	84	1-3/4	Hollow Metal	2FG	A	Push/Pull on each leaf	Provide Power Assisted Operator on right hand leaf upon exiting. Closer 1 on opposite leaf.		
R108	36	84	1-3/4	Solid Core Wood	HG	D	Lockset No. 1	Kickplate, Closer		Tempered
R109	36	84	1-3/4	Solid Core Wood	HG	D	Lockset No. 1	Kickplate		Tempered
R110A	(2)36 Pair	84	1-3/4	Hollow Metal	2FG	A	Exit Device Package No. 2 - Provide w/ 8103E2-0 32D pulls	Weatherstripping, Closer 1, Automatic Door Bottom Sweep		Provide Power Assisted Operator on right hand leaf upon exiting. Closer 1 on opposite leaf.

YMCA High Street Entry										5/13/2005
Portland, ME										5/25/2005
Door Schedule										
No.	W	H	T	Door Material	Door Type	Frame Type	Lock Function	Hardware	Label	Notes
R110B	(2)36 Pair	84	1-3/4	Hollow Metal	2FG	A	Exit Device Package No. 2 - Provide w/ 8103E2-0 32D pulls	Weatherstripping, Closer 1, Automatic Door Bottom Sweep		Provide Power Assisted Operator on right hand leaf upon exiting. Closer 1 on opposite leaf.
R112	48	84	1-3/4	Hollow Metal	F	C	Storage	Weatherstripping, Closer 2	60 min.	
R114	36	84	1-3/4	Hollow Metal	F	D	Storage	Closer 2	60 min.	
R115A	(2)36 Pair	84	1-3/4	Solid Core Wood	2NVL	F	Exit Device No. 3	Closer 1 on each leaf, kick plates each leaf, each side		Tempered, Wire Glass, Center Astragal
R115B	(2)36 Pair	84	1-3/4	Solid Core Wood	2NVL	E	Exit Device No. 1 on each leaf	Closer 1 on each leaf, kick plates each leaf, each side	60 min.	Tempered, Wire Glass, Center Astragal, Provide electric strike on right hand leaf and tie to card access system. Provide electric hinge(ccy) assembly. Provide 56 - Prefix Latch Retraction on exit leaf only.
R211	36	84	1-3/4	Hollow Metal	D	D	Passage	Closer 2	60 Min.	Tempered, Wire Glass
R215	(2)36 Pair	84	1-3/4	Solid Core Wood	2NVL	E	Exit Device No. 1 on each leaf	Closer 1 on each leaf, kick plates each leaf, each side	60 min.	Tempered, Wire Glass, Center Astragal, Provide electric strike on right hand leaf and tie to card access system. Provide electric hinge(ccy) assembly. Provide 56 - Prefix Latch Retraction on exit leaf only.