DIVISION 1 - GENERAL REQUIREMENTS

SECTION 01100 - SUMMARY

1.1 Contract Documents:

- A. Contractor shall use the following Tenant provided documents in the negotiation and execution of the Work. Contact Tenant's office for copies of these documents:
- 1. Chipotle Instructions to Bidders. 2. Construction Contract for Chipotle Mexican Grill.
- B. Definitions:
- 1. The term "Owner" used in these documents refers to the building Owner/Landlord.
- 2. The term "Tenant" used in these documents refer to the restaurant Tenant, Chipotle Mexican Grill. Inc.
- 3. The term "Contractor" used in these documents refers to the entity responsible for performing the Work under Construction Contract for Chipotle Mexican Grill.

1.2 Scope of Work:

- A. The Work shall include construction of the site and building facilities as shown and specified in these Specifications and Drawings.
- B. When required and necessary, the Tenant will provide a subsurface exploration report as an attachment the bidding documents.

SECTION 01300 - ADMINISTRATIVE REQUIREMENTS

1.1 Coordination:

- A. Immediately inform the Architect of discrepancies between the information indicated in the Contract Documents and existing project conditions, and of discrepancies between information indicated on the architectural, structural, mechanical, plumbing and electrical documents.
- B. Prior to fabrication and installation of new components, field verify all existing and new dimensions and installation conditions that may affect the Work. Do not scale the drawings to establish locations of items that are not located using dimensions.
- 1. All dimensions are to rough face of stud or centerline of structure, unless otherwise indicated. Verify that all Subcontractors have reviewed and coordinated locations of their equipment and furnishings exposed to view with the architectural drawings. Review questions with the Architect.
- C. Coordinate new work indicated on the Contract Documents with new work that may be provided by the Owner and Tenant under separate contracts.
- D. Coordinate the work of Vendors, Contractors and Subcontractors providing fixtures, furniture and equipment identified as "by Tenant" in these drawings and specifications. 1. Notify the Tenant in timely fashion if any problems develop with the performance of these Vendors, Contractors or Subcontractors.
- E. Coordinate the scheduling, sequencing, and the work of all trades and Subcontractors to assure efficient and orderly sequences of installation of interdependent construction elements.
- F. Verify that the utility requirement characteristics of operating equipment are compatible with the building utility services. Coordinate work of the various specification sections having interdependent responsibilities for installing, connecting to, and placing in service such equipment.
- G. Coordinate the installation and physical space requirements of plumbing, mechanical and electrical work that are indicated diagrammatically on the drawings. Follow routing shown for piping, ducts and conduit as closely as practical. Install runs parallel with and perpendicular to the line of the building. Utilize spaces as efficiently as possible to maximize accessibility for other work installation and for maintenance and for repair.
- 1. Conceal piping, ducts and conduit within the construction, except as otherwise indicated. 2. Coordinate locations of registers, fixtures and outlets with finish elements.
- H. Coordinate completion and cleanup work of all trades and Subcontractors in preparation for Substantial Completion
- I. To minimize disruption of Tenant's activities after Tenant occupancy of the property, coordinate access to the property with the Tenant's Construction Manager for correction of defective work and work not in accordance with the Contract Documents

1.2 Submittals:

A. Only when indicated in the specifications or drawings submit shop drawings, product data, and/or samples to the Architect for review. All submittals shall be made directly to the architect by the general contractor. Only submittals for specified products will be accepted unless prior approval has been obtained for a substitution (refer to Section 01630). Submittals shall be made with respect to the construction schedule to allow for adequate review time: allow (5) business days for review of submittals Divisions 3 through 10 and allow (10) business days for review of submittals in all other divisions.

> Shop drawings: Submit electronic copies of each sheet of drawings. Shop drawings are original drawings prepared by the subcontractor or vendor for the purpose of conveying information to the architect and/or engineer on how a building element or product will be constructed in sufficient detail for the architect and/or engineer to determine compliance with the design intent.

In all cases one copy of the submittal shall be returned to the general contractor. Electronic submittals for shop drawing or product data in either PDF or DWF format are acceptable for review. All submittals, regardless of format, must bear the general contractor's stamp indicating the submittal has been reviewed and approved. Any submittal not meeting the requirements set forth will be rejected by the architect.

1.3 Requests For Information

A. In the event that the general contractor, or a subcontractor, at any tier, determines that some portion of the drawings, specifications, or other contract documents requires a clarification or interpretation by the architect, the general contractor shall submit a Request For Information in writing to the architect in an electronic copy.

Requests for Information may only be submitted by the general contractor and may only be submitted to the architect. The general contractor shall clearly and concisely set forth the issue for which clarification or interpretation is sought and why a response is needed from the architect or the architect's consultants. In the Request for Information, the general contractor shall set forth an interpretation or understanding of the requirement along with an explanation of why such an understanding was reached.

B. The architect will review all Requests for Information to determine whether they are Requests for Information within the meaning of this term. If the architect determines that the document is not a request for information, it will be returned to the general contractor, un-reviewed as to content, for re-submittal in the proper form and in the proper manner.

Responses to Requests for Information shall be issued upon receipt, but no later that five (5) working days of receipt of the Request from the general contractor; unless the architect determines that a longer amount of time is necessary to provide an adequate response. If a longer amount of time is determined necessary by the architect, the architect will, within five (5) working days of receipt of the Request, notify the general contractor of the anticipated response time. If the general contractor submits a Request for Information on an activity with five (5) working days or less of float on the current project schedule the general contractor shall not be entitled to any time extension due to the time it takes the architect to respond to the Request provided that the architect responds within the parameters set forth above.

C. Responses to Requests for Information from the architect will not change any requirements of the contract documents. In the event that the general contractor believes that a response to a Request For Information will cause a change to the requirements of the contract documents, the general contractor shall immediately give written notice to the architect and the tenant stating that the general contractor considers the response to be a Change Order. Failure to give such written notice immediately shall waive the general contractor's (or any subcontractor's) right to seek additional time or cost under the Administrative Requirements of these contract documents.

SECTION 01400 - QUALITY REQUIREMENTS

1.1 Regulatory Requirements:

- A. Perform all work in accordance with applicable local, state, and federal building codes, plumbing codes, mechanical codes, electrical codes, ordinances and rules and regulations governing food service establishments.
- B. Comply with local, state and federal requirements governing accessibility.
- C. Obtain all required demolition and erosion control permits required by authorities having jurisdiction.

1.2 Quality Control:

- to produce work of specified quality.
- B. Comply with manufacturer's instructions and applicable trade standards.
- C. Handle, install, connect, clean, condition and adjust products in strict accordance with manufacturer's instructions and complying with specified requirements. with the Contract Documents.
- codes or specified requirements indicate higher standards or more precise workmanship.
- E. Perform work by persons qualified to produce workmanship of the specified quality. Secure products in place or disfigurement.
- maximum dimensions.)

1.3 Testing:

- A. Employ and pay for the services of an independent testing laboratory to perform inspections, tests and other services when required.
- having jurisdiction. Test concrete in accordance with Section 03300 and drawing requirements.

SECTION 01500 - TEMPORARY FACILITIES AND CONTROLS

1.1 Provide temporary facilities and controls as shown and specified: A. Codes and Standards: Provide temporary construction facilities and controls complying with all

- B. Temporary Heating, Ventilating and Cooling: equipment against damage from low and high temperatures and humidity.
- stored in the building, in any temporary storage area, or any material or product incorporated into the work.
- working conditions.
- C. Temporary Electrical Lighting and Power:
- available for use during progress of the work. Temporary service and lighting and power items and installations shall conform to the 1970.
- Include all necessary storage tanks, piping, valves, fittings, hose and hose connections during construction and testing.

F. Barriers and Enclosures:

G. Field Office, Telephone and Email:

- Verify area size and location with the Tenant.
- 2. documents at field office.
- field office throughout progress of the work.

4. Provide weekly photographic documentation of project progression to Tenant.

- H. Safety and Security
- workers and general public.

and ordinances

closing hardware and locks.

I. Cleaning

in which materials, equipment, or fixtures are received to on-site containers daily.

site.

2. Dust Control:

- spaces prior to covering or enclosing the space.

SECTION 01630 - SUBSTITUTIONS

1.1 General:

A.	Products, including materials, equipment and systems described in the Contract Documents establish the standards of required function, dimension, appearance, quality and performance of the Work. Base all bids on the
	"Standards" indicated.

- B. Requests by the Contractor for changes in products, manufacturers, fabricators, suppliers, installers, and methods of construction required by the Contract Documents are considered requests for "substitutions:" Substitutions will be considered only under the following conditions:
 - 1. The indicated "Standard" cannot be provided within the Contract Time
 - 2. The indicated "Standard" cannot receive necessary approval by the governing authority. 3. A substantial advantage is offered the Owner, in terms of cost, time, energy conservation or other considerations of merit as determined by the Architect.
- C. Submit each request for substitution to the Architect. Identify the product, manufacturer, fabricator, supplier, installer or the fabrication or installation method to be replaced in each request. Identify related Specification Section and Drawing numbers. Provide documentation as directed by the Architect.
- D. Substitutions will not be considered when indicated on shop drawings or product data submittals without separate written request, when requested directly by subcontractor, manufacturer, fabricator, or supplier, or when acceptance will require substantial revision of the Contract Documents.
- Substitute products, manufacturers, fabricators, suppliers, and installers shall not be used for the Project without Tenant and Architect's written acceptance.

SECTION 01700 - EXECUTION REQUIREMENTS

1.1 Preparation:

A. Protection of existing construction: Use all necessary care and appropriate means and methods to protect and prevent damage to existing construction and property not part of the Contract Work. Repair and refinish or replace construction and property damaged during construction work, at Contractor's expense.

1.2 Selective Demolition: Provide selective demolition as shown and specified.

A. Preparation:

- 1. Coordinate work of this Section with work of various Contractors and Tenant's staff.
- Maintain protected access at all times. 3. Erect and maintain weatherproof closures at exterior openings.
- 4. Erect and maintain dust-proof interior partitions to prevent spread of dust or fumes.
- 5. Erect and maintain barricades, enclosures, bracing, shoring, lights, warning signs and guards necessary for worker and public safety and protection of property.
- 6. Disconnect, remove and cap designated utility services. Identify and mark locations of disconnected and capped utilities at the project site and on Project Record Documents. 7. Notify and coordinate with the Tenant's Construction Manager and the building Owner for any demolition
- occurring outside the lease limit. 8. Coordinate hours of operation and construction access with the Tenant's Construction Manager and the
- building Owner.
- B. Selective Demolition Remove existing construction to accommodate new construction as indicated.
- 2. Perform selective demolition in an orderly, systematic and careful manner with least possible disturbance to public and adjacent property. Use of explosives is prohibited.
- 3. Immediately remove from the site and legally dispose of demolished materials, except as indicated otherwise. Do not burn or bury materials on the project site.

1.3 Cleaning

- A. Final Cleaning: Perform final cleaning upon completion of project work.
- 1. Remove waste and surplus materials, rubbish, tools, equipment and temporary construction facilities from the
- 2. Clean exterior grounds; remove stains, spills and foreign materials from paved areas, power wash and sweep clean. Rake clean landscaped surfaces of the grounds 3. Remove temporary protection and labels not required to remain.
- 4. Clean all finished surfaces. Remove grease, mastic, adhesives, dust, dirt, stains, fingerprints, labels and other foreign materials from exposed interior and exterior surfaces. a. Clean all plumbing, fire protection and electrical fixtures and equipment including ceiling area elevated
- ductwork and lighting fixtures. b. Clean permanent equipment filters and replace temporary disposable filters in mechanical units used during construction.
- c. Clean ducts, blowers and coils if mechanical units were operated without filters during construction.
- 5. Clean interior and exterior glazing and mirrors, polish transparent and glossy surfaces and clean floors with
- appropriate materials and equipment.
- Remove waste, foreign material and debris from roofs, areaways and drainage systems. 7. Before Tenant occupancy, conduct an inspection, with the Tenant, of exposed interior and exterior surfaces at all work areas, to verify that the entire work is clean.

1.4 Starting and Adjusting:

A. Prior to Substantial Completion, coordinate the start-up, test and balance, placement in operation and adjustment all systems, controls and equipment to verify proper operation. All systems shall be complete and operating prior to final inspection.

1.5 Contract Closeout:

A. Operation and Maintenance Data: Submit one operation and maintenance manual, bound in 8-1/2" x 11" text pages, three D side ring capacity expansion binders with durable plastic covers.

- 1. Subdivide the binder contents internally with permanent dividers logically organized as described below.
- Provide tab titles clearly printed under reinforced laminated plastic tabs.
- 2. Provide a table of contents with each product or system description identified.
- 3. Provide a directory listing names, addresses, and telephone numbers of the project Architect/Engineer, Contractor, Subcontractors and major equipment suppliers.
- 4. Prepare operations and maintenance instructions arranged by system and subdivided by specification section. Identify names, addresses, and telephone numbers of project Subcontractors and suppliers. For each category,
- identify the following:
- a. Significant design criteria.
- b. List of equipment. c. Parts list for each component.
- d. Operating instructions.
- e. Maintenance instructions for each equipment item and systems.
- f. Maintenance instructions for special finishes, including recommended cleaning methods and materials
- and special precautions for identifying detrimental agents. 5. Submit operations and maintenance data to the Tenant with final application for payment in accordance with
- Exhibit C of the Construction Contract.

B. Record/As Built Documents: 1. Prepare and maintain on site one set of the following record/as built documents:

- a. Contract Documents.
- b. Construction Documents.
- c. Change orders and other modifications to the Contract. d. Shop drawings, product data, and samples.
- e. Construction schedule.
- 2. Store record/as built documents separate from documents used for construction.
- 3. Record actual revisions to the Work, concurrently with construction progress. 4. Legibly mark and record a description of actual products installed at each specification section, including the
- following: a. Manufacturer's name and product model and number.
- b. Approved product substitutions or alternates utilized.
- c. Changes made by addenda, change orders, and other modifications.
- 5. Legibly mark each item to record actual construction, including the following:
- a. Measured depths of foundations in relation to finish first main floor datum. b. Measured horizontal and vertical locations of underground utilities and appurtenances, referenced to
- permanent surface improvements.
- c. Measured locations of internal utilities and appurtenances concealed in construction, referenced to visible and accessible features of the work.
- d. Field changes of dimension and detail.
- e. Details not on original Contract Document drawings.

A. Maintain quality control over manufacturers, suppliers, products, services, site conditions and workmanship,

Request clarification from the Architect before proceeding, where manufacturer's instructions conflict

D. Comply with specified standards as a minimum quality for the Work, except when more stringent tolerances,

with positive anchorage devices designed, sized and installed to withstand stress, vibration, physical distortion

F. All dimensions shall be considered "hold-to" dimensions unless indicated otherwise (e.g. minimum or

B. Include inspection and tests as indicated in the specification sections, drawings, and as required by authorities

2. Test structural steel in accordance with Section 05110 and drawing requirements.

applicable local, State and Federal local laws, regulations and codes and utility company requirements.

Provide, pay for and maintain all temporary heating, ventilating and cooling equipment and facilities required during the progress of the work to protect materials, finished work, and Provide temporary heating, ventilating and cooling when the outside temperature and humidity is low/high enough to damage or affect in any way the performance or quality of material and product

Provide temporary heating, ventilating and cooling when the outside temperature and humidity is low/high enough to significantly slow or hamper effectiveness of workers and to provide suitable

Provide, pay for and maintain all temporary electrical service for lighting and power required during the progress of the work. Include all necessary wiring, fuses, disconnect switches, safety devices, junction boxes, panels, ground fault protections, and transformer if required. Include cost for providing temporary electric generators in the Contract Sum, if temporary electric service is not

requirements of the NFPA National Electric Code and OSHA Occupational Safety and Health Act of

D. Water: Provide, pay for and maintain all temporary water required during the progress of the work.

E. Temporary Toilets: Provide, pay for and maintain temporary toilet facilities for use by the Contractor, Contractor's employees and all Subcontractors and Subcontractors' employees. Comply with all local requirements for installation, use and maintenance of temporary toilet facilities.

1. Provide temporary construction barriers in accordance with project requirements. Exercise all necessary precautions to protect adjacent properties, outside project contact limits, during progress of the work. Take special precautions to avoid damage to existing overhead and underground utilities and services owned or operated by the Owner or by public or private utility companies. Provide temporary weather-tight enclosures at exterior openings to provide acceptable working conditions and protection of materials and to allow for temporary heating, ventilating and cooling.

1. Provide and maintain a temporary field office at the project site during progress of the work. A designated area within the existing building will be available for use as a temporary field office.

Maintain copies of permits, approved shop drawings, specifications, addenda and record

Provide temporary telephone service and internet service with email and photo capabilities to

1. Provide and maintain all necessary safety provisions for protection and safety of the project work,

Provide and maintain operable fire extinguishing devices in well-marked, accessible locations throughout the project. Provide types, quantities and locations in compliance with governing codes

Provide all necessary security barriers and enclosures to protect the work and Tenant's operations from unauthorized entry of persons, vandalism and theft. Provide doors, when required, with self-

During Construction: Provide an approved on-site container for the use of all Contractors and Subcontractors for the collection of waste materials, debris and rubbish. Execute periodic cleaning to keep the work, the site and adjacent properties free from accumulations of waste materials, rubbish and windblown debris, resulting from construction operations. Remove crates and cartons

a. Maintain the property in a clean and orderly condition. Remove waste materials, debris and rubbish from the site on a daily basis and dispose of at legal disposal areas away from the

a. Remove debris and rubbish from pipe chases, plenums and other similar closed or remote b. Sweep and vacuum clean interior surfaces before start of surface finishing and painting.

c. Cleaning operations shall be acceptable to the Tenant's Construction Manager.

Continue cleaning on an as-needed basis until finishing and painting is completed.

- 6. Submit record/as built documents to the Tenant with final application for payment in accordance with Exhibit C of the Construction Contract.
- C. Warranties and Bonds:
 - Compile warranties and bonds required by the Contract Documents. Submit duplicate copies of warranties and bonds to the Tenant with final application for payment in accordance with Exhibit C of the Construction Contract.
- D. Maintenance Materials and Spare Parts:
- 1. Provide extra maintenance materials and spare parts in quantities indicated in the specification
- 2. Place in location as directed by the Tenant's Construction Manager.

DIVISION 2 - SITE CONSTRUCTION

1.1 General: Provide site construction work, including services, utilities, earthwork, paving and landscaping in accordance with the site construction work drawings and details.

DIVISION 3 - CONCRETE

SECTION 03300 - CAST-IN-PLACE CONCRETE

1.1 General: Provide cast-in-place concrete work in accordance with the General Structural Notes, structural drawing and details. Follow shell building documents for specifications, joints and geotech.

- A. Standards: Materials and construction shall conform to the following:
 - ACI 117 "Standard Tolerances for Concrete Construction and Materials."
 - ACI 301 "Structural Concrete for Buildings." ACI 305R "Recommended Practice for Hot Weather Concreting."
 - ACI 306R "Recommended Practice for Cold Weather Concreting."
 - ACI 315 "Details and Detailing of Concrete Reinforcement." ACI 318 "Building Code Requirements for Reinforced Concrete."

2.1 Materials:

A. Under Slab Vapor Retarder: Stego Industries LLC, 877-464-7834, internet www.stegoindustries.com high density polyethylene Stego Wrap (10 mil) Vapor Barrier meeting or exceeding ASTM E1745 performance criteria for Class C vapor retarders.

Seam Tape: High density polyethylene tape with pressure sensitive adhesive. Pipe boots: Shop or site fabricated from vapor retarder material and seam tape.

B. Concrete:

- Portland Cement: ASTM C150, Type I Aggregate: ASTM C33.
- Water: Clean and potable.
- Reinforcement: When required, comply with drawings reinforcement requirements.
- Compressive Strength: Minimum 3000 psi at 28 days. Admixtures: All admixtures shall be approved by the Tenant's Construction Manager prior to placement in the concrete mix.
- C. Topping Concrete: When required to suit installation conditions, Ardex Diama-Top of Ardex Engineered Cements (888) 512-7339, internet www.ardex.com
- ULTRAFLOR ARDEX DIAMA-TOP, self-leveling concrete repair material. Any pinholes that need to be filled shall be filled with ARDEX DIAMA-FILL filling compound for polished concrete, concrete terrazzo and other cementitious wear surfaces applied at the appropriate time during
- the polishing process. The primer for areas to receive ARDEX DIAMA-TOP will be ARDEX EP 2000 Substrate Preparation Epoxy. Installation shall be performed by factory-trained professional applicators in strict accordance with

3.1 Installation


- A. Vapor Retarder: Place, protect and repair vapor retarder sheets in accordance with ASTM E1643 and
- manufacturer's installation instructions.

manufacturer's installation instructions.

- Provide a single layer of vapor retarder material over level compacted slab base. Lap ioints and seams 6 inches and seal with seam tape.
- Seal all penetrations and repair damaged areas before concrete placement.
- B. Reinforcement Place and inspect all reinforcing steel before concrete is placed

C. Concrete Placement:

- crete in accordance with ACI 301 and ACI 305P and 306P recommended practices for hot weather and cold weather concreting. Do not place concrete when temperature is below 40 degrees F 2. Wet cure concrete in accordance with ACI 301, using moist curing or moisture-retaining covers
- D. Finish: Except where additional floor finish is scheduled, provide a smooth steel trowel finish. 1. Exposed concrete used as a finish floor surface shall have a smooth finished surface, uniform in texture
- and appearance and free of trowel marks and other defects affecting ease of maintenance.
- 2. Grind smooth surface defects as directed by the Tenant's Construction Manager.
- E. Testing: When required, comply with drawings and specification sections testing requirements.
- F. Topping Concrete: Prepare concrete floor slab substrate surfaces, prime substrate surfaces, mix, install and finish topping concrete in accordance with manufacturer's application instructions.



855 GRANDVIEW AVENUE SUITE 295

PHONE: FAX:

COLUMBUS, OHIO 43215 614.487.8770 614.487.8777







INTERNET: WWW.CHIPOTLE.COM

5 2603 INAL 8 ш 9 Z STORE \Box

Issue Record:	
09/15/15	PERMIT/LANDLORD REVIEW
Devisiones	
Revisions:	
Drawn:	Checked:
TC, BP, DP	КН,ТС
Project No.	

CMG507

Date of Last Print:

Architectural Specifications

09/15/15