



R:\SP-M160 Century Tire Site Design - Portland, ME\Cadd\Permit Set\dwg\SP-M160 DETAILS.dwg fillie_p 5/21/2015 9:24 AM



PAVED AREAS

-

SIDE OF TRENCH MAY SLOPED BACK IN UNP AREAS ONLY	
SPECIAL BACKFILL - SE SCHEDULE AT RIGHT.	Ē
TRENCH WIDTH SHALL MAINTAINED TO TOP O SPECIAL BACKFILL	
NOTE: SERVICES TO BE SIMIL MINIMUM PAY WIDTH I WHERE APPLICABLE	
GRANULAR BASE, SEE SCHEDULE AT RIGHT	



CENTERLINE SEPARATION			
PIPE (STA)	S (FT.)		
0+00 TO 1+25	8		
1+25 TO 2+75	9.50		
2+75 TO 3+90	7		

SCHEDULE OF BACKFILL				
TYPE OF PIPE	BEDDING MATERIAL	SPECIAL BACKFILL	SPECIAL BACKFILL COVER 'A' (IN)	SELECT BACKFILL
CONCRETE	GRANULAR AASHTO M145 A-3 OR BETTER	GRANULAR AASHTO M145 A-3 OR BETTER	12	GRANULAR AASHTO M145 A-3 OR BETTER
PVC	³ ⁄4" CRUSHED STONE	GRANULAR AASHTO M145 A-3 OR BETTER	6	GRANULAR AASHTO M145 A-3 OR BETTER
CMP	³ ⁄ ₄ " CRUSHED STONE	GRANULAR AASHTO M145 A-3 OR BETTER	6	GRANULAR AASHTO M145 A-3 OR BETTER

PLANNER Nell Donaldson PROJECT NO. 2015-027