# City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 171 Kennebec Street	Owner:		Phone:		Permit No:	
Owner Address:	Lessee/Buyer's Name: U.S. Postal Service	Phone:	BusinessName:		99097	1
Contractor Name: Precision Tanks Inc.	Address: ***P.O. Box 359 Jay Maine	e Phon 645-	e: -9549		Permit Issued:	A REAL PROPERTY OF A REAL PROPER
Past Use:	Proposed Use:	COST OF WOR \$ 56,000	K: PERM \$ 360	T FEE:	, <b>0</b>	
Office/Maintance space	same		Denied Use Gr	C <b>TION:</b> oup: <i>B</i> Type: <i>3B</i>	Zone: CBL: B-5 034-C-01	10 .
Proposed Project Description:		Action:	ACTIVITIES DIST	$\mathcal{U}$	Zoning Approval N/ A Zon Special Zone or	-319
Replacing existing floor drain	ns		Approved with Cond Denied	ditions: 🗌	□ Shoreland □ Wetland □ Flood Zone	219/04
		Signature:	Da	ite:	□ Subdivision	
Permit Taken By: K	Date Applied For:	Sept. 8 1999 K			□Site Plan maj □	
<ol> <li>Building permits do not include plum</li> <li>Building permits are void if work is not tion may invalidate a building permit</li> </ol>	ot started within six (6) months of the date of	issuance. False informa-			☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied	
			ØCD:	NIT ISSUED	Historic Pres ↓ tot in District or □ Does Not Requir □ Requires Review	Landmark e Review
				QUIREMENTS	Action:	
authorized by the owner to make this appliit a permit for work described in the appli	<b>CERTIFICATION</b> ord of the named property, or that the proposed lication as his authorized agent and I agree to cation is issued, I certify that the code official mable hour to enforce the provisions of the co	conform to all applicab l's authorized representation	le laws of this jurisdi- tive shall have the au	ction. In addition,	□ Appoved □ Approved with O □ Denied Date:	onditions
		Sept. 8 1999				
SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE	2:		
RESPONSIBLE PERSON IN CHARGE O	F WORK, TITLE		PHONE	:		2
14	/hita_Parmit Dask Graan_Assassar's C	anan D DW Dink D	ublia Eila Iwary Ca			

### **COMMENTS**

Met w/ Dwayne on site - went over job + rez. + reg. insps. - just starting to cut concrette. Wout to ste (w/ Tom R. Tom M) for Not sterry, Rebar Not complete. Jub super will call 9/2n/19 When Rouchy: JR **Inspection Record** Type Date Foundation: \_\_\_\_\_ Framing: \_\_\_\_\_ Plumbing: \_\_\_\_\_ Final: \_\_\_\_\_ Other: \_\_\_\_\_

## THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE **PERMIT IS ISSUED**

**Building or Use Permit Pre-Application** 

Attached Single Family Dwellings/Two-Family Dwelling

## Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building):	U.S. Postal Service	Mi Kenne Bec Ti
Total Square Footage of Proposed Structure	Square Footage of Lot	
Tax Assessor's Chart, Block & Lot Number Chart#OBU Block#C Lot#OIO	Owner: U.S. Postal Service	Telephone#:
Owner's Address: 171 Kennebercst Portland, ME	Lessee/Buyer's Name (If Applicable)	Cost Of Work: Fee \$56,000 \$ 360.00
Proposed Project Description:(Please be as specific as possible)	Replace Existing Floor	61 16 - 9549
Contractor's Name, Address & Telephone LS InC PRECISION TAMES INC Current Use: Inteleto Maintana		04228

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.


•All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II. •All plumbing must be conducted in compliance with the State of Maine Plumbing Code.

•All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III. •HVAC(Heating, Ventililation and Air Conditioning) installation must comply with the 1993 ROCA Mechanical Code. DEPT. OF BUILDING INSPECTION You must Include the following with you application:

1) ACopy of Your Deed or Purchase and Sale Agreement 2) A Copy of your Construction Contract, if av

3) A Plot Plan/Site Plan

Minor or Major site plan review will be required for the above proposed projects. The attach checklist outlines the minimum standards for a site plan.



#### 4) Building Plans Unless exempted by State Law, construction documents must be designed by a registered design professional.

A complete set of construction drawings showing all of the following elements of construction:

Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)

- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit

Signature of applicant	mitte	Date:	9-8-99
	LE \$20.00 C 1 1 (\$1000 - 1 1 \$C00	£1.000.00	4

Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter. Additional Site review and related fees are attached on a separate addendum

	BUILDING PERMIT REPORT					
DAT	e: <u>9 SepT. 97</u> ADDRESS: <u>17/ Kennebec ST.</u> CBL: <u>\$34-C-\$18</u> SON FOR PERMIT: <u>Beplacing existing Floor drains</u>					
REA	SON FOR PERMIT: Beplacing existing FLOOR drains					
	LDING OWNER: Lessee U.S. Postal Service					
PER	MIT APPLICANT: /Contractor Precision Tank Inc.					
USE	GROUP $\underline{B}/\underline{5}$ CONSTRUCTION TYPE $\underline{3B}$					
	City's Adopted Building Code (The BOCA National Building Code/1996 with City Amendments) City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)					
	CONDITION(S) OF APPROVAL					
This	permit is being issued with the understanding that the following conditions are met: $\frac{X}{y}$					
Appr	oved with the following conditions:					
ν.	This was to do not support the continent from sometime continuity. On the state of To do not support to the set					
$\begin{pmatrix} 1 \\ 2 \end{pmatrix}$	This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained.					
۷.	(A 24 hour notice is required prior to inspection)" <u>ALL</u> LOT LINES SHALL BE CLEARLY MARKED					
•	BEFORE CALLING."					
3.	Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the					
	footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the					
	top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter					
	membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor					
	elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be					
	placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2					
4.	Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and					
_	a maximum 6' o.c. between bolts. (Section 2305.17)					
5.	Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.					
6. 7.	Precaution must be taken to protect concrete from freezing. Section 1908.0 It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify					
7.	that the proper setbacks are maintained.					
8.	Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent					
	interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private					
	garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area					
-	by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1/2 inch gypsum board or the equivalent applied to the					
	garage side. (Chapter 4, Section 407.0 of the BOCA/1996)					
9.	All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National					
10.	Mechanical Code/1993). Chapter 12 & NFPA 211 Sound transmission control in peridential building shall be done in accordance with Chapter 12. Section 1214.0 of the Cipuid Building					
10.	Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.					
11.	Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces					
	for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use					
	Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open					
	parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through					
	any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but					
	not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section					
	with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0) - Handrails shall be on both sides of					
10	stairway. (Section 1014.7)					
12.	Headroom in habitable space is a minimum of 76". (Section 1204.0)					
13.	Stair construction in Use Group R-3 & R-4is a minimum of 10" tread and 7 3/" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)					
14.	The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4					
15.	Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door					
	approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate					
	tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above					
	the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches					
	(610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.					

(Section 1018.6)

•

- 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.0)
- 18. The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)
- 19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 &19. (Smoke detectors shall be installed and maintained at the following locations):
  - In the immediate vicinity of bedrooms
  - In all bedrooms
  - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2.

- 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 21. The Fire Alarm System shall maintained to NFPA #72 Standard.
- 22. The Sprinkler System shall maintained to NFPA #13 Standard.
- 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
- 24. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).

All electrical, <u>plumbing</u> and HVAC permits must be obtained by a Master Licensed holders of their trade. <u>No closing in of walls until</u> all electrical (min.72 hours notice) and plumbing inspections have been done.

- 28. All requirements must be met before a final Certificate of Occupancy is issued.
- 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building Code/1996).
- 30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 31. Please read and implement the attached Land Use Zoning report requirements.
- 32. Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.5.3 of the City's Building Code.
- 33. Glass and glazing shall meet the requirements of Chapter 24 of the building code.
- 34. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code 1996).

A drainage system shall meet the requirements of Chaptery OF The STATE OF MAINE INPERNAL PLUMBING CODE. ₩ 35. 36.

37.

38.

Samuel Hoffses, Building Inspector Lt. McDougall, PFD

Marge Schmuckal, Zoning Administrator

PSH 7/24/99

\*\*On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.

PLUMBING APPLICATI	ON	034-6-0	010	Department of Human Services Division of Health Engineering (207) 289-3826	
Town Or Plantation Plantation					
Street Subdivision Lot # / 7/ KEUNEBEC PROPERTY OWNERS NAME	POROJAND 9 8 PERMIT + 7011 STATE COPY Permit 9 8 6 1 1 FEE Charged				
U.S., POSTAL SERVIC Last: First: Applicant Name: PRECISION TRUM	CE K3 TVr	issued: L	Signature	L.P.I. # <u>Q(124</u>	
Mailing Address of Owner/Applicant (If Different)	ME. 01239				
Owner/Applicant Statement I certify that the information sub <del>mitted to c</del> orrect to the be knowledge and understand that and talsification is reason to Plumbing Inspector to come a Permit.	<b>Caution: Inspection Required</b> I have inspected the installation authorized above and found it to be in compliance with the Maine Plumbing Rules.				
Signature of Owner/Applicant	Date	Local Plumbing Insp	ector Signature	Date Approved	
	PERMIT	INFORMATION			
This Application is for T	ype Of Structure	e To Be Served:	Plumbing To Be Installed By:		
1. Image: New Plumbing       1. Image: Single family dwel         2. Image: Relocated Plumbing       2. Image: Modular or Single family dwel         3. Image: Multiple family dwel         4. Image: Other - Specify		NOBILE HOME	<ol> <li>MASTER PLUMBER</li> <li>OIL BURNERMAN</li> <li>MFG'D. HOUSING DEALER/MECHANI</li> <li>PUBLIC UTILITY EMPLOYEE</li> <li>PROPERTY OWNER</li> <li>M590008437</li> <li>LICENSE #</li> </ol>		
Hook-Up & Piping Relocation Maximum of 1 Hook-Up	Number	Column 2 Type of Fixture	Number	Column 1 Type of Fixture	
HOOK-UP: to public sewer in those cases where the connection	Ho	sebibb / Sillcock		Bathtub (and Shower)	
is not regulated and inspected by the local Sanitary District.	Hoor Drain			Shower (Separate)	
OR	Uri	Urinal		Sink	
HOOK-UP: to an existing subsurface wastewater disposal system.	Dri	Drinking Fountain		Wash Basin	
	Ind	Indirect Waste		Water Closet (Toilet)	
	Wa	ter Treatment Softener, Filter, et	c.	Clothes Washer	
<u>PIPING RELOCATION:</u> of sanitary lines, drains, and piping without	Gre	ease/Oil Separator		Dish Washer	
new fixtures.	Dei	ntal Cuspidor		Garbage Disposal	
	Bid	Bidet		Laundry Tub	
Number of Hook-Ups & Relocations	Oth	ner:		Water Heater	
\$ • Hook-Up & Relocation Fee		Fixtures (Subtotal) Column 2	4	Fixtures (Subtotal) Column 1	
I	Ľ		►	Fixtures (Subtotal) Column 2	
SEE PERMIT FEE SCHEDULE FOR CALCULATING FEE			<u> </u>	Total Fixtures	
			\$ ·	Fixture Fee	
			► <u>s</u> .	Hook-Up & Relocation Fee	
Page 1 of 1 HHE-211 Rev. 9/86	STATE C	OPY	slle	Permit Fee (Total)	