

APOTHECARY BY DESIGN
• 141 PREBLE STREET
• PORTLAND, MAINE

Table with 2 columns: #, DATE, DESCRIPTION. Includes sections for REVISIONS and DRAWING SCALE.

Table with 2 columns: SHEET TITLE, TITLE SHEET & DRAWING INDEX.

Copyright 1985-2008
G101


DRAWING INDEX

Table with 4 columns: Drawing Number, Description, Status, Date. Includes entries for G101 (Title Sheet & Drawing Index) and G102 (Code Review).


PORTLAND, MAINE

APOTHECARY BY DESIGN
SPECIALTY PHARMACY

141 PREBLE STREET



LEGEND



GENERAL NOTES

- 1. THE GENERAL CONTRACTOR SHALL VERIFY ALL EXISTING CONDITIONS AND DIMENSIONS...
2. DO NOT ALTER OR PENETRATE ANY EXISTING STRUCTURAL ELEMENTS...
3. THE LOCATIONS OF DOORS NOT DIMENSIONED SHALL BE 6 INCHES FROM ADJACENT WALL...
4. THE BUILDING SHALL BE CONSTRUCTED TO CONFORM WITH ALL APPLICABLE CODES INCLUDING...
5. ALL WOOD IN CONTACT WITH CONCRETE SHALL BE PRESSURE PRESERVATIVE TREATED & ALL CONNECTIONS TO BE STAINLESS STEEL...
6. CONTRACTOR SHALL WORK FROM GIVEN DIMENSIONS AND LARGE SCALE DETAILS ONLY...
7. NOT USED
8. EXISTING BUILDING COMPONENTS WHICH ARE AFFECTED BY NEW WORK AND DEMOLITION...
9. INSTALL BLOCKING BEHIND ALL SURFACE APPLIED FIXTURES, TRIM, CABINETS, SHELVING, COUNTER TOPS, AND GRAB BARS WHEN MOUNTED ON STUD WALLS...
10. NOT USED
11. CONTRACTOR SHALL PROVIDE ALARM SYSTEM TO MAINTAIN CONFORMANCE TO NFPA 13 & 101...
12. INSTALL MOISTURE RESISTANT GYPSUM BOARD IN LAVATORIES, JANITOR CLOSETS, AND ALL OTHER HIGH HUMIDITY AREAS...
13. FINISHERS: FINISHERS OTHER THEN THE STANDARD FINISHERS ARE ALL INDICATED ON THE DRAWINGS...
14. ALL EXPOSED SURFACES ARE TO BE PAINTED, WHETHER OR NOT INDICATED ON THE DRAWINGS...
15. BUILDING INSULATION: PROVIDE AS INDICATED ON WALL DETAILS AND IN ACCORDANCE WITH PARTITION TYPES...
16. CONTRACTOR SHALL SUBMIT SAMPLES OF ALL INTERIOR FINISHES FOR ARCHITECT'S REVIEW...
17. THE DESIGN AND INSTALLATION OF THE HVAC, PLUMBING SYSTEMS, ELECTRICAL SYSTEMS, AND FIRE PROTECTION SYSTEMS SHALL BE PROVIDED THROUGH A DESIGN/BUILD CONTRACT UNDER THE GENERAL CONTRACTOR...
18. NOT USED
19. GENERAL CONTRACTOR SHALL SUPPLY POWER AND CONDUITS WITH PULL-STRINGS FOR DATA AND TELEPHONE TO ALL OWNER SUPPLIED WORKSTATIONS... THE DESIGN AND INSTALLATION OF THE DATA AND TELEPHONE SYSTEMS SHALL BE THE RESPONSIBILITY OF THE TENANT... GENERAL CONTRACTOR TO PROVIDE CONDUIT WITH PULL-STRINGS TO ALL LOCATIONS RECEIVING DATA AND TELEPHONE.

SITE LOCATION MAP



ABBREVIATIONS


Table with 2 columns: Abbreviation, Full Name. Includes terms like ALUM, OR, AL, ALUMINUM, GAW, GALVANIZED, GAB, GAB BARS, GBS, GYPSUM BOARD, etc.

PROJECT DIRECTORY


Table with 3 columns: Owner/Tenant, Architect, Construction Manager. Lists projects like Apothecary by Design, Gawron Turgeon Architects, and Monaghan Woodworks, Inc.

EXISTING AREAS NOT UNDER CONSTRUCTION

1 HOUR RATED ROOM ENCLOSURE



J1 KEY PLAN - SECOND FLOOR



A1 KEY PLAN - FIRST FLOOR


2009 NFPA: CODE DATA

TYPE OF CONSTRUCTION	CH. 37 MERCANTILE (EXISTING BUILDING)
OCCUPANT LOAD	TYPE V 000 FIRST FLOOR: 175 SECOND FLOOR: 49
MERCANTILE CLASS	B
EXTERIOR BEARING WALLS	0 HOUR
EXTERIOR NONBEARING WALLS	0 HOUR
INTERIOR BEARING WALLS	0 HOUR
COLUMNS	0 HOUR
BEAMS, GIRDERS, TRUSSES	0 HOUR
FLOOR CONSTRUCTION	0 HOUR
MECHANICAL ROOMS	0 HOUR
TENANT SEPARATION	0 HOUR
APOTHECARY - FIRST FLOOR & SECOND FLOOR	8,132 S.F.
TOTAL BUILDING AREA	14,850 SF BUILDING TOTAL
BUILDING HEIGHT	20'-0" +/-
FIRE SUPPRESSION	SPRINKLER SYSTEM: BUILDING OWNER TO INSTALL SUPERVISORY SYSTEM AS PART OF RENOVATION
FIRE EXTINGUISHERS	PER NFPA 2009
COMMON PATH OF TRAVEL LIMIT	100'
DEAD-END LIMIT	50'
TRAVEL DISTANCE LIMIT	250'
EXITS	
CORRIDOR WIDTH	44"
STAIR ENCLOSURES	1 HOUR
EXIT ACCESS CORRIDORS	0 HOUR
FLAME SPREAD RATINGS:	
INTERIOR FINISH REQUIREMENTS (SPRINKLERED BLDG)	CLASS A, B OR C
WALLS AND CEILINGS	CLASS A OR CLASS B
EXIT ACCESS CORRIDORS	CLASS A OR CLASS B
INTERIOR FLOOR FINISH REQUIREMENTS	
EXITS	CLASS I OR CLASS II REDUCTION PERMITTED OF ONE CLASS IN SPRINKLERED BUILDING
CORRIDORS	
GENERAL NOTES	1. ALL PENETRATIONS OF SMOKE BARRIERS, PARTITIONS, FIRE RATED WALLS AND FLOORS SHALL BE SEALED WITH PROPER APPROVED MATERIALS

2009 IBC: CODE DATA

OCCUPANT LOAD	M- Mercantile (EXISTING BLDG)
USE GROUP CLASSIFICATION <td>MERCANTILE</td>	MERCANTILE
TYPE OF CONSTRUCTION <td>TYPE V B</td>	TYPE V B
ACTUAL BUILDING AREA BY FLOOR <td>5,247 S.F. FIRST FLOOR - RENOVATED AREA IS 2,885 S.F. SECOND FLOOR</td>	5,247 S.F. FIRST FLOOR - RENOVATED AREA IS 2,885 S.F. SECOND FLOOR
TOTAL BUILDING AREA <td>14,850 SF</td>	14,850 SF
TABLE 503 BUILDING AREA LIMITATION - SQ. FT. <td>1 LEVEL @ 9,000 SF AUTOMATIC SPRINKLER SYSTEM INCREASE BY 200 PERCENT</td>	1 LEVEL @ 9,000 SF AUTOMATIC SPRINKLER SYSTEM INCREASE BY 200 PERCENT
REQUIRED SEPARATION OF OCCUPANCIES (HOURS) TABLE 508.4 <td>NO SEPARATION REQUIREMENTS</td>	NO SEPARATION REQUIREMENTS
ACTUAL BUILDING HEIGHT <td>20'-0" +/-</td>	20'-0" +/-
EXIT ACCESS TRAVEL DISTANCE <td>250'-0"</td>	250'-0"
DEAD END CORRIDORS <td>50'-0"</td>	50'-0"
CORRIDOR WIDTH <td>44"</td>	44"
COMMON PATH OF EGRESS TRAVEL <td>75'</td>	75'
FIRE RATING:	
EXTERIOR BEARING WALLS <td>0 HOUR</td>	0 HOUR
INTERIOR BEARING WALLS <td>0 HOUR</td>	0 HOUR
NON-BEARING WALLS & PARTITIONS <td>0 HOUR</td>	0 HOUR
FLOOR CONSTRUCTION <td>0 HOUR</td>	0 HOUR
ROOF CONSTRUCTION <td>0 HOUR</td>	0 HOUR
CORRIDORS <td>0 HOUR</td>	0 HOUR
STAIR ENCLOSURES <td>1 HOUR</td>	1 HOUR
UNIT SEPARATION <td>0 HOUR</td>	0 HOUR
MECHANICAL ROOMS <td>1 HOUR</td>	1 HOUR
FLAME SPREAD RATINGS:	
INTERIOR WALL & CEILING FINISH REQUIREMENTS - TABLE 805.9	
EXIT ENCLOSURES & EXIT PASSAGEWAYS	B
CORRIDORS	C
ROOMS OR ENCLOSED SPACES	C
INTERIOR FLOOR FINISH REQUIREMENTS	CLASS II
EXIT ENCLOSURES & EXIT PASSAGEWAYS	CLASS II
CORRIDORS	CLASS II
PORTABLE FIRE EXTINGUISHERS SECTION 906	
GENERAL NOTES	1. ALL PENETRATIONS OF SMOKE BARRIERS, PARTITIONS, FIRE RATED WALLS AND FLOORS SHALL BE SEALED WITH PROPER APPROVED MATERIALS 2. ALL WORK SHALL CONFORM TO LOCAL AND STATE CODES, ORDINANCES, AND REQUIREMENTS, ACCESSIBILITY PER A.D.A.A.G.

A9 CODE REVIEW



**Gawron
Turgeon
ARCHITECTS**

29 Black Point Road
Scarborough, Maine 04074
www.gawronturgeon.com
207.884.2222 • 207.884.2223

REGISTERED ARCHITECT

STANLEY M. GAWRON
No. 1145
MAINE OF

APOTHECARY BY DESIGN

141 PREBLE STREET
PORTLAND, MAINE

#	DATE	DESCRIPTION

DATE	07.05.12
PROJECT #	120111
DRAWN BY	DLP
CHECKED BY	MEI
DRAWING SCALE	AS NOTED
SHEET TITLE	
CODE REVIEW	

G102

© COPYRIGHT 1985-2008
STANLEY M. GAWRON ARCHITECT
REGISTERED ARCHITECT
MAINE OF

13101120111 - Apothecary by Design Portland, ME Architect & Interior Working Drawing 041 Public Set 120111 G102.dwg, GHF, 7/6/2012 1:47:08 PM, pgs 1



1. COORDINATION: PRIOR TO ANY DEMOLITION WORK SHALL BE COORDINATED WITH ALL NEW CONSTRUCTION BY ALL TRADES GENERAL CONTRACTOR SHALL NOTIFY ARCHITECT IN WRITING OF ANY DEMOLITION WORK PRIOR TO COMMENCEMENT OF DEMOLITION CONSTRUCTION. IN ABSENCE OF INFORMATION INDICATING OTHERWISE, CONTRACTOR SHALL BRING AREAS AND SURFACES UP TO STANDARDS OF NEW CONSTRUCTION IN THE AREAS CALLING FOR NEW CONSTRUCTION.
2. DAMAGE: EXISTING BUILDING OR BUILDING SYSTEM AFFECTED BY NEW WORK, DEMOLITION OR MAINTENANCE SHALL BE REPAIRED TO ORIGINAL CONDITION AND COLOR BY METHODS DESCRIBED IN THESE DOCUMENTS, OR AS APPROVED BY THE ARCHITECT.
3. EQUIPMENT AND FIXTURES - NEW OR RELOCATED ITEMS SHALL BE VERIFIED BY CONTRACTOR AS APPROPRIATE TO THE ADJACENT AND CONTIGUOUS CONSTRUCTION PRIOR TO INSTALLATION OR REMOVAL. CONTRACTOR SHALL DETERMINE APPROPRIATE ANCHORING TYPES UNLESS OTHERWISE INDICATED.
4. PATCHING: AFTER ALL REMOVALS OF WALLS, DOORS, WINDOWS, CEILINGS AND OTHER COMPONENTS, PATCH AND PREPARE THE REMAINING EXPOSED DAMAGED SURFACES TO PREPARE FOR NEW WORK AND NEW FINISH. PATCH SHALL BEED UNDERLAINER TO FLOORS A WALL REMOVAL. CONTRACTOR SHALL DETERMINE APPROPRIATE ANCHORING TYPES UNLESS OTHERWISE INDICATED. NECESSARY, PIECE IN NEW CEILING SUSPENSION SYSTEM.

5. CONCEALED SERVICES: BUILDING DETAILERS IN CONCEALED SPACES ARE NOT REQUIRED TO BE REPAIRED, EXCEPT AS REQUIRED TO MAINTAIN FIRE RAININGS, STRUCTURAL INTEGRITY, WATERPROOFING AND HEAT LOSS OR GAIN.
 6. PIPE REMOVALS: AFTER REMOVALS OF PIPING, RADATORS, AND OTHER EQUIPMENT, REPAIR THE REMAINING EXPOSED SURFACE AND TO MAINTAIN FINISHES. FILL MOUNTING HOLES AND REPAIR WALL SURFACES.
- INSTRUCTIONS FOR RENOVATIONS:
1. LEAVE EXISTING FLOORS TO RECEIVE NEW FINISHES AS INDICATED IN THE DRAWINGS - SEE INTERIOR FINISH SCHEDULE AND NOTES - AND SHALL BE CERTIFIED AS SUITABLE FOR THE NEW FINISHES BY THE INSTALLER PRIOR TO THE NEW WORK.
 2. COVER PLATES: PROVIDE COVER PLATES OVER ABANDONED ELECTRICAL DEVICES.
 3. FIRE EXTINGUISHERS: CONTRACTOR SHALL REMOVE EXISTING EXTINGUISHERS AND REINSTALL CODE WORTHY FIRE EXTINGUISHERS; ALIGNMENT WITH NEW AS REQUIRED BY CITY OF PORTLAND AND LIFE SAFETY 101.
 4. SIGNAGE: REMOVE ALL EXISTING INTERIOR SIGNAGE.

- INSTRUCTIONS FOR REMOVALS:
1. CONTRACTOR IS RESPONSIBLE FOR SECURITY AND PROTECTION FROM DAMAGE AND DESTRUCTION OF ANY EXPOSED BUILDING COMPONENTS RESULTING FROM DEMOLITION. REMOVALS SHALL MEET WITH OWNERS REPRESENTATIVE TO DETERMINE REQUIRED SALVAGED ITEMS.
 2. PLUMBING DEMOLITION IS DESIGN BUILD THROUGH GENERAL CONTRACTOR.
 3. VERIFY STRUCTURAL CONDITIONS WITH DRAWINGS AND ACTUAL CONDITIONS PRIOR TO WALL AND FLOOR REMOVALS. REPORT DISCREPANCIES TO ARCHITECT BEFORE PROCEEDING WITH WORK. CONTRACTOR IS RESPONSIBLE FOR SHORING AND OTHER TEMPORARY SUPPORT METHODS AS MAY BE NEEDED.
 4. REUSE/SALVAGE: CONTRACTOR SHALL SALVAGE CERTAIN COMPONENTS FOR LIMITED REUSE TO MATCH EXISTING CONDITIONS TO PATCH AND REPAIR INCLUDING:
 - CEILING TILES, WOOD DOORS AND ALL DOOR HARDWARE
 - LIGHT FIXTURES SCHEDULED FOR REUSE.

O1 DEMOLITION PLAN NOTES

N1S



A1 SECOND FLOOR PLAN

A6 FIRST FLOOR PLAN

A18 LEGEND

- 01 REMOVE DOOR, FRAME AND ALL ASSOCIATED HARDWARE AS REQUIRED FOR NEW CONSTRUCTION.
- 02 REMOVE WALL AS REQUIRED FOR NEW CONSTRUCTION.
- 03 REMOVE ALL GAB CEILINGS AS REQUIRED FOR NEW CONSTRUCTION- PATCH AS REQUIRED FOR SMOOTH AND LEVEL APPLICATION OF NEW FINISHES.
- 04 REMOVE ALL CEILING GRID, TILE AND ASSOCIATED HARDWARE AS REQUIRED FOR NEW CONSTRUCTION.
- 05 REMOVE ALL WALL FINISHES AND ASSOCIATED ADHESIVES AS REQUIRED FOR A SMOOTH AND LEVEL APPLICATION OF NEW FINISHES.
- 06 REMOVE ALL FLOOR COVERING AND ASSOCIATED ADHESIVES, SOIL AND DEBRIS AND PREPARE EXISTING SUBFLOOR AS REQUIRED FOR SMOOTH AND LEVEL APPLICATION OF NEW FLOORING.
- 07 REMOVE WALL BASE AND ASSOCIATED ADHESIVES. PREPARE EXISTING WALL AS REQUIRED FOR SMOOTH AND LEVEL APPLICATION OF NEW BASE - SALVAGE ALL EXISTING WOOD BASE FOR RE-USE.
- 08 NOT USED.
- 09 REMOVE ALL INTERIOR WINDOW GLAZING, SILLINGS AND FRAMES, SALVAGE FOR OWNER.
- 10 REMOVE ALL MILLWORK (INCLUDING WALL & BASE CABINETS) AND ALL ASSOCIATED COMPONENTS.
- 11 REMOVE AND SALVAGE EXISTING SUSPENDED LINEAR LIGHT FIXTURES FOR BUILDING OWNER.
- 12 REMOVE EXISTING WINDOW TREATMENTS.
- 13 ALL EXISTING WINDOW TREATMENTS TO REMAIN - PROTECT DURING CONSTRUCTION.
- 14 REMOVE IT EQUIPMENT.
- 15 REPAIR ANY DAMAGED SITS IN THEIR ENTIRETY TO MATCH EXISTING.
- 16 REMOVE EXISTING TRACK LIGHTING AND ART RAIL PATCH WALL.
- 17 REMOVE EXISTING SECURITY SYSTEM PANEL AND PATCH WALL.
- 18 REMOVE STAIRS PER DRAWINGS.
- 19 REMOVE LIGHTING.
- 20 REMOVE TOILET PARTITIONS.
- 21 REMOVE PLUMBING FIXTURES.
- 22 REMOVE SIGN AND RAILING SYSTEM (AS REQUIRED).
- 23 REMOVE WINDOW CASING.
- 24 REMOVE WINDOW PANELS.



Gawron Turgeon ARCHITECTS
 29 Black Point Road
 Scarborough, Maine 04074
 www.gawronturgeon.com
 Tel: 603.883.2222 Fax: 603.883.2223

APOTHECARY BY DESIGN
 141 PREBLE STREET
 PORTLAND, MAINE


#	DATE	DESCRIPTION

DATE	07/26/12
PROJECT #	120111
DRAWN BY	LAP
CHECKED BY	MEI
DRAWING SCALE	AS NOTED

SHEET TITLE	FLOOR PLAN - DEMOLITION PLAN
-------------	------------------------------

D101

© COPYRIGHT 1985-2008
 DOCUMENT NUMBER: 120111-10
 PROJECT: APOTHECARY BY DESIGN
 ARCHITECT: GAWRON TURGEON




Gawron Turgeon ARCHITECTS
 29 Black Point Road
 Scarborough, Maine 04074
 www.gawronturgeon.com
 207.884.2222 • 207.884.2223

APOTHECARY BY DESIGN
 141 PREBLE STREET
 PORTLAND, MAINE

REVISIONS	
#	DATE DESCRIPTION

DATE	07/25/12
PROJECT #	120111
DRAWN BY	LAP
CHECKED BY	MEI
DRAWING SCALE	AS NOTED

SHEET TITLE
 FLOOR PLAN AND LEGEND
A101



O18 IMAGE-KNEE WALL
 PERIMETER WALLS





L18 IMAGE-FRAMEWORK
 SILL AT FRAMEWORK



H18 IMAGE-FRAMEWORK
 SILL AT FRAMEWORK

A18 NOT USED	FLOOR PLAN
---------------------	------------



A6 FIRST FLOOR PLAN
 1/8" = 1'-0"

A1 SECOND FLOOR PLAN
 1/8" = 1'-0"



Gawron Turgeon ARCHITECTS
 29 Black Point Road
 Scarborough, Maine 04074
 www.gawronturgeon.com
 207.884.5200 • FAX 207.884.5201

APOTHECARY BY DESIGN
 141 PREBLE STREET
 PORTLAND, MAINE

#	DATE	DESCRIPTION

DATE	07.26.12
PROJECT #	120111
DRAWN BY	LAP
CHECKED BY	MEI
DRAWING SCALE	AS NOTED



SHEET TITLE
 REFLECTED CEILING PLAN AND LEGEND

A301

© COPYRIGHT 1985-2008
 DOCUMENT NUMBER: A301
 PROJECT NUMBER: 120111
 PROJECT NAME: APOTHECARY BY DESIGN


A18 LEGEND

	DECORATIVE MINI PENDANT - TECH LIGHTING FIREBIRD PENDANT IN CARDINAL, SATIN NICKEL FINISH, FREDLACK SYSTEM
	LIGHT TOWER PENDANT - LED PENDANT, 41270U/4248-70 WATT, BLACK CABLE & COIL CONDUIT HEAD 42 481 CONDUIT REFLECTOR HEAD
	RELOCATED EXISTING 8' SUSPENDED FIXTURE
	TECH LIGHTING MONO-RAIL SYSTEM W/ AERO HEAD-SOQA
	W/ AERO HEAD-SOQA, MONO RAIL W/ AERO HEAD-SOQA, MONO RAIL TO PROJECT 12" OFF FROM WALL, CENTER WALL MONORAIL ON INTERIOR WINDOWS.
	LIGHT TOWER 2x2 (2) 18 LAMPS SURFACE MOUNTED SLIM LINE DROP BASKET DIRECT / INDIRECT LIGHTING
	LIGHT TOWER 2x4 (2) 18 LAMPS SURFACE MOUNTED SLIM LINE DROP BASKET DIRECT / INDIRECT LIGHTING
	LIGHT TOWER 2x2 (2) 18 LAMPS, RECESSED SLIM LINE DROP BASKET DIRECT / INDIRECT LIGHTING
	LIGHT TOWER LINEAR LIGHTING SYSTEMS ENERGOS (3) 18 LAMPS UNDER CABINET
	RELAMP EXISTING FIXTURE
	CONTINUOUS FLUORESCENT STRIP- UNDER CABINET
	LIGHT TOWER 2x2 (2) 18 LAMPS, RECESSED SLIM LINE DROP BASKET DIRECT / INDIRECT LIGHTING
	CEILING TAG
	ARMSTRONG COMMERCIAL CEILING 2 X 2 X 8
	DUNE #11774 ANGLED REGULAR #11774, WHITE
	SUSPENSION SYSTEM #1774, WHITE
	ARMSTRONG COMMERCIAL CEILING 2 X 2 X 8
	CLEAN ROOM V. OVERPAINTED - CLASS 100 (CLASS 100) VS. SQUARE UNITS - #868, SUSPENSION SYSTEM, #7 CLEAN ROOM, WHITE
	DIRECTIONAL EXIT SIGNAGE
	EXIT SIGNAGE
	FIRE ALARM VISUAL STROBE
	FIRE ALARM AUDIO/VISUAL STROBE - NUMERAL DENOTES CANDELA RATING
	EMERGENCY BATTERY UNIT - 2 HEADS



A1 SECOND FLOOR PLAN

A6 FIRST FLOOR PLAN




Gawron Turgeon ARCHITECTS
 29 Black Point Road
 Scarborough, Maine 04074
 www.gawronturgeon.com
 Tel: 603.883.8888 Fax: 603.883.8889
 2025 S. Main Street, Suite 200, Portland, ME 04102

APOTHECARY BY DESIGN
 141 PREBLE STREET
 PORTLAND, MAINE


REVISIONS	
#	DATE DESCRIPTION

DATE	07.26.12
PROJECT #	120111
DRAWN BY	LAP
CHECKED BY	MEF
DRAWING SCALE	AS NOTED
SHEET TITLE	
WALL PARTITIONS, DOOR SCHEDULE AND DOOR DETAILS	



© COPYRIGHT 1985-2008
 ALL RIGHTS RESERVED
 REPRODUCING OR TRANSMITTING IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, IS PROHIBITED WITHOUT THE WRITTEN PERMISSION OF APOTHECARY BY DESIGN.
A801



N10 WINDOW TYPES **N13 DOOR TYPES**




N11 DOOR FRAME TYPES







I1 DOOR DETAILS

NO	TYPE	SIZE	THK	MAT.	FINISH	REMARKS	TYPE	MAT.	HEAD	JAMB	FINISH	REMARKS	MAT.	SILL	HEIGHT	RATING	HARDWARE	DOORS
100A	E	REPLACE EXIST'G UNIT	1-3/4"	AL	AL	INSUL/TEMP	5	AL	H2	J2	SATIN	REPLACE EXIST'G DOOR UNIT	AL	AL	ADA	NEW LOW PROFILE THRESHOLD	HW1	100A
100	E	3678X84"	1-3/4"	AL	AL	INSUL/TEMP	4	AL	H3	J3	SATIN	REPLACE EXIST'G DOOR UNIT	AL	ADA	ADA		HV1A	100
101	C	3678X84"	1-3/4"	AL	AL	NON THERMAL/TEMP	3	AL	H2	J2	SATIN		AL	ADA			HV2	101
102	NA	NA	NA	NA	NA	EXST'G	NA	NA	NA	NA	PTD	EXST'G	NA	NA	NA		EXST'G	102
103A	NA	NA	NA	NA	NA	EXST'G	NA	NA	NA	NA	NA	EXST'G	NA	NA	NA		KEY TO MASTER SYSTEM	103A
103B	NA	NA	NA	NA	NA	EXST'G	NA	NA	NA	NA	NA	EXST'G	NA	NA	NA		EXST'G	103B
104	NA	NA	NA	NA	NA	EXST'G	NA	NA	NA	NA	PTD	EXST'G	NA	NA	NA		TBD	104
105	NA	NA	NA	NA	NA	EXST'G	NA	NA	NA	NA	PTD	EXST'G	NA	NA	NA		TBD	105
106	B	MATCH EXIST'G SIZE	1-3/4"	NA	STN	NEW DOOR	EXST.	NA	NA	NA	PTD	EXST'G FRAME	NA	NA	NA		HV9	106
107	NA	NA	NA	NA	NA	EXST'G	NA	NA	NA	NA	PTD	EXST'G	NA	NA	NA		EXST'G	107
108	NA	NA	NA	NA	NA	EXST'G	NA	NA	NA	NA	PTD	EXST'G	NA	NA	NA		EXST'G	108
116	A	3678X84"	1-3/4"	WD	STN		1	HM	H1	J1	PTD		NA	NA	NA		HV4	116
118	A	3678X84"	1-3/4"	WD	STN		1	HM	H1	J1	PTD		NA	NA	NA		HV4	118
124	NA	NA	NA	NA	NA	EXST'G	NA	NA	NA	NA	PTD	REWORK GLIDING DOOR SLIDES FOR SMOOTH OPERATION	NA	NAN	NA		EXST'G	124
125	F	MATCH EXIST'G SIZE	1-3/4"	HM	PTD	INSUL/TEMP	2	HM	H1	J1	PTD	CRASH PLATES 48"	AL	AL	NA		HV3	125
ST12	B	3678X84"	1-3/4"	WD	STN	TEMP	1	HM	H1	J1	PTD		NA	NA	NA		HV6	ST12
EXST'G1	A	3678X84"	1-3/4"	WD	STN		1	HM	H1	J1	PTD		NA	NA	NA		HV7	EXST'G1
200	NA	NA	NA	NA	NA	PTD	NA	NA	NA	NA	PTD	EXST'G	NA	NA	NA		HV5	200
202	NA	NA	NA	NA	NA	PTD	NA	NA	NA	NA	PTD	EXST'G	NA	NA	NA		HV8	202
203	NA	NA	NA	NA	NA	EXST'G	NA	NA	NA	NA	NA	EXST'G	NA	NA	NA		EXST'G	203
206	A	(2)3678X84"	1-3/4"	WD	STN		2	HM	H1	J1	PTD	REWORK SPRING COVER AT BASE OF DOOR	NA	NA	NA		HV8	206
208	A	3678X84"	1-3/4"	WD	STN		1	HM	H1	J1	PTD		NA	NA	NA		HV5	208
209	A	3678X84"	1-3/4"	WD	STN		1	HM	H1	J1	PTD		NA	NA	NA		HV6	209
210	F	MATCH EXIST'G	1-3/4"	WD	STN		1	HM	H1	J1	PTD		NA	NA	NA		HV5	210
SRT2A	A	MATCH EXIST'G	1-3/4"	WD	PTD	REPLACEMENT BY OWNER	1	HM	H1	J1	PTD		NA	NA	NA		HV5	SRT2A
SRT2B	B	3678X84"	1-3/4"	WD	STN	TEMP	1	HM	H1	J1	PTD		NA	NA	NA		HV6	SRT2B

DOORS		FRAMES		SILL CONDITION		RATING		DOORS	
NO	TYPE	THK	MAT.	FINISH	REMARKS	TYPE	MAT.	FINISH	REMARKS
100A	E	REPLACE EXIST'G UNIT	1-3/4"	AL	AL	INSUL/TEMP	5	AL	AL
100	E	3678X84"	1-3/4"	AL	AL	INSUL/TEMP	4	AL	AL
101	C	3678X84"	1-3/4"	AL	AL	NON THERMAL/TEMP	3	AL	AL
102	NA	NA	NA	NA	NA	EXST'G	NA	NA	NA
103A	NA	NA	NA	NA	NA	EXST'G	NA	NA	NA
103B	NA	NA	NA	NA	NA	EXST'G	NA	NA	NA
104	NA	NA	NA	NA	NA	EXST'G	NA	NA	NA
105	NA	NA	NA	NA	NA	EXST'G	NA	NA	NA
106	B	MATCH EXIST'G SIZE	1-3/4"	NA	STN	NEW DOOR	EXST.	NA	NA
107	NA	NA	NA	NA	NA	EXST'G	NA	NA	NA
108	NA	NA	NA	NA	NA	EXST'G	NA	NA	NA
116	A	3678X84"	1-3/4"	WD	STN		1	HM	H1
118	A	3678X84"	1-3/4"	WD	STN		1	HM	H1
124	NA	NA	NA	NA	NA	EXST'G	NA	NA	NA
125	F	MATCH EXIST'G SIZE	1-3/4"	HM	PTD	INSUL/TEMP	2	HM	H1
ST12	B	3678X84"	1-3/4"	WD	STN	TEMP	1	HM	H1
EXST'G1	A	3678X84"	1-3/4"	WD	STN		1	HM	H1
200	NA	NA	NA	NA	NA	PTD	NA	NA	NA
202	NA	NA	NA	NA	NA	PTD	NA	NA	NA
203	NA	NA	NA	NA	NA	EXST'G	NA	NA	NA
206	A	(2)3678X84"	1-3/4"	WD	STN		2	HM	H1
208	A	3678X84"	1-3/4"	WD	STN		1	HM	H1
209	A	3678X84"	1-3/4"	WD	STN		1	HM	H1
210	F	MATCH EXIST'G	1-3/4"	WD	STN		1	HM	H1
SRT2A	A	MATCH EXIST'G	1-3/4"	WD	PTD	REPLACEMENT BY OWNER	1	HM	H1
SRT2B	B	3678X84"	1-3/4"	WD	STN	TEMP	1	HM	H1



A10 PARTITION TYPES



Gawron Turgeon ARCHITECTS
 29 Black Point Road
 Scarborough, Maine 04074
 www.gawronturgeon.com
 207.885.5200 • 207.885.5201

APOTHECARY BY DESIGN
 141 PREBLE STREET
 PORTLAND, MAINE


REVISIONS	
#	DESCRIPTION

DATE: 07/20/21
 PROJECT #: 120111
 DRAWN BY: LAP
 CHECKED BY: MET
 DRAWING SCALE: AS NOTED

SHEET TITLE
 FLOOR PATTERN PLAN AND TRANSITION DETAILS


A910

© COPYRIGHT 1985-2008
 DOCUMENT NUMBER: A910
 PROJECT NUMBER: 120111
 ARCHITECT: STANLEY M. GAWRON




M1 INTERIOR ELEVATION

1/2" = 1'-0" FULFILLMENT




M10 INTERIOR ELEVATION

1/2" = 1'-0" FULFILLMENT




M17 INTERIOR ELEVATION

1/2" = 1'-0" CLOSET




G1 INTERIOR ELEVATION

1/2" = 1'-0" ANTE ROOM




G10 INTERIOR ELEVATION

1/2" = 1'-0" ANTE ROOM




A1 INTERIOR ELEVATION

1/2" = 1'-0" COMPOUNDING ROOM




A7 INTERIOR ELEVATION

1/2" = 1'-0" ANTE ROOM



A12 INTERIOR ELEVATION

1/2" = 1'-0" ANTE ROOM



Gawron Turgeon ARCHITECTS
 29 Black Point Road
 Scarborough, Maine 04074
 www.gawronturgeon.com
 207.882.5200 • Fax 207.882.5210


APOTHECARY BY DESIGN
 141 PREBLE STREET
 PORTLAND, MAINE

REVISIONS	
#	DATE DESCRIPTION

DATE	07/26/12
PROJECT #	120111
DRAWN BY	DLP
CHECKED BY	MEF
DRAWING SCALE	AS NOTED


SHEET TITLE	
INTERIOR ELEVATIONS	
A921	

© COPYRIGHT 1985-2008
 ALL RIGHTS RESERVED
 DOCUMENT NUMBER: A921
 PROJECT: 120111
 DRAWING: INTERIOR ELEVATIONS





M1 INTERIOR ELEVATION
CONFERENCE


M8 INTERIOR ELEVATION
POINT OF SCALE, OBLIQUE




M14 INTERIOR ELEVATION
KITCHENETTE




G1 INTERIOR ELEVATION
LOUNGE/LUNCH




G8 INTERIOR ELEVATION
FINAL CHECK




G14 INTERIOR ELEVATION
FINAL CHECK



A1 INTERIOR ELEVATION
SHIPPING 120



A11 INTERIOR ELEVATION
SHIPPING 120



Gawron Turgeon ARCHITECTS
29 Black Point Road
Scarborough, Maine 04074
www.gawronturgeon.com
2025-2026

APOTHECARY BY DESIGN
141 PREBLE STREET
PORTLAND, MAINE


REVISIONS	
#	DATE DESCRIPTION

DATE	07.05.12
PROJECT #	120111
DRAWN BY	DLP
CHECKED BY	MEI
DRAWING SCALE	AS NOTED

SHEET TITLE	
INTERIOR ELEVATIONS	

A922

© COPYRIGHT 1985-2008
STANLEY M. GAWRON
REGISTERED ARCHITECT
STATE OF MAINE



APOTHECARY BY DESIGN
 • 141 PREBLE STREET
 • PORTLAND, MAINE

#	DATE	DESCRIPTION

DATE	07.05.12
PROJECT #	120111
DRAWN BY	LAP
CHECKED BY	MEF
DRAWING SCALE	AS NOTED
SHEET TITLE	
INTERIOR FINISH LEGEND AND SCHEDULE	

A941

© COPYRIGHT 1985-2008
 STANLEY M. GAWRON ARCHITECTS
 29 BLACK POINT ROAD
 SCARBOROUGH, MAINE 04074
 WWW.GAWRONTURGEON.COM
 207.885.2525 FAX 207.885.2526

ABBRVIATIONS	
C	CABINET
SV	SHEET VINYL
LKS	LOCKERS
G	GROUT
NA	NOT APPLICABLE
P	PAINT
PL	PLASTIC LAMINATE
R	RESILIENT RUBBER RUBBER TREAD
SC	SEALED CONCRETE
SF	SQUARE FEET
CAB	CABINETS
SS	SOLID SURFACE/NATURAL STONE
STD	SQUARE (W/OS)
EM	ENTRY MAT
FRP	FIBERGLASS REINFORCED PANEL
T	TILE
TO	TO BE DETERMINED
VW	VINYL COAT BASE
VP	VINYL PLANK
WC	WALL COVERING (VINYL PAPER)
WV	WALL COVERING (VINYL PAPER)
MEL	MELAMINE
WB	TILE EMBE
WO	WOOD

INTERIOR FINISH SCHEDULE

120111

Apothecary by Design- Portland

Room Information	Floor	Walls	Trim	Countertop/ Worksurface/ Cabinets	Remarks						
Room # Room Name	Floor	Code order: above cabinet / below countertop	Code order: above cabinet / below countertop	Code order: above cabinet / below countertop							
First Floor Plan											
100	VEST	EM/T1	G1	P	P	P	P	NA	NA	NA	
101	LOBBY	T1/T2	G1	P	P	P	P	NA	NA	NA	
101A	FOB	T1	G1	P	P	P	P	NA	NA	NA	
102	CL	T1	G1	P	P	P	P	NA	NA	NA	
103	CORRIDOR	T1/T2	G1	P	P	P	P	NA	NA	NA	
104	CONFERENCE ROOM	SC	NA	FRP1	FRP1	FRP1	FRP1	NA	NA	NA	
105	COMPUTER ROOM	SC	NA	FRP1	FRP1	FRP1	FRP1	NA	NA	NA	
106	WAIT ROOM	SC	NA	P	P	P	P	NA	NA	NA	
107	CLST	SC	NA	P	P	P	P	NA	NA	NA	
108	EXISTING CHANGING	EXIST	EXIST	P	ACCENT	P5	P5	NA	EXIST	FR	
109	COBR	SC	NA	P	P	P	P	NA	NA	NA	
110	CLINICAL OVERSIGHT	C1	NA	P	P	P	P	NA	VGB1	FR	
111	CLINICAL OVERSIGHT	C1	NA	P	P	P	P	NA	VGB1	FR	
112	PROCESSING	C1	NA	P	P	P	P	NA	VGB1	FR	
113	CARE COORDIN	C1	NA	ACCENT	P	P	P	ACCENT	NA	NA	
114	CLINICAL OVERSIGHT	C1	NA	P	P	P	P	NA	VGB1	FR	
115	FULLTREATMENT	R1	NA	P	P	P	P	NA	VGB1	FR	
116	ACCESS RR	T1	G1	P	P	P	P	ACCENT	NA	NA	
117	CORRIDOR	C1	NA	P	P	P	P	NA	TB1	FR	
118	ACCESS RR	T1	G1	P	ACCENT	P	P	NA	TB1	FR	
119	FINAL CHECK	C1	NA	P	P	P	P	NA	NA	FR	
120	SHIPPING	C1	NA	P	P	P	P	NA	NA	FR	
121	LOUNGE/LUNCH	VP1	NA	P	P	P	P	NA	NA	FR	
122	CLST	VP1	NA	P	P	P	P	NA	VGB1	FR	
123	KITCHEN	VP1	NA	P	P	P	P	NA	NA	FR	
124	BEAUTYBERS	SC	NA	P	P	P	P	NA	NA	FR	
125	DELIVERY DRUG-GRF	NA	NA	P	P	P	P	NA	VGB1	FR	
STN1	STAIR 1	CE	NA	P	P	P	P	NA	VGB1	FR	
STN2	STAIR 2	CE	NA	P	P	P	P	NA	VGB1	FR	
ELET	LIFT	ETR									

ABBRVIATIONS	
C	CABINET
SV	SHEET VINYL
LKS	LOCKERS
G	GROUT
NA	NOT APPLICABLE
P	PAINT
PL	PLASTIC LAMINATE
R	RESILIENT RUBBER RUBBER TREAD
SC	SEALED CONCRETE
SF	SQUARE FEET
CAB	CABINETS
SS	SOLID SURFACE/NATURAL STONE
STD	SQUARE (W/OS)
EM	ENTRY MAT
FRP	FIBERGLASS REINFORCED PANEL
T	TILE
TO	TO BE DETERMINED
VW	VINYL COAT BASE
VP	VINYL PLANK
WC	WALL COVERING (VINYL PAPER)
WV	WALL COVERING (VINYL PAPER)
MEL	MELAMINE
WB	TILE EMBE
WO	WOOD

1. PREPARE SECOND FLOOR PL WOOD FLOOR FOR NEW FLOOR COVERING
 2. PRIME DARK COLORED EXISTING WALLS TO ACCEPT NEW PAINT COLORS

CODE	MATERIAL	MANUFACTURER	PRODUCT, STYLE AND COLOR	FINISH	REMARKS/NOTES
C1	CABINET	TBD	PATTERNED CORR. SOLUTION OVER BRONZECOM	FACTORY	ALLOWANCE: 228 PER SQUARE YARD
C2	CABINET	TBD	MULTICOLOUR LOOP. SOLUTION OVER BRONZECOM	FACTORY	ALLOWANCE: 228 PER SQUARE YARD
VP1	VINYL PLANK	MANNINGTON COMMERCIAL	NATURE'S PATH SELECT PLANK. COLOR: TBD	FACTORY	
R1	RESILIENT RUBBER	NOKA	COLLECTION: TBD. COLOR: TBD. 3/8" THICKNESS	FACTORY	HEAT WELD SEAMS. PROVIDE MAT BRAND TEST. 47.4 X 101.4 GROSS. REFER TO MANUFACTURERS RECOMMENDATIONS FOR INSTALLATION. FLOOR PREPARATION & ADHESIVES
T1	TILE. PORCELAIN	MANNINGTON COMMERCIAL	COLLECTION: SERENGETI SLATE. COLOR: MINDIGHT	SEALED	
T2	TILE. PORCELAIN	MANNINGTON COMMERCIAL	COLLECTION: SERENGETI SLATE. COLOR: MINDIGHT	SEALED	
SV1	SHEET VINYL	MANNINGTON COMMERCIAL	BIOSEC MD. COLOR: TBD. 1/8" THICKNESS	FACTORY	25% ACCENT
SV2	SHEET VINYL	MANNINGTON COMMERCIAL	PAC FIELDS. COLOR: TBD. 1/8" THICKNESS	FACTORY	F 2 FLASH-CONE BASE. HEAT WELD SEAMS. REFER TO MANUFACTURERS RECOMMENDATIONS FOR INSTALLATION. FLOOR PREPARATION & ADHESIVES
EM1	ENTRY MAT	MAT'S INC	ROLLED GOODS. COLLECTION: TBD. COLOR: TBD	FACTORY	
VGB1	VINYL BASE	JOHNSONITE	4" CONE BASE. COLOR: TBD	FACTORY	
TB1	TILE BASE	MANNINGTON COMMERCIAL	COLLECTION: SERENGETI SLATE. COLOR: MINDIGHT	FACTORY	
G1	GROUT	MAPEI	COLOR: TBD	SEALED	
P1	PAINT	BENJAMIN MOORE	PRODUCT: EGGSECC WB. COLOR: PAINT FOR GOLD	EGGSHELL	
P2	PAINT	BENJAMIN MOORE	PRODUCT: EGGSECC WB. COLOR: COUNTRY COMFORT	EGGSHELL	
P3	PAINT	BENJAMIN MOORE	PRODUCT: EGGSECC WB. COLOR: SPRINGFIELD SAGE	EGGSHELL	
P4	PAINT	BENJAMIN MOORE	PRODUCT: EGGSECC WB. COLOR: BEACH COMBER	EGGSHELL	
P5	PAINT	BENJAMIN MOORE	PRODUCT: EGGSECC WB. COLOR: ALPACA BANG'N	EGGSHELL	
P6	PAINT	BENJAMIN MOORE	PRODUCT: EGGSECC WB. COLOR: OXONOKA CLAY	EGGSHELL	
P7	PAINT	BENJAMIN MOORE	PRODUCT: EGGSECC WB. COLOR: SEA SHELL BANG'N	SEASHELLS	
PL1	PLASTIC LAMINATE	TBD	TBD	FACTORY	
PL2	PLASTIC LAMINATE	TBD	TBD	FACTORY	
SS1	SOLID SURFACE	TBD	TBD	FACTORY	
CAB1	CABINETS	ARMSTRONG CABINETS	DOOR/STILE: AMBROGREST. FINISH: CINNAMON. CONCEALED HINGES	FACTORY	DECORATIVE ARMSTRONG HANDPAPE. TBD
FRP1	FIBERGLASS PANEL	GRANE COMPOSITE	INNOVATIVE FINISHES. GLEAMING SMOOTH. COLOR: WHITE	SMOOTH	SMOOTH FINISH
LKS1	LOCKERS. METAL	FRNCO	COLLECTION: TBD. COLOR: TBD	FACTORY	
RP1	RESIN PANEL	3 FORM	VIMM EGGSECC. PATTERN: TBD	FACTORY	


1. PREPARE SECOND FLOOR PL WOOD FLOOR FOR NEW FLOOR COVERING
 2. PRIME DARK COLORED EXISTING WALLS TO ACCEPT NEW PAINT COLORS

INTERIOR FINISH LEGEND

1. PREPARE SECOND FLOOR PL WOOD FLOOR FOR NEW FLOOR COVERING
 2. PRIME DARK COLORED EXISTING WALLS TO ACCEPT NEW PAINT COLORS

INTERIOR FINISH SCHEDULE

1. PREPARE SECOND FLOOR PL WOOD FLOOR FOR NEW FLOOR COVERING
 2. PRIME DARK COLORED EXISTING WALLS TO ACCEPT NEW PAINT COLORS



#	DATE	DESCRIPTION
1	07/25/12	DATE
2	12/01/11	PROJECT #
3	LAP	DRAWN BY
4	MEET	CHECKED BY
5	AS NOTED	DRAWING SCALE

REVISIONS	
#	DATE
1	07/25/12
2	12/01/11
3	LAP
4	MEET
5	AS NOTED

SHEETS	
#	TITLE
1	EQUIPMENT PLAN
2	E101

APOTHECARY BY DESIGN

141 PREBLE STREET
PORTLAND, MAINE

Gawron Turgeon ARCHITECTS

29 Black Point Road
Scarborough, Maine 04074
www.gawronturgeon.com
207.883.2222

