



DOOR SCHEDULE																			
DOOR NO.	TYPE	DOOR				FRAME					GENERAL								
		WIDTH	HEIGHT	THICKNESS	MATERIAL	FINISH	INSULATED	TYPE	MATERIAL	DETAILS			CLOSER	FIRE RATING (MINUTES)	HARDWARE KEY	REMARKS	HARDWARE	NOTE FOR DOOR HARDWARE SEE DOOR HARDWARE SPECIFICATION SECTION 08710	
										HEAD	JAMB	SILL							ULS - LOCK SET
100.1	A	6'-0"	7'-0"	1-3/4"	AL	PTD	Y	-	AL	AL	-	-	-	Y	-	-	THERMALLY BROKEN STOREFRONT DOUBLE DOORS WITH TRANSOM AND SIDELIGHTS WITH PANIC HARDWARE		
100.2	B	6'-0"	7'-0"	1-3/4"	STL	PTD	Y	1	STL	AL	-	-	-	Y	90	-	PAIR OF DOORS WITH PANIC HARDWARE		
100.3	B	6'-0"	7'-0"	1-3/4"	STL	PTD	Y	1	STL	AL	-	-	-	Y	90	-	PAIR OF DOORS		
101.1	C	3'-6"	7'-0"	1-3/4"	STL	PTD	Y	1	STL	AL	-	-	-	Y	90	-	PANIC HARDWARE		
102.1	D	3'-0"	7'-0"	1-3/4"	STL	PTD	Y	2	STL	AL	-	-	-	Y	90	-	PANIC HARDWARE		
102.2	L	3'-0"	3'-2"	1-1/2"	STL	PTD	-	-	STL	-	-	-	-	-	-	-	GATE WITH LATCH HARDWARE		
103.1	E	6'-0"	7'-0"	1-3/4"	STL	PTD	-	1	STL	-	-	-	-	Y	-	-	PAIR OF DOORS		
103.2	D	3'-0"	7'-0"	1-3/4"	STL	PTD	-	1	STL	-	-	-	-	Y	-	-			
104.1	F	3'-0"	7'-0"	1-3/4"	AL	PTD	-	-	AL	-	-	-	-	Y	-	-	STOREFRONT DOOR WITH SIDELIGHTS		
107.1	B	6'-0"	7'-0"	1-3/4"	STL	PTD	Y	2	STL	AL	-	-	-	Y	90	-	PAIR OF DOORS OPPOSING SWING, MAGNETIC HOLD OPENS TIED TO FIRE ALARM SYSTEM		
107.2	G	14'-0"	7'-0"	-	STL	PTD	-	-	STL	-	-	-	-	Y	90	-	FIRE RATED OVERHEAD ROLLING DOOR WITH AUTOMATIC CLOSER TIED TO FIRE ALARM SYSTEM WITH LASER EYE SAFTEY FEATURE, OVERHEAD DOOR MODEL 640 COUNTER DOOR		
109.1	C	3'-0"	7'-0"	1-3/4"	STL	PTD	Y	1	STL	-	-	-	-	Y	-	-			
109.2	C	2'-6"	7'-0"	1-3/4"	STL	PTD	Y	1	STL	-	-	-	-	Y	-	-			
110.1	C	3'-0"	7'-0"	1-3/4"	STL	PTD	Y	1	STL	-	-	-	-	Y	-	-			
111.1	D	3'-0"	7'-0"	1-3/4"	STL	PTD	Y	2	STL	AL	-	-	-	Y	90	-			
111.2	H	3'-0"	7'-0"	1-3/4"	STL	PTD	-	1	STL	-	-	-	-	Y	-	-	PANIC HARDWARE		
111.3	H	3'-0"	7'-0"	1-3/4"	STL	PTD	-	1	STL	-	-	-	-	Y	-	-	PANIC HARDWARE		
112.1	I	6'-0"	7'-0"	1-3/4"	AL	PTD	Y	-	AL	AL	-	-	-	Y	-	-	THERMALLY BROKEN STOREFRONT DOUBLE DOORS		
112.2	C	3'-0"	7'-0"	1-3/4"	STL	PTD	-	1	STL	-	-	-	-	Y	-	-			
114.1	D	3'-0"	7'-0"	1-3/4"	STL	PTD	Y	2	STL	AL	-	-	-	Y	90	-	PANIC HARDWARE		
114.2	J	3'-0"	7'-0"	1-3/4"	AL	PTD	Y	-	AL	AL	-	-	-	Y	-	-	THERMALLY BROKEN STOREFRONT DOOR WITH PANIC HARDWARE		
114.3	L	3'-0"	3'-2"	1-1/2"	STL	PTD	-	-	STL	-	-	-	-	-	-	-	GATE WITH LATCH HARDWARE		
115.1	J	3'-0"	7'-0"	1-3/4"	AL	PTD	Y	-	AL	AL	-	-	-	Y	-	-	THERMALLY BROKEN STOREFRONT DOOR WITH PANIC HARDWARE		
115.2	H	3'-0"	7'-0"	1-3/4"	STL	PTD	-	1	STL	-	-	-	-	Y	-	-			
115.3	K	10'-0"	8'-0"	1-3/4"	AL	PTD	-	-	-	AL	-	-	-	-	-	-	FULL GLASS OVERHEAD DOOR WITH CHAIN PULL, LOCK		
202.1	D	3'-0"	7'-0"	1-3/4"	STL	PTD	Y	2	STL	AL	-	-	-	Y	90	-	PANIC HARDWARE		
215.1	C	3'-0"	7'-0"	1-3/4"	STL	PTD	-	1	STL	-	-	-	-	-	-	-			
217.1	D	3'-0"	7'-0"	1-3/4"	STL	PTD	Y	2	STL	AL	-	-	-	Y	90	-	PANIC HARDWARE		
300.1	H	3'-0"	7'-0"	1-3/4"	STL	PTD	-	1	STL	-	-	-	-	Y	-	-	PANIC HARDWARE		
301.1	D	3'-0"	7'-0"	1-3/4"	STL	PTD	Y	2	STL	AL	-	-	-	Y	90	-	PANIC HARDWARE		
302.1	C	3'-0"	7'-0"	1-3/4"	STL	PTD	-	1	STL	-	-	-	-	-	-	-			
400.1	H	3'-0"	7'-0"	1-3/4"	STL	PTD	Y	1	STL	-	-	-	-	Y	-	-	PANIC HARDWARE		
401.1	D	3'-0"	7'-0"	1-3/4"	STL	PTD	Y	2	STL	AL	-	-	-	Y	90	-	PANIC HARDWARE		
403.1	D	3'-0"	7'-0"	1-3/4"	STL	PTD	Y	2	STL	AL	-	-	-	Y	90	-	PANIC HARDWARE		

PROGRESS PRINT ONLY
 Not for Construction
 JUNE 09, 2015

© 2015 RYAN SENATORE ARCHITECTURE

ADDITION TO BAYSIDE BOWL
 ALDER STREET
 PORTLAND, MAINE

RSA
 RYAN SENATORE ARCHITECTURE
 565 CONGRESS STREET
 PORTLAND, MAINE 04101
 207-650-6414
 rsenatorearchitecture.com

CONSULTANTS:
 STRUCTURAL: Structural Integrity
 77 Oak Street
 Portland, ME 04101
 207-774-4614

REVISIONS:

DATE: JUNE 09, 2015
 PROJECT No. 1452
 DRAWN BY: JPF / RRT / RJS
 CHECKED BY: RJS
 SCALE: AS NOTED

SHEET TITLE:
 DOOR SCHEDULE

A7-1