


LOAD GROUP REACTION TABLE \* = E

COLUMN	--2			--5			--2.9			--4		
LOAD GROUP	HL	VL	LNL	HR	VR	LNR	H1	V1	LN1	H2	V2	LN2
DL	0.2	5.0	0.0	-0.2	3.2	0.0	0.0	7.4	0.0	0.0	3.9	0.0
COLL	0.4	6.5	0.0	-0.4	3.1	0.0	-0.0	9.9	0.0	-0.0	5.8	0.0
PSL1	1.5	21.5	0.0	-1.5	4.6	0.0	0.0	27.6	0.0	-0.0	-9.3	0.0
PSL2	-0.3	-1.6	0.0	0.3	-3.8	0.0	-0.0	18.0	0.0	0.0	21.0	0.0
PSL3	0.3	0.4	0.0	-0.3	12.3	0.0	-0.0	-1.2	0.0	0.0	11.7	0.0
SNOW	1.3	28.1	0.0	-1.5	13.0	0.0	0.0	44.3	0.0	-0.0	23.6	0.0
LL	0.5	10.7	0.0	-0.5	4.7	0.0	0.0	16.0	0.0	-0.0	8.5	0.0
PL	0.5	3.9	0.0	-0.5	2.4	0.0	0.0	6.4	0.0	-0.0	5.1	0.0
H1	0.0	0.7	0.0	-0.0	0.0	0.0	0.0	-0.8	0.0	-0.0	0.1	0.0
H2	0.0	0.6	0.0	-0.0	0.1	0.0	0.0	-0.6	0.0	-0.0	-0.1	0.0
H3	0.0	0.3	0.0	-0.0	0.3	0.0	0.0	0.2	0.0	-0.0	-0.8	0.0
H4	0.0	0.3	0.0	-0.0	0.3	0.0	0.0	0.2	0.0	-0.0	-0.8	0.0
RBDWEO	0.2	12.3	0.0	-0.2	24.0	0.0	0.0	-0.4	0.0	-0.0	-0.3	0.0
EQ	-3.7	-4.0	0.0	-4.4	9.7	0.0	0.0	6.6	0.0	-0.0	-12.3	0.0
RBUPEQ	0.0	-12.1	0.0	-0.0	-23.8	-16.2	-0.0	0.0	0.0	0.0	0.2	0.0
WL1	-3.5	-11.7	0.0	-4.4	2.1	0.0	-6.1	0.0	-9.4	0.0	0.0	0.0
WL2	-7.1	-6.0	0.0	-4.7	8.1	0.0	-1.2	0.0	-11.7	0.0	0.0	0.0
WL3	6.0	-3.5	0.0	5.5	-11.7	0.0	-0.0	-12.7	0.0	0.0	3.4	0.0
WL4	2.4	2.2	0.0	5.2	-5.7	0.0	-0.0	-7.8	0.0	0.0	1.2	0.0
LWL1	4.1	-11.7	0.0	-0.5	-9.0	0.0	-0.0	-11.7	0.0	0.0	-0.6	0.0


- LOAD GROUP DESCRIPTION
- DL : Roof Dead Load
  - COLL : Roof Collateral Load
  - PSL1 : Pattern Snow Load [PSLxx]
  - PSL2 : Pattern Snow Load [PSLxx]
  - PSL3 : Pattern Snow Load [PSLxx]
  - SNOW : Roof Snow Load
  - LL : Roof Live Load
  - PL : User Entered Load
  - H1 : User Entered Load
  - H2 : User Entered Load
  - H3 : User Entered Load
  - H4 : User Entered Load
  - RBDWEO : Downward Acting Rod Brace Load from Long. Seismic
  - EQ : Lateral Seismic Load [parallel to plane of frame]
  - RBUPEQ : Upward Acting Rod Brace Load from Longit. Seismic
  - WL1 : Lateral Primary Wind Load
  - WL2 : Lateral Primary Wind Load
  - WL3 : Lateral Primary Wind Load
  - WL4 : Lateral Primary Wind Load
  - LWL1 : Longitudinal Primary Wind Load



LOAD GROUP REACTION TABLE \* = E

COLUMN	--2			--5			--2.9			--4		
LOAD GROUP	HL	VL	LNL	HR	VR	LNR	H1	V1	LN1	H2	V2	LN2
RBUPLW	0.0	-4.6	0.0	-0.0	-10.4	-7.1	-0.0	0.0	0.0	0.0	0.1	0.0
LWL2	4.1	-10.0	0.0	-0.6	-10.0	0.0	-0.0	-11.0	0.0	0.0	-1.7	0.0
LWL3	4.3	-7.8	0.0	-0.7	-7.5	0.0	-0.0	-7.0	0.0	0.0	1.5	0.0
LWL4	4.3	-7.1	0.0	-0.8	-8.0	0.0	-0.0	-6.7	0.0	0.0	1.0	0.0
SBAL	1.3	28.1	0.0	-1.5	13.0	0.0	0.0	44.3	0.0	-0.0	23.6	0.0
DSNW	-0.2	9.7	0.0	0.1	-0.2	0.0	-0.0	-0.3	0.0	0.0	0.3	0.0
RBDWLW	0.1	4.7	0.0	-0.1	10.5	0.0	0.0	-0.1	0.0	-0.0	-0.1	0.0


- LOAD GROUP DESCRIPTION
- RBUPLW : Upward Acting Rod Brace Load from Longitud. Wind
  - LWL2 : Longitudinal Primary Wind Load
  - LWL3 : Longitudinal Primary Wind Load
  - LWL4 : Longitudinal Primary Wind Load
  - SBAL : Code Calculated Balanced Roof Snow Load
  - DSNW : Drifting Snow
  - RBDWLW : Downward Acting Rod Brace Load from Longit. Wind



LOAD GROUP REACTION TABLE \* = F

COLUMN	--2			--5			--2.9			--4		
LOAD GROUP	HL	VL	LNL	HR	VR	LNR	H1	V1	LN1	H2	V2	LN2
DL	0.2	5.0	0.0	-0.2	3.1	0.0	0.0	8.8	0.0	0.0	4.2	0.0
COLL	0.4	6.6	0.0	-0.4	3.1	0.0	-0.0	9.9	0.0	-0.0	5.8	0.0
PSL1	1.5	21.5	0.0	-1.5	4.6	0.0	0.0	27.6	0.0	-0.0	-9.3	0.0
PSL2	-0.3	-1.6	0.0	0.3	-3.8	0.0	-0.0	18.0	0.0	0.0	21.0	0.0
PSL3	0.3	0.4	0.0	-0.3	12.3	0.0	-0.0	-1.2	0.0	0.0	11.7	0.0
SNOW	1.3	28.6	0.0	-1.5	13.0	0.0	0.0	44.3	0.0	-0.0	23.6	0.0
LL	0.5	10.9	0.0	-0.5	4.7	0.0	0.0	16.0	0.0	-0.0	8.5	0.0
PL	0.5	3.9	0.0	-0.5	2.4	0.0	0.0	6.4	0.0	-0.0	5.1	0.0
H1	0.0	0.7	0.0	-0.0	0.0	0.0	0.0	-0.8	0.0	-0.0	0.1	0.0
H2	0.0	0.6	0.0	-0.0	0.1	0.0	0.0	-0.6	0.0	-0.0	-0.1	0.0
H3	0.0	0.3	0.0	-0.0	0.3	0.0	0.0	0.2	0.0	-0.0	-0.8	0.0
H4	0.0	0.3	0.0	-0.0	0.3	0.0	0.0	0.2	0.0	-0.0	-0.8	0.0
RBDWEO	0.2	12.3	0.0	-0.2	24.0	0.0	0.0	-0.4	0.0	-0.0	-0.3	0.0
EQ	-3.8	-4.1	0.0	-4.6	10.0	0.0	0.0	6.8	0.0	-0.0	-12.7	0.0
RBUPEQ	0.0	-12.1	0.0	-0.0	-23.8	-16.2	-0.0	0.0	0.0	0.0	0.2	0.0
WL1	-3.5	-11.9	0.0	-4.4	2.0	0.0	-6.1	0.0	-9.4	0.0	0.0	0.0
WL2	-7.2	-6.0	0.0	-4.8	8.2	0.0	-1.1	0.0	-11.9	0.0	0.0	0.0
WL3	6.1	-3.7	0.0	5.6	-11.8	0.0	-0.0	-12.8	0.0	0.0	3.6	0.0
WL4	2.4	2.0	0.0	5.2	-5.7	0.0	-0.0	-7.8	0.0	0.0	1.1	0.0
LWL1	4.3	-11.9	0.0	-0.4	-9.2	0.0	-0.0	-11.7	0.0	0.0	-0.4	0.0


- LOAD GROUP DESCRIPTION
- DL : Roof Dead Load
  - COLL : Roof Collateral Load
  - PSL1 : Pattern Snow Load [PSLxx]
  - PSL2 : Pattern Snow Load [PSLxx]
  - PSL3 : Pattern Snow Load [PSLxx]
  - SNOW : Roof Snow Load
  - LL : Roof Live Load
  - PL : User Entered Load
  - H1 : User Entered Load
  - H2 : User Entered Load
  - H3 : User Entered Load
  - H4 : User Entered Load
  - RBDWEO : Downward Acting Rod Brace Load from Long. Seismic
  - EQ : Lateral Seismic Load [parallel to plane of frame]
  - RBUPEQ : Upward Acting Rod Brace Load from Longit. Seismic
  - WL1 : Lateral Primary Wind Load
  - WL2 : Lateral Primary Wind Load
  - WL3 : Lateral Primary Wind Load
  - WL4 : Lateral Primary Wind Load
  - LWL1 : Longitudinal Primary Wind Load



LOAD GROUP REACTION TABLE \* = F

COLUMN	--2			--5			--2.9			--4		
LOAD GROUP	HL	VL	LNL	HR	VR	LNR	H1	V1	LN1	H2	V2	LN2
RBUPLW	0.0	-4.6	0.0	-0.0	-10.4	-7.1	-0.0	0.0	0.0	0.0	0.1	0.0
LWL2	4.2	-10.2	0.0	-0.5	-10.2	0.0	-0.0	-11.0	0.0	0.0	-1.5	0.0
LWL3	4.4	-7.9	0.0	-0.7	-7.7	0.0	-0.0	-7.0	0.0	0.0	1.7	0.0
LWL4	4.4	-7.2	0.0	-0.7	-8.1	0.0	-0.0	-6.7	0.0	0.0	1.2	0.0
SBAL	1.3	28.6	0.0	-1.5	13.0	0.0	0.0	44.3	0.0	-0.0	23.6	0.0
DSNW	-0.2	10.3	0.0	0.1	0.8	0.0	-0.0	-0.4	0.0	0.0	0.7	0.0
RBDWLW	0.1	4.7	0.0	-0.1	10.5	0.0	0.0	-0.1	0.0	-0.0	-0.1	0.0

- LOAD GROUP DESCRIPTION
- RBUPLW : Upward Acting Rod Brace Load from Longitud. Wind
  - LWL2 : Longitudinal Primary Wind Load
  - LWL3 : Longitudinal Primary Wind Load
  - LWL4 : Longitudinal Primary Wind Load
  - SBAL : Code Calculated Balanced Roof Snow Load
  - DSNW : Drifting Snow
  - RBDWLW : Downward Acting Rod Brace Load from Longit. Wind



LOAD GROUP REACTION TABLE \* = G

COLUMN	--2			--5			--2.9			--4		
LOAD GROUP	HL	VL	LNL	HR	VR	LNR	H1	V1	LN1	H2	V2	LN2
DL	0.3	8.6	0.0	-0.4	4.4	0.0	0.0	10.1	0.0	0.0	3.6	0.0
COLL	0.4	7.9	0.0	-0.5	4.3	0.0	-0.0	13.9	0.0	-0.0	8.1	0.0
PSL1	1.7	23.5	0.0	-1.7	5.0	0.0	0.0	30.2	0.0	-0.0	-10.2	0.0
PSL2	-0.3	-1.7	0.0	0.3	-4.2	0.0	-0.0	19.7	0.0	0.0	23.0	0.0
PSL3	0.3	0.5	0.0	-0.3	13.4	0.0	-0.0	-1.3	0.0	0.0	12.8	0.0
SNOW	1.5	35.3	0.0	-1.7	13.5	0.0	0.0	50.4	0.0	-0.0	24.4	0.0
LL	0.8	16.2	0.0	-0.9	8.2	0.0	0.0	20.0	0.0	-0.0	9.0	0.0
PL	0.6	4.6	0.0	-0.6	1.9	0.0	0.0	16.9	0.0	-0.0	10.2	0.0
H1	0.0	0.5	0.0	-0.0	0.0	0.0	0.0	-0.5	0.0	-0.0	0.1	0.0
H2	0.0	0.4	0.0	-0.0	0.1	0.0	0.0	-0.4	0.0	-0.0	-0.1	0.0
H3	0.0	0.2	0.0	-0.0	0.2	0.0	0.0	0.2	0.0	-0.0	-0.6	0.0
H4	0.0	0.2	0.0	-0.0	0.2	0.0	0.0	0.2	0.0	-0.0	-0.6	0.0
RBDWEO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
EQ	-4.5	-0.3	0.0	-5.6	12.5	0.0	0.0	8.3	0.0	-0.0	-15.4	0.0
RBUPEQ	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WL1	-4.5	-15.9	0.0	-5.1	6.3	0.0	0.0	-8.1	0.0	-0.0	-9.0	0.0
WL2	-7.7	-10.2	0.0	-5.0	11.7	0.0	0.0	-3.1	0.0	-0.0	-10.1	0.0
WL3	6.3	-6.7	0.0	6.0	-9.3	0.0	-0.0	-15.5	0.0	0.0	5.8	0.0
WL4	3.1	-1.7	0.0	6.1	-3.9	0.0	-0.0	-10.5	0.0	0.0	4.6	0.0
LWL1	4.3	-15.7	0.0	-0.7	-4.2	0.0	-0.0	-14.4	0.0	0.0	2.3	0.0

- LOAD GROUP DESCRIPTION
- DL : Roof Dead Load
  - COLL : Roof Collateral Load
  - PSL1 : Pattern Snow Load [PSLxx]
  - PSL2 : Pattern Snow Load [PSLxx]
  - PSL3 : Pattern Snow Load [PSLxx]
  - SNOW : Roof Snow Load
  - LL : Roof Live Load
  - PL : User Entered Load
  - H1 : User Entered Load
  - H2 : User Entered Load
  - H3 : User Entered Load
  - H4 : User Entered Load
  - RBDWEO : Downward Acting Rod Brace Load from Long. Seismic
  - EQ : Lateral Seismic Load [parallel to plane of frame]
  - RBUPEQ : Upward Acting Rod Brace Load from Longit. Seismic
  - WL1 : Lateral Primary Wind Load
  - WL2 : Lateral Primary Wind Load
  - WL3 : Lateral Primary Wind Load
  - WL4 : Lateral Primary Wind Load
  - LWL1 : Longitudinal Primary Wind Load