



PENTHOUSE ROOF FRAMING PLAN
1/8"=1'-0"

- NOTES:**
1. ---> INDICATES DIRECTION OF 1 1/2" TYPE B, 20GA PAINTED METAL ROOF DECK (3' SPAN MIN).
 2. TOP OF STEEL EL 246'-0" U.N.O.
 3. ---BF--- INDICATES BRACING, SEE BRACING ELEVATIONS DWG S1.11 & S.12.
 4. ---M--- INDICATES MOMENT CONNECTION, SEE DETAILS.
 5. UNLESS NOTED OTHERWISE, BEAMS TO BE PLACED AT EQUAL SPACES BETWEEN COL LINES.
 6. FOR COLUMN SIZES, SEE COLUMN SCHEDULE, DWG S1.13.

Mark	Date	Description
-	07.30.07	100% SUPERSTRUCTURE SET
-	07.23.07	REVIEW SET
-	06.11.07	ISSUED FOR P2/P3/P4 STEEL DETAILING
-	03.16.07	100% DESIGN DEVELOPMENT

Drawing Status
100% SUPERSTRUCTURE SET

Drawing Title
PENTHOUSE ROOF FRAMING PLAN

PA / PE: EAR Drawn By: CHF
Drawing Number

S1.11