Inspection Division
Date: 05/20/14

INTERMED

9TH FLOOR EXECUTIVE SUITE

84 MARGINAL WAY
PORTLAND, MAINE

PERMIT SET

May 8, 2014

CANAL 5 STUDIO
Architecture / Planning / Interior Design

207 553 2115
One Canal Plaza, Suite 888
Portland, Maine 04101

canal5studio.com

LIST OF DRAWINGS

COVER SHEET

ARCHITECTURAL

A10.1 DEMOLITION PLAN, FLOOR PLAN & PARTITION TYPE

A70.1 REFLECTED CEILING PLAN

LIFE SAFETY PLAN

CODE COMPLIANCE

BUILDING DESIGN CODES
AMERICANS WITH DISABILITIES ACT (ADA)
NFPA 101 LIFE SAFETY CODE/2006
MAINE UNIFORM BUILDING AND ENERGY CODE "MUBEC"/ 2009
INTERNATIONAL BUILDING CODE
NFPA 70 NATIONAL ELECTRIC CODE/2011
NFPA 72 NATIONAL FIRE ALARM CODE/2013

BUILDING AREA:
834 SF OF RENOVATED INTERIOR FIT UP
15,890 SF TOTAL ON 9TH FLOOR

CONSTRUCTION TYPE:
CORE & SHELL : 2A

NUMBER OF STORIES:
10 STORY TOTAL BUILDING - INTERIOR FIT UP ON FLOOR 9

FIRE SUPPRESSION:
FULLY SPRINKLERED WITH SUPERVISED SYSTEM

TRAVEL DISTANCE:
200 FT MAX EXIT ACCESS (NFPA 101)

OCCUPANT LOAD:
15,890 SF TOTAL 9TH FLOOR/100 = 160
(INTERIOR FIT UP SPACE = 834 SF)
TWO ACCESSIBLE EXITS REQUIRED

OCCUPANT CLASSIFICATION:
GROUP B, BUSINESS