

SANITARY STRUCTURES

STRUCTURE	SIZE	RM	INV. IN/SIZE (FROM)	INV. OUT/SIZE (TO)
SMH #1	4'	11.90	1.53/8"(SMH #2)	1.33/8"(EX. 36" SAN.)
SMH #2	4'	11.90	2.84/8"(SMH #3)	2.64/8"(SMH #1)
SMH #3	4'	11.90	3.90/8"(SAN LEADER)	3.70/9"(SMH #2)
			3.90/8"(SAN LEADER)	

LEGEND

	EXISTING	PROPOSED		EXISTING	PROPOSED
PROPERTY LINE			STORM DRAIN		
MONUMENT FOUND			COMBINED SEWER		
CONTOUR			ELECTRIC SERVICE		
SPOT ELEVATION			GAS SERVICE		
CATCHBASIN			TELEPHONE AND CABLE SERVICE		
DRAIN INLET			OVERHEAD WIRES		
MANHOLE			SITE LIGHTING ELECTRIC		
HYDRANT			ELECTRIC TRANSFORMER		
WATER VALVE			TELEPHONE PAD		
UTILITY POLE			CABLE PAD		
TEST BORING			LIGHT FIXTURE - STREET		
WATER SERVICE			LIGHT FIXTURE - SITE		
SEWER SERVICE			LIGHT FIXTURE - BUILDING		
			CURB		

NOTES:

1. PROPOSED 8 INCH SANITARY SEWER SERVICE CONNECTION SHALL BE CONSTRUCTED WITH CHIMNEY LATERAL INVERT ELEVATION FOR THE PROPOSED SERVICE CONNECTION SHALL BE CONFIRMED PRIOR TO THE START OF CONSTRUCTION. ALL CONSTRUCTION METHODS AND MATERIALS SHALL BE IN ACCORDANCE WITH THE CITY OF PORTLAND, MAINE'S TECHNICAL AND DESIGN STANDARDS AND GUIDELINES, LATEST EDITION, AND SHALL MEET THE APPROVAL OF THE CITY OF PORTLAND PUBLIC WORKS DEPARTMENT.

Prepared For:
 Applicant:
SOUTHERN MAINE STUDENT HOUSING, LLC
 247 Commercial Street
 Rockport, Maine 04856
 Tel: (207) 236-4067

Prepared By:
MITCHELL & ASSOCIATES
 Landscape Architects
 The Staples School
 70 Center Street
 Portland, Maine 04101
 Tel: (207) 774-4427

GP Gorrill-Palmer
 Consulting Engineers, Inc.
 Traffic and Civil Engineering Services
 15 Shaker Road
 Gray, ME 04039 FAX: 207-657-8910

BAYSIDE VILLAGE
 A STUDENT HOUSING COMPLEX
 120 Marginal Way
 Portland, Maine

Date:
 JUNE 15, 2007

Issued For:
 ISSUED FOR FOUNDATION PRICING
 AND FOUNDATION PERMIT

Revisions:

Reproduction or reuse of
 this document without the
 expressed written consent of
 Mitchell & Associates is prohibited.

Title:
UTILITIES PLAN

Scale: 1"=20'

North:

 Sheet No.:
4

