



PIZZA HUT - HAWTORD PLAZA FOREST AVENUE					
QTY	Type	Manufacturer	Cat #	Notes	
16	A		RE-USE EXISTING	120	Existing 24" Toilet
4	B		RE-USE EXISTING	120	Existing 12" Water Valve
2	EX		RE-USE EXISTING	120	Existing Exit Receiver
2	RM		RE-USE EXISTING	120	Existing Emergency Battery

ELECTRICAL LEGEND	
○	Outlet Receptacle Outlet
●	Ground Fault Interrupt Receptacle
○	Special Purpose Connection
○	Special Purpose Outlet
○	OUTLET RECEPTACLE MOUNTED ABOVE COUNTER
○	EXISTING RECEPTACLE MOUNTED ABOVE COUNTER
○	EXISTING LIGHTING FIXTURES TO BE RE-USED
○	EXISTING LIGHTING FIXTURES TO BE RE-USED
○	Fire/Smoke
○	Telephone Jack
○	Single Pole Switch
○	Three Way Switch
○	MULTI-OUTLET RECEPTACLE
○	Switcher Box
○	EMERGENCY LIGHTS, 12 WATT HALOGEN LIGHTS
○	V/VENTILARY BACK UP, (EXISTING - EX)
○	APPROXIMATE 1/2" (1/4" MIN. & 1/2" MAX.)
○	EMERGENCY LIGHT BATTERIES (EXISTING - EX)
○	ME PULL STATIONS
○	STORE SIGNALING DEVICE (ALL BIRMS)
○	DISCONNECT SWITCH

- NOTES:
1. VERIFY LIGHTING REQUIREMENTS IN FIELD WITH COOLER AND FREEZER VENDOR.
 2. EXIT AND EMERGENCY LIGHTING - WIRE TO LINE SIDE OF ADJACENT LIGHT - CKT AT SWITCH.
 3. WIRING METHOD - EMT AND MC CABELING.
 4. VERIFY MOUNTING HEIGHTS FOR ALL SYSTEMS. -MATCH EXISTING

PIZZA HUT Forest Ave Portland, Maine Lighting Plan	DeBLOIS ELECTRIC, INC. Electrical Contractor Designed Build Commercial - Industrial - Residential P.O. BOX 7090 1825 Suburban Street Lewiston, ME 04243-7090 207-753-6912 FAX: 753-7438	BENNETT ENGINEERING CONSULTING ENGINEERS BENNETT ROAD, P.O. BOX 297, FREETOWN, MAINE 04032 (207) 686-9475	ARCHITECT: MARK D. MCCLURG, AIA, CCS 225 S. WASHINGTON MITCHELL, KANSAS 67202	CONTRACTOR: RDS Construction, Inc. 155 Center Street Auburn, Maine 04210	OWNER:
					DATE: 11/14/02 SCALE: 1/4" = 1' E-1

