



ROOF HAS BEEN RE\_BUILT IN ITS PREVIOUS DIMENSIONS

1 HOUR RATING WALL SEE DETAIL SECTION

1 HOUR RATING WALL SEE DETAIL SECTION

FLOORS BETWEEN UNITS: 1 HOUR RATING SEE DETAIL SECTION

1 HOUR RATING FLOOR SEE DETAIL SECTION

1 HOUR RATING BETWEEN STAIRS AND UNITS AND STAIRS AND STAIRS SEE DETAIL SECTION

HEADROOM 7'-8 1/2" AT STAIRS

NEW STAIRS (SEE DETAIL)

1 HOUR RATING SEE DETAIL SECTION

MODIFICATIONS: 06/26/17: STAIRS TO BASEMENT. 09/28/17: HEADROOM HEIGHTS INDICATION

SECTION A-A PROJECT 06/26/17 1/4" = 1'-0"

8'-10"

7'-7"

7'-6"

8'-10"

6'-10 1/2"

7'-2"

7'-3"

WALK-IN CLOSET

BEDROOM #2

BATH #2

BEDROOM #2

LAUNDRY ROOM

BATH #2

BEDROOM #2

GAS BOILER VENT

EXISTING STAIRS (APPROVED)

EXISTING STAIRS (APPROVED)

UN\_USED SPACE UNDER STAIRS

COMMON ENTRY HALL

PORCH

LIVING ROOM

KITCHEN

PANTRY

UN\_USED SPACE

LANDING

STORAGE

1.5%

1.5%