City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 70 Forest Ave YMCA Portland	Owner: Greater Portland	THEA	Phone: 874-1111	Permit No. 9 3
Owner Address:	Lessee/Buyer's Name:	Phone:	BusinessName:	PERMIT ISSUED
Contractor Name:	Address:	Phone:		Permit Issued:
Past Use:	Proposed Use:	\$ 202,000	PERMIT FEE: \$ 1236.00	
TMCA Facility Recreation	nane	3,50	INSPECTION: Use Group: 1-3 Type Signature:	Zone: CRI - G-UZO
Proposed Project Description:		PEDESTRIAN AC	CTIVITIES DISTRICT (P) (D.)	Zoning Approval:
Structural improvements to exist deck caramic tile paint cailings misc. and electrical improvement	interior doors windows	A D	pproved with Conditions:	□ Special Zone or Reviews: □ Shoreland □ Wetland □ Flood Zone
Permit Taken By:	Date Applied For:	Signature:	Date:	☐ Subdivision ☐ Site Plan maj ☐minor ☐mm ☐
 Building permits do not include plumbing. Building permits are void if work is not station may invalidate a building permit and 	rted within six (6) months of the date of issu	uance. False informa-		☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied
*			PERMIT ISSUED WITH REQUIREMENTS	Historic Preservation Not in District or Landmark Does Not Require Review Requires Review Action:
I hereby certify that I am the owner of record of authorized by the owner to make this application if a permit for work described in the application areas covered by such permit at any reasonable	on as his authorized agent and I agree to contain is issued, I certify that the code official's a hour to enforce the provisions of the code	nform to all applicable authorized representativ	laws of this jurisdiction. In addition to eshall have the authority to enter	□ Appoved en □ Approved with Conditions on, □ Denied
SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE:	
RESPONSIBLE PERSON IN CHARGE OF WO	Permit Desk Green-Assessor's Cana	ary-D.P.W. Pink-Pub	PHONE:	CEO DISTRICT

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Pre-Application Attached Single Family Dwellings/Two-Family Dwelling Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building):	4MCA 70 Forest Avenue	e Partland, ME.
Total Square Footage of Proposed Structure 1000 5F	Square Footage of Lot O	000 SF +/-
Tax Assessor's Chart, Block & Lot Number Chart# 36 Block# C Lot# 080	Owner: Grender Portland YM	Telephone#: 874-1111
Owner's Address: 70 Forest Ave. Portland, ME. 04104	Lessee/Buyer's Name (If Applicable)	Cost Of Work: Fee \$ 101,000.00\$ 1236
Proposed Project Description: (Please be as specific as possible) replace concrete deck, cert windows, Misc. Plumbing	+ electrical improve	ments.
	Ryon Construction Inc. 19th St. Parthaud, ME	
Current Use: YMCA Facility Rocre	Proposed Use: Sam	e
•All construction must be conducted in compli •All plumbing must be condu	cted in compliance with the State of M	Code as amended by Section 6-Art II. laine Plumbing Code.
•All Electrical Installation must comply v •HVAC(Heating, Ventililation and Air Cond		
You must Include the following with you application		OF PORTLAND PECTION
	Your Deed or Purchase and Sale Agree	IIIII II
2) A Copy o	of your Construction Contract, if avails	able 2 2 1990 -
Minor or Major site plan review will be required for	A Plot Plan/Site Plan r the above proposed projects. The attach	ed R S // //
checklist outlines the minimum standards for a site		E 6 8 1 W
	4) Building Plans	0 10 18 1011
Unless exempted by State Law, constru	ction documents must be designed by	a registered design professional

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas
 equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: Date: 7 2299	

Building Permit Fee: \$25.00 for the 1st \$1000.cost plus \$5.00 per \$1,000.00 construction cost thereafter.

Additional Site review and related fees are attached on a separate addendum

WRIGHT-RYAN CONSTRUCTION, INC

10 Danforth Street Portland, Maine 04101

LETTER OF TRANSMITTAL

					DATE: 7/2	2/99	JOB NO. 9913			
	Phone (207) 773-3625 Fax (207) 773-5173				ATTENTION	ATTENTION: Code Enforcements				
					RE: Portla	RE: Portland YMCA				
				70 Fe	orest Avenu	ie				
TO City of Portland Portland Portland, Maine 041					04104					
					-					
					-					
WE ARE S	SENDING YOL	J	Attached	Under se	parate cover via	the f	ollowing items:			
	Shop drawi	ings	Prints	Plans		Samples				
	Copy of let		Spec's	Change	order	Check				
COPIES		NO.	T O-T Date			SCRIPTION				
1	7/6/99				ural Drawings	S-1 & S-2				
1	7/22/99			Permit Applica	ition					
1	7/22/99		Check # 1	1777						
THESE A	RE TRANSMIT	TED as ch	ecked helow:							
///LOC / //	7	120 40 0								
\geq	For approv	al	Approved	as submitted	Resubm	it co	pies for approval			
\geq	For your us	se	Approved	as noted	Submit	col	pies for distribution			
	As requeste	ed	Returned	for corrections	Return	COI	rected prints			
	For review	and comm	ent							
	FOR BIDS	DUE	19		PRINTS	RETURNED	AFTER LOAN TO US			
										
REMAI	RKS:									
{										

COPY 7	ro: CF				SIGNED:	Tom Burr	111			

WRIGHT-RYAN CONSTRUCTION, INC

66-6-20

10 Danforth Street Portland, Maine 04101

LETTER OF TRANSMITTAL

			DATE: 8/20/99	JOB NO. 9913			
	Phone (20	77) 773-3625					
		7) 773-5173	ATTENTION: Tammy Munson-Code Enforcements RE: Portland YMCA Pool Deck Project				
	rax (207) 113-3113	RE. TOTALING TWICK	1 001 Deck 1 toject			
TO	City of Portland						
		at .					
-	389 Congress Stree						
	Portland, Maine 04	+101					
WE ARE S	Shop drawings	Attached Under separa	Samples	llowing items:			
L.	Copy of letter	Spec's Change orde	er				
COPIES	DATE NO.		DESCRIPTION				
1	8/17/99	Stair Floor Plans E-1 & SP-	-1				
THESE AF	RE TRANSMITTED as o	checked below:					
_	7						
	For approval	Approved as submitted	<u> </u>	ies for approval			
K	For your use	Approved as noted		ies for distribution			
ļ	As requested	Returned for corrections	Return corr	ected prints			
ļ	For review and com			A5750 LOAN 70 LIG			
-	FOR BIDS DUE	19	PRINTS RETURNED	AFTER LOAN TO US			
mainta Thank Tom B	in the YMCA's scho	se call to confirm receipt of thes eduled reopening date. We appr					
COPY T	O: CF, Scott Lewis	S	SIGNED: Tom Burri	11			

BUILDING PERMIT REPORT DATE: 24 July 29 ADDRESS: 76 Forest BUC, CBL: 3 REASON FOR PERMIT: STructural improvements to fool Interior reno BUILDING OWNER: Greater TontLand YMCA PERMIT APPLICANT: ICONTRactor Wright Byan Const. USE GROUP A-3 CONSTRUCTION TYPE 2B.

The City's Adopted Building Code (The BOCA National Building Code/1996 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions are met:

Approved with the following conditions: */, *27 *34 435

- This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

 This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

 This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

 This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

 This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

 This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

 This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

 The permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

 The permit does not excuse the applicant from meeting applicable State and Federal rules are the applicant from th
- 2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
 - 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
 - 4. Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' o.c. between bolts. (Section 2305.17)
 - 5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
- 6. Precaution must be taken to protect concrete from freezing. Section 1908.0
- It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than I-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
- All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 ¼" and not greater than 2". (Sections 1021 & 1022.0) Handrails shall be on both sides of stairway. (Section 1014.7)
- 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- 13. Stair construction in Use Group R-3 & R-4is a minimum of 10" tread and 7 ¼" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
- The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- Every sleeping room below the fourth story in buildings of Use Groups R and I-I shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)
- 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)

COMMENTS

we wanted	l engineers				Date	
soft per	Also need detailed engineers				Inspection Record	
ming - Told					Type	
1 bs has	ainting and the week				T Foundation:	Framing: Plumbing: Final: Other:
will am	Some finds	a lunc				
8.3-99 - Work just starting -	Work comple for all except some	Cared.				
Work just	Work complete.	106 C				
8.3.99-	10000000000000000000000000000000000000	dist				

- 17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.0)
- 18. The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)
- 19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 &19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2.

- 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- (21.) The Fire Alarm System shall maintained to NFPA #72 Standard.
- 22. The Sprinkler System shall maintained to NFPA #13 Standard.
- 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
- 24. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
- All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min.72 hours notice) and plumbing inspections have been done.
 - 28. All requirements must be met before a final Certificate of Occupancy is issued.
 - All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building Code/1996).
 - Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16)
 - 31. Please read and implement the attached Land Use Zoning report requirements.
 - 32. Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.5.3 of the City's Building Code.
 - 33. Glass and glazing shall meet the requirements of Chapter 24 of the building code.
 - 34. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code 1996).

X 35.	All Swimming pools Shall Comply with Section 421.0 of
₹ 36.	The City's bridge code. All work Spall be As per The plans Submitted To This Office drawn and designed by Joseph H. Leasure PE. #6242 STATE OF MAKE
37.	drawn and designed by costeph the Leasure FE. 26242 Sine of Marie

1 A

38.

Saryur Hoffses Building Inspector

Marge Schmuckal, Zoning Administrator

PS117/24/99 THUMOS

**On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.