




ALPHAarchitects
17 CHESTNUT STREET
PORTLAND, ME 04101
PHONE: 207.761.9500
FAX: 207.761.9595
design@alphaarchitects.com

COPYRIGHT

Reuse or reproduction of the contents of this document is not permitted without written permission of ALPHA ARCHITECTS

FOR PERMIT


Station 415
415 Cumberland Avenue
Portland, ME. 04101



MEZZANINE / ROOF FRAMING PLAN

NOTES:

1. SEE SHEET S1.0 FOR GENERAL STRUCTURAL NOTES
2. FLOOR SHEATHING SHALL BE 3/4" T&G SHEATHING. SEE GEN NOTES FOR MORE INFO.
3. ROOF SHEATHING SHALL BE 5/8" SHEATHING. SEE GEN NOTES FOR MORE INFO.
4. ALL WOOD COLUMNS IN 2x6 WALLS SHALL BE (3) 2x6 AND IN 2x4 WALLS SHALL BE (3) 2x4 UNO
5. ALL HEADERS ARE DROPPED UNO
6. ALL HEADERS ARE (3) 2x6 UNO
7. ALL BEAMS ARE FLUSH UNO.




FRAMING PLAN SYMBOLS KEY

□	WOOD POST
○	STEEL COLUMN
⊗	NUMBER OF WOOD STUDS IN POST BELOW
A	COLUMN ABOVE THIS LEVEL
C	COLUMN CONTINUOUS THROUGH THIS LEVEL
—	JOIST BEARING
—	CONTINUOUS JOIST WITH INTERMEDIATE BEARING
—	FLUSH FRAMED JOIST BEARING WITH HANGER
—	WOOD STUD BEARING WALL BELOW
—	SHEAR WALL
—	NUMBER OF TRIM STUDS UNDER HEADER
—	NUMBER OF KING STUDS ADJACENT TO HEADER

LEGEND

—	DROPPED BEAM
—	FLUSH BEAM



Structural Integrity
Consulting Engineers, Inc.
77 Oak Street
Portland, ME, 04101
p. 207-774-4614
f. 866-793-7835
www.structuralintegrity.com

SI # 16-0036

11-22-16

JOB: 16110

ISSUE DATE

PRELIM	01-17-16
SFMO	-
CD's	-
REV. 1	-
REV. 2	-
PRINT	-

MEZZANINE / ROOF FRAMING PLAN

S1.4