Location of Construction: 26 Parris STreet	**	Phone: 874-7629		Permit No:		
Owner Address: *** 91 Deerfield Rd *** Portland	Lessee/Buyer's Name:	Phone:	hone: BusinessName:		001302	
Contractor Name:	Address:		Phone:		Permit Issued:	
Past Use:	Proposed Use:	COST OF W \$ 2,000	ORK:	PERMIT FEE: \$ 36.00	_	
Multi family	same	FIRE DEPT.	Approved Denied	INSPECTION: Use Group A:2 Type: 5/2		
3 D.U.	Nomcrease 3, DU.	Signature:	CHHM	Boch99 Signature: Tollar	Zone: CBL: 7-6 036-1-029	
Proposed Project Description: Fire Escape or new stairway	Nomerense 3, DU. munits Allowed	PEDESTRIA Action:	ACTIVITII Approved Approved Denied	Zoning Approvation Special Zone or Reviews: Shoreland Wetland Elood Zone		
		Signature:		Date:	Subdivision of per 14-440	
Permit Taken By: K	Date Applied For:	Sept 12 2000	К		☐ Site Plan maj ⊡minor ⊡mm ⊡	
 Building permits do not include plumbing, se Building permits are void if work is not starte tion may invalidate a building permit and store 	d within six (6) months of the date of is	suance. False infor	na-		□ Conditional Use □ Interpretation □ Approved □ Denied	
		×*.	PERMI WITH RE	t issued Quirements	Historic Preservation ☐ Not in District or Landmark ☐ Does Not Require Review ☐ Requires Review Action:	
I hereby certify that I am the owner of record of th authorized by the owner to make this application if a permit for work described in the application is areas covered by such permit at any reasonable h	as his authorized agent and I agree to c s issued, I certify that the code official's	work is authorized t onform to all appli- authorized represe	by the owner of cable laws of the ntative shall ha	record and that I have been is jurisdiction. In addition	, Denied	
		Sept 12 2	0000	31		
SIGNATURE OF APPLICANT	ADDRESS:	DATE:		WI	PERMIT ISSUED	
RESPONSIBLE PERSON IN CHARGE OF WOR	K, TITLE			PHONE:		
White-Pe	ermit Desk Green–Assessor's Ca	nary–D.P.W. Pink	–Public File	Ivory Card-Inspector		

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Pre-Application

Attached Single Family Dwellings/Two-Family Dwelling

Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location'Addressof Construction (include Portion of Building) :	N. D	Ruce SE	······································		
	Ol ry	WWW OF	·····		
Total Square Foctage of Proposed Structure		Square Footage of Lot			· · · · · · · · · · · · · · · · · · ·
Tax Assessor's Chart, Block & La Number Chart # 03 4 Block # I La # 099	ONNE: RUBER	1 LARKI	N	Telephone#: 874-76	029
Owner's Address:	Lessee Buyer's Na	me (If Applicable)		Cost Of Work:	Fæ
26 PARIS ST. PORT. ME.	•			\$ 2000.00	s 3(6
Proposed Project Description: (Please be as specific as possible) FIRE ESCAPE- FROM 3BD	FLOOR	APART ME	17		
Contractor's Name, Address & Telephone, ROBIRT LARKIN 91 DEERF	JELD R	\mathcal{D}_{-}	874-76.	29	Rec'd B
Current Use: /	. 11	Proposed Use: FIR	E 830	CAPE	
2) A Copy of your inor or Major site plan review will be required for the eecklist outlines the minimum standards for a site plan. Unless exempted by State Law, construction complete set of construction drawings showing all of the Cross Sections w/Framing details (including p Floor Plans & Elevations Window and door schedules Foundation plans with required drainage and d Electrical and plumbing layout. Mechanical drainage	ur Constructi A Plot Plan/ above propose 4) Building documents m he following el orches, decks v ampproofing uwings for any	d projects. The attac Plans nust be designed b ements of construct v/railings, and acce specialized equipm	ulluble S ched A v a registere ion: ssory structur ent such as fu	res) umaces, chimneys,	Plans on CAD Forn onal. gas
equipment, HVAC equipment (air handling) or eby certify that I am the Owner of record of the named property, or in to make this application as his ther authorized agent. I agree to co cation is issued, I certify that the Code Official's authorized represen- we the provisions of the codes applicable to this permit.	other types of Certificati that the proposed y	work that may required on work is authorized by the able laws of this judgetic	ire special re owner of record	view must be inclu and that I have been a if a permit for work do	ided. whorized by the seribed in this
mature of applicant: Robert Archine			-	8-2000	
Building Permit Fee: \$30.00 for the 1st \$1 Additional Site review and r					· · ·
			•		

BUILDING PERMIT REPORT
DATE: 12 Sept. 2000 ADDRESS: 26 Parris ST. CBL: 036-I-029
REASON FOR PERMIT: Fire FSCape
BUILDING OWNER: Robert Larkin
PERMIT APPLICANT:/CONTRACTOR_SAO
USE GROUP: <u>R</u> -3 CONSTRUCTION TYPE: 5 B CONSTRUCTION COST: 2000.00 PERMIT FEES: 4 36/0)
The City's Adopted Building Code (The BOCA National Building code/1999 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
CONDITION(S) OF APPROVAL
This permit is being issued with the understanding that the following conditions Shall be met: $\frac{x}{2}$, $\frac{x}{3}$, $$
 A. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. 2. Before concrete for foundation is placed, approvals from the Development Leview Control of Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING." 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through hol. 4 size. The drain shall le extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of perforations shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be covered with not less than 0° of the stame material. Section 1813.52 4. Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6° O.C. between bolts. Section 2035.17 5. Waterproofing and dampproofing shall be done in accordance with Section 1813.00 of the building code. 6. Precaution must be taken to protect concrete from freezing. Section 1813.012.00 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained. 8. Privas grages located <u>Lencah habitable rooms</u> in occupancies in Use Group R-1, R-2, R-3 or 1-1 shall be separated from adjacent interior spaces by fire partitions and floor/elling assembly which are constructed with not less than 2. Yis indicage and the adjacent interior spaces by difter partitions and floor/elling assembly which are constr
from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1) 17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
 18. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)
9/12

- 19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
- 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 21. The Fire Alarm System shall maintained to NFPA #72 Standard.
- 22. The Sprinkler System shall installed and maintained to NFPA #13 Standard.
- 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
- 24. Section 25 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
- 27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done. 28. All requirements must be met before a final Certificate of Occupancy is issued.
- 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1999).
- 30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical
- Code/1993). (Chapter M-16) 3). Please read and implement the attached Land Use Zoning report requirements. The Number 36 Dw elling with 5 beyond 3 32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code. Leg A
- 33. Bridging shall comply with Section 2305.16.
- 34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2405.0)
- 35. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).

Shall Comply AINTRAANCE OF EXITS with Section 1028.0

Comp. · Shall with Flo 7

Iween ham USe 0 Column shall be expessed to the smallest possible number of winding + deors openiess. elique stairs Esch epening pretected with approved Finder or Fire window assemblies

offses, Building Inspector Lt. McDougall, PFD Marge Schmuckal, Zoning Administrator UNNUL

PSH 11/25/99

**This Permit is herewith issued,on the basis of plans submitted and conditions placed the plans, any deviations shall require a separate approval.

*******THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD.

**** Certificate of Occupancy Fees: \$50.00 each

***** All PLANS THAT REQUIRE A PROFESSIONAL DESIGN'S SEAL,(AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000 OR REQUIVALENT.









