	y of Portland, Maine Congress Street, 04101	•			rmit No 01-0831	Issue Date: 3	CBL	I037001
Location of Construction: Owner Name:					r Address;	Consideration and the property of the state	Phone:	
I	Cumberland Ave	Seaforth Hous	eaforth Housing Llc		Commercial	St Ste 300	Phon: 772-7050	
	ness Name:	Contractor Name			actor Address:		Phone	
		no contractor/s		n/a n				
Lessee/Buyer's Name Alexandra & Jane Vaysman Phone: 207-780-092					t Type:		Zone:	
		207-780-0922			· -	Commercial		13-3
		Proposed Use:				Cost of Work:	CEO District:	
	mmercial / Office Space Va	_ =	Change of Use to Elder Day Care 30 Poople		Permit Fee: Cost of Work: CEO District: \$30.00 \$0.00 2 FIRE DEPT: Denied INSPECTION: Use Group Type: 13 ERMIT DENIED TYPE: 13			
for	2 months							
1 -	osed Project Description:	lawa		a.		· · · · · · · · · · · · · · · · · · ·	1. 10/1	2
Cha	ange of Use to Elder Day C	are			Signature: JAN Signature: Signatu			
ļ				PEDE	PEDESTRIAN ACTIVITIES DISTRACTORAL			
			A		Action: Approved Approved w/Conditions Denied			Denied
				Signa	Signature:		Date:	
Pern	nit Taken By:	Date Applied For:	T			g Approval		
cih	•	07/10/2001			Zoning	g Approvai	,	
_			Special Zone or Reviews Shoreland Wetland		Zoning Appeal Historic Preserv		Preservation	
1. This permit application does not preclu Applicant(s) from meeting applicable S Federal Rules.		-			☐ Variance		Not in District or Landmar	
2.	Building permits do not include plumbing, septic or electrical work.				Miscellaneous		Does No	t Require Review
3.	3. Building permits are void if work is not started within six (6) months of the date of issuance.		Flood Zone		Conditi	ional Use	Requires Review	
False information may invalidate a permit and stop all work			Subdivision		☐ Interpretation		Approved	
			Site Plan		Approv	ved	Approve	d w/Conditions
			Maj Minor MM		Denied		Denied Denied	
			Date: 5	Tulai	Date:		Date:	
I ha juris shal	reby certify that I am the over ve been authorized by the condition. In addition, if a point of the content of	owner to make this applermit for work describe	ication as his author d in the application	at the pro- rized agentis is issued,	t and I agree I certify that	WITH F is authorized by to conform to all the code officia	ll applicable la l's authorized i	ecord and that aws of this representative
	n permit.		100	nree		D. I MID		
SIGNATURE OF APPLICANT			ADDRESS			DATE		PHONE

DATE

PHONE

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

All Purpose Building Permit Application

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Sule1							
Location/Address of Construction: 401 Cumberland AUE PO							
Total Square Footage of Proposed Structure Leasing 15005 g feet Square Footage of Lot NA							
Tax Assessor's Chart, Block & Lot Chart# Cha							
Lessee/Buyer's Name (If Applicable) ALEXANDRA Applicant name, address & Cost Of telephone: 54 MEMS Lessee Work: \$							
TANE VATSMAN 780-0922 Fee: \$30.00							
Current use: VACAWT · Computer							
Approximately how long has it been vacant: 2 mo Proposed use: Elder DAY CARE B320NING-							
Proposed use: CTAIR DAY CARE FOR SANIONS. Charge of Use 30 PEOPLE							
Contractor's name, address & telephone:							
Who should we contact when the permit is ready: NO WORK BEING DONE Mailing address: System AREA ALL SPRINKED 9 Buchvale Dr. Patland WE04102 Phone: 780-0422							
IF THE REQUIRED INFORMATION IS NOT INCLUDED IN THE SUBMISSIONS THE PERMIT WILL BE AUTOMATICALLY							

DENIED AT THE DISCRETION OF THE BUILDING/PLANNING DEPARTMENT, WE MAY REQUIRE ADDITIONAL INFORMATION IN ORDER TO APROVE THIS PERMIT.

I hereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable

to this permit.	
Signature of applicant: X. Tank 1/04/hm	My Date: 7/10/0/
This is not a permil, you may not commence	a ANY work until the permit is issued
	Million Conf.

BUILDING PERMIT REPORT
DATE: // July 2001 ADDRESS: 389 Cumber land Ave. CBL: 636-I-632 REASON FOR PERMIT: Change of U.S. From Vacant To Elder Day Care BUILDING OWNER: Sea forth Housing L/C
REASON FOR PERMIT: Change of U.S.P. From Vacant To Elder Day Care
BUILDING OWNER: Sea forth Housing L/C
PERMIT APPLICANT: /CONTRACTOR Owner
USE GROUP: 1/2/A-2 CONSTRUCTION TYPE: 1 B CONSTRUCTION COST: PERMIT FEES: 50.00
The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
CONDITION(S) OF APPROVAL
This permit is being issued with the understanding that the following conditions shall be met: 4 22 433,424

This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."

- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
- Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
- Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.
- It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
- 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- 11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B.H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/2" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7) R-3 (ONE & TWO FAMILY DWELLINGS) GUARD HEIGHT IS 36" MINIMUM.
- 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- 13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 "maximum rise. All other Use Group minimum 11" tread, 7' maximum rise. (Section 1014.0)
- 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- 15. The Minimum required width of a corridor shall be determined by the most restrictive of the criteria under section 1011.3 but not less then 36".
- 16. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
- 17. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 18. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
- 19. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

- 20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
- 21. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
- 23. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
- 24. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
- 25. Section 25 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
 - 26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
 - 27. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces &
- 28. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
 - 29. All requirements must be met before a final Certificate of Occupancy is issued.
 - 30. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
- 31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BQCA National Mechanical Code/1993). (Chapter M-16)

 32. Please read and implement the attached Land Use Zoning report requirements.

 33. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.

34. Bridging shall comply with Section 2305.16.

35. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)

36. All flashing shall comply with Section 1406.3.10.

37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999 This permit is being issued with The understanding Obtain The approval of the STATE Fine Marshan

offses, Building Inspector McDougall, PFD

Marge Schmuckal, Zoning Administrator Michael Nugent, Inspection Service Manager

dona

**This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.


***THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)


****ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.

*****CERTIFICATE OF OCCUPANCY FEE \$50.00

NTURY 21 MAGNUSSON BALFOUR

mercial/Business Brokerage








CITY OF PORTLAND, MAINE

Department of Building Inspection



THIS IS NOT A PERMIT

No work is to be started until PERMIT CARD is actually posted upon the premises. Acceptance of fee is no guarantee that permit will be granted. PRESERVE THIS RECEIPT. In case permit cannot be granted the amount of the fee will be refunded upon return of the receipt less \$5.00 or 10% whichever is greater.

WHITE - Applicant's Copy YELLOW - Office Copy PINK - Auditors Copy