### City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction:	Owner:		Phone:	Permit No: 981433
Owner Address:	Lessee/Buyer's Name:	Phone:	BusinessName:	PERMIT ISSUED
Contractor Name:	Address:	Phon		Perinit liseued: 2 1998
Past Use:	27 stonetrost 10, 411 Proposed Use:	COST OF WOR	62 092-5368 RK:  PERMIT FEE:	
1451 0 50.	Toposed Use.	\$ 111,000		CITY OF PORTLAND
1. A.	Stfice Sauce	FIRE DEPT.	Approved INSPECTION:	637-A-01z
			Denied Use Group: B Type: 2B	
		Signature:	BOCA 96 Signature:	Zone: CBL:
Proposed Project Description:	,		ACTIVITIES DISTRICT (P.A.D.)	Zoning Approval:
meetion Renovations with or	vange of use.	Action:	Approved 🛛	Special Zone or Reviews:
			Approved with Conditions:	🗅 Shoreland 💦 🧓
			Denied	□Wetland □Flood Zone
		Signature:	Date:	□ Subdivision
Permit Taken By:	Date Applied For:	12/16/96		☐ Diste Plan maj ⊡minor⊡mm ⊡
				Zoning Appeal
1. This permit application does not preclude the	Applicant(s) from meeting applicable S	tate and Federal rules.	•	□ Variance □ Miscellaneous
2. Building permits do not include plumbing, se	ptic or electrical work.			
3. Building permits are void if work is not started		uance. False informa-	- 32	□ Interpretation
tion may invalidate a building permit and stop	p all work	,		□ Approved □ Denied
				Historic Preservation
				Does Not Require Review
				Requires Review
				Action:
I hereby certify that I am the owner of record of the	CERTIFICATION	ork is outhorized by t	he owner of record and that I have been	□ Appoved □ Approved with Conditions
authorized by the owner to make this application a				
if a permit for work described in the application is				Date
areas covered by such permit at any reasonable ho	ur to enforce the provisions of the code	e(s) applicable to such	h permit	
		12/15/91	DUONE	- 1
SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE:	
				KCITIN M
RESPONSIBLE PERSON IN CHARGE OF WORK	K, TITLE		PHONE:	
White-Pe	rmit Desk Green–Assessor's Can	ary-D.P.W. Pink-P	ublic File Ivory Card-Inspector	

COMMENTS 22 February 99 Walked areq with LT. McDongall, Handraiks, head-oom, EXIT Sign- Gave MB. Folk LISTS - He will Take Care of These ites all of Generated - Weik Confidence propheres **Inspection Record** Туре Date Foundation: Framing: \_\_\_\_\_ Plumbing: \_\_\_\_\_ Final: \_\_\_\_\_ Other:

HE BURGAR	CITY OF PORT Department of Bu	ailding Inspection	
	Certificate of	f Occupanc	U037-A-012
MATIS V	LOCATION 31 - 43	stept and (chomen -)	Ŋ
Issued to the Gamer's Amount	ite adul	Date of Issue $3/1/3$	<i>'</i> j
This is to certify that the	ne building, premises, or part	thereof, at the above locati	on, built – altered
- changed as to use under Buildi substantially to requirements of 2 occupancy or use, limited or othe <u>PORTION OF BUILDING</u>	Zoning Ordinance and Building rwise, as indicated below.		aereby approved for
o strianed - e baret		Offin <b>a</b> Space	
Limiting Conditions:			
i a stag			
This certificate supersedes certificate issued			
Approved:	and the		
(Date) Inspector		Inspector of Buil	dings
	certificate identifies lawful use of building or premis r when property changes hands. Copy will be furnis		na an anna bhaige ba nabhann neile an antar an an anna an anna an Statainn an Baile an an an



CITY OF PORTLAND, MAINE Department of Building Inspection

# Certificate of Occupancy

Issued to Landmarks america LLC, Date of Issue 3/1/99

This is to certify that the building, premises, or part thereof, at the above location, built — altered — changed as to use under Building Permit No.9F-1433, has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

Limiting Conditions:

This certificate supersedes certificate issued

Approved:

(Date)

Inspector

APPROVED OCCUPANCY

Inspector of Buildings

Nodee: This certificate identifies lawful use of building or premises, and ought to be transferred from owner to owner when property changes hands. Copy will be furnished to owner or lessee for one dollar.

### DINC DEDMIT DEDODT

	BUILDING PERMIT REPORT	
DAT	TE: 19 DEC, 98 ADDRESS: 39 ForesTAVE	CBL \$37- A-\$12
REA	ASON FOR PERMIT: Change of USC From Bar (A.3) To	Office (B)
BUI	LDING OWNER: Landmarks America LLC	
CO	NTRACTOR: Custom Homes and Additions.	
PER	RMIT APPLICANT:	
	$\frac{1}{B} = \frac{1}{B} = \frac{1}$	B
001	<u>CONDITION(S) OF APPROVAL</u>	
	Permit is being issued with the understanding that the following conditions are met:	
Арр	proved with the following conditions: $\frac{\times}{17}$ $\frac{\times}{17}$ $\frac{\times}{20}$ $\frac{\times}{24}$ $\frac{\times}{17}$ $\frac{\times}{130}$ $\frac{\times}{31}$ $\frac{\times}{32}$	18,19,
×1.	This permit does not excuse the applicant from meeting applicable State and Federal rules and	laws.
2.	Before concrete for foundation is placed, approvals from the Development Review Coordinato	r and Inspection Services must be
2.5	obtained. (A 24 hour notice is required prior to inspection) Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or	crushed stone containing not more
2.5	than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum	
	edge of the footing. The thickness shall be such that the bottom of the drain is not higher than t	
	floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top	
	an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert	of the pipe or tile shall not be
	higher than the floor elevation. The top of joints or top of perforations shall be protected with material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and sha	
	of the same material. Section 1813.5.2	in be covered with not less that o
2.6	Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minim	um of 12" from corners of
	foundation and a maximum 6 'o.c. between bolts. (Section 2305.17)	
3.	Precaution must be taken to protect concrete from freezing. Section 1908.0	
4.	It is strongly recommended that a registered land surveyor check all foundation forms before co verify that the proper setbacks are maintained.	ncrete is placed. This is done to
5.	Private garages located <u>beneath habitable rooms</u> in occupancies in Use Group R-1, R-2, R-3 or	I-1 shall be separated from
	adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with	not less than 1-hour fire resisting
	rating. Private garages attached side-by-side to rooms in the above occupancies shall be compl	
	spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the gara or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)	age means of ½ inch gypsum board
6.	All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mecha	nical Code. (The BOCA National
	Mechanical Code/1993). Chapter 12 & NFPA 211	
7.	Sound transmission control in residential building shall be done in accordance with Chapter 12	section 1214.0 of the city's
0	building code.	
8.	Guardrails & Handrails: A guardrail system is a system of building components located near the surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surfaces for the purpose of minimizing the possibility of an accidental fall from the possibility of a surfaces for the purpose of minimizing the possibility of an accidental fall from the possibility of a surfaces for the possibility of a surfa	
	height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A,	
	public garages and open parking structures, open guards shall have balusters or be of solid mate	
	diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern the	
	(Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less t	
	Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" a 1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7)	nd not greater than 2". (Sections
9.	Headroom in habitable space is a minimum of 7'6". (Section 1204.0)	
10.	Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise	All other Use group minimum
	11" tread. 7" maximum rise. (Section 1014.0)	<b>·</b> · ·
1 <b>1</b> .	The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.	4
12.	Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at le	ast one operable window or
		-

exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special

knowledge or separate tools. Where windows are provided as <u>means of egress or rescue</u> they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)

- 13. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. Section 1010.1
- 14. All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) Section 710.0
- 15. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment. Table 302.1.1
- 16. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
  - In the immediate vicinity of bedrooms
  - In all bedrooms
    - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2

- X 17. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. Section 921.0
  - The Fire Alarm System shall be maintained to NFPA #72 Standard.
  - The Sprinkler System shall maintained to NFPA #13 Standard.
  - 20. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
  - 21. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
  - 22. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
  - 23. Ventilation shall meet the requirements of Chapter 12 Sections 1210. Of the City's Building Code. (crawl spaces & attics)
- All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
  - 25. All requirements must be met before a final Certificate of Occupancy is issued.
  - 26. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA National Building Code/1996).
- X-27. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 28. Please read and implement the attached Land Use-Zoning report requirements.
- 29. Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.3. of the City's building code.
- 30. Glass and glazing shall meet the requirements of Chapter 24 of the building code.

\$ 31. Eparate permits will be required

eads or relocating ★ 32. building is sprinklead, and you are adding Then 5h marg more The 20 heads STATE'S Fire adproved Will shals be requ

offses, Building Inspector Mi cc: Lt. McDougall, PDD Marge Schmuckal, Zoning Administrator

PSH 8-1-98

33.

## THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

### Building or Use Permit Pre-Application Attached Single Family Dwellings/Two-Family Dwelling

Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

					``	
Location/Addressof Construction (include Portion of Building): 39 Forest Avenue (around floor)						
	Total Square Footage of Proposed Structure (Remodel)	ng)7900	Square Footage of Lot			
	Fax Assessor's Chart, Block & Lot Number	Owner:			Telephone#:	
L	Chart# 0.37_ Block#A	Land	mark America LL	C	7723	3399
	owner's Address: Landmark america	ddress: Landmare america Lessee/Buyer's Name (If Applicable)			st Of Work:	Fee
1	39 Forest Avenue			\$	110,000	\$ 545.00
	Portland, ME04004					010,00
Proposed Project Description: (Please be as specific as possible) remove old plaster walls- replace with new-build in 5 offices, build conference room wall, 2 miniconference rooms, install new lighting, 2 additional bathrooms, small kitchen install HVAC for space.						ke room Kitchen fixture
	Contractor's Name, Address & Telephone Custom Homes and Additions, 27	Stone brook R	d, Windham, ME.0406	2.84	12-536b	Rec'd By UB
	Current Use: Vacant Bari		Proposed Use: Office space	-		

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

•All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II. •All plumbing must be conducted in compliance with the State of Maine Plumbing Code.

•All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III. •HVAC(Heating, Ventililation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

You must Include the following with you application:

1) ACopy of Your Deed or Purchase and Sale Agreement

2) A Copy of your Construction Contract, if available 3) A Plot Plan/Site Plan

Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

#### 4) Building Plans

NG INSPECTION dedenign/or

Unless exempted by State Law, construction documents must be designed by a rest design of A complete set of construction drawings showing all of the following elements of construction:

• Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)

- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicants	Date: Z	u.e. 17. 98

Building Permit Fee: \$25.00 for the 1st \$1000.cost plus \$5.00 per \$1,000.00 construction cost thereafter. Additional Site review and related fees are attached on a separate addendum