LEGEND:

2 HEAD EMERGENCY LIGHT	
EXIT SIGN	EXIT
FIRE EXTINGUISHER	FE
EXISTING WALL	
NEW WALL	

LIFE SAFETY CODE SUMMARY

GROUP A
TOTAL GROSS SQUARE FOOTAGE IS: 2,959 SF

OCCUPANCY LOAD IS:
EXISTING DINING AREA 1,200 SQFT. ÷ 15 GSF PER PERSON = 80 PEOPLE — NFPA 7.3.1.2
EXISTING ASSEMBLY SPACE POSTED OCCUPANCY LOAD = 290 PEOPLE

MAX TRAVEL DISTANCE TO FIRE EXTINGUISHER IS 75 FT. — NFPA 10

1 | FIRST FLOOR LIFE SAFETY PLAN
SCALE: 1/4"=1'-0"

5' 4' 3' 2' 1' 0 5' 10'
GRAPHIC SCALE ¼" = 1'-0"

Inspection Division
Date: 07/16/13

LICENSED ARCHITECT
DAVID LLOYD
NO. 936
STATE OF MAINE

Consulting Engineer:

Architect:
ARCHETYPE architects
48 Union Wharf Portland, Maine 04101
(207) 772-6022 Fax (207) 772-4056

Project:
EMPIRE
575 CONGRESS STREET
PORTLAND, MAINE

Revisions:

Scale: 1/4" = 1'-0"

Date: 03 JULY 2013

FIRST FLOOR LIFE SAFETY PLAN

A3