City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Provide American Americ	Transa -			0/10/0
Location of Construction:		Phone:		Permit No: 901260
Owner Address:	Leasee/Buyer's Name:			PERMIT ISSUED
Contractor Name:	Address:	Dhamas		Permit Issued:
Past Use:	Proposed Use:	COST OF WORK:	PERMIT FEE:	
EEXELIX Fectobrant	Same Retail	FIRE DEPT. Approved	INSPECTION:	CITY OF PORTLAND
			000000000000000000000000000000000000000	-Zone: CBL: 037-C-016
Proposed Project Description:				Zoning Approval:
Hake Incerior REmovations.				Special Zone or Reviews:
Change Une		fr parter a		Flood Zone
Permit Taken By:	Date Applied For:		Date:	□ Subdivision □ Site Plan maj□ minor □ mm □
			RMIT ISSUED	 Interpretation Approved Denied Historic Preservation Not in District or Landmark Does Not Require Review Requires Review Action:
authorized by the owner to make this application a if a permit for work described in the application is	as his authorized agent and I agree to con ssued, I certify that the code official's au	rk is authorized by the owner of r form to all applicable laws of thi thorized representative shall have	ecord and that I have been s jurisdiction. In addition,	
	the	20 December	1996	N I
SIGNATURE OF APPLICANT Bruce Fornb	Signature: Date: Date: <thdate:< th=""></thdate:<>			
RESPONSIBLE PERSON IN CHARGE OF WORK	K. TITLE	•	PHONE:	
				17 J W

City of Portland, Maine	 Building or Use Permit 	Application	389 Congress Street,	04101,	Tel: (207) 874-8703	, FAX: 874-8716
-------------------------	--	-------------	----------------------	--------	-----------	------------	-----------------

Location of Construction: 551 Congress St	Owner: Audesse, Henry	Phone:		Permit N9 61260		
Owner Address:	Leasee/Buyer's Name: Clay City/Monroe Saltworks	Phone: Busine	ssName: .d, ME 04103	PERMIT ISSUED		
Contractor Name:	Address:	Permit Issued:				
Past Use:	Proposed Use:	COST OF WORK:	PERMIT FEE:	DEC 3 1996		
XXXXXXX Restaurant	XWWW Dotoil	\$ 1,000.00	\$ 30.00222200	CITY OF PORTLAND		
XEXXXX Restaurant	SXNK Retail	FIRE DEPT. Approved Denied	INSPECTION: Use Group Ap Type:30			
		Signature:	BOCA96 Signature: Hofface.	CBL: 037-C-016		
Proposed Project Description:		PEDESTRIAN ACTIVITI		Zoning Approval: With Condity		
		Action: Approved		Special Zone or Reviews:		
Make Interior REnovations		Approved Denied	with Conditions:	 Shoreland Wetland 		
Change Use		Any filmen altricti	and including signings,	□ Flood Zone		
		Signature: 1) Andrew	3 Date: 12/36/26			
Permit Taken By: Mary Gresik	Date Applied For:	20 December 1996	subject to seperate	Site Plan maj I minor I mm I		
			1 vener.	Zoning Appeal		
1. This permit application doesn't preclude the a		e and Federal rules.		 Variance Miscellaneous 		
2. Building permits do not include plumbing, se				Conditional Use		
 Building permits are void if work is not starte tion may invalidate a building permit and sto 		ince. False informa-		 Interpretation Approved 		
tion may invalidate a building perint and sic	p an work					
Bruce Kornbluth		WITTER	la.	Historic Preservation		
147 Beacon St	30-3517/15353	HAR	MIT ISSUED	Vot in District or Landmark		
Ptld, ME 04103	50 5517,15555	-(UIRENED	Does Not Require Review		
			TEASTE	□ Requires Review		
				Action:		
	CERTIFICATION			D Appoved		
I hereby certify that I am the owner of record of the		rk is authorized by the owner o	f record and that I have been	Approved with Conditions		
authorized by the owner to make this application				Denied		
if a permit for work described in the application i areas covered by such permit at any reasonable he			ive the authority to enter all	Date:30/-1/		
areas covered by such permit at any reasonable in		applicable to such permit		1 1 1		
5 - K-	the	20 December	1996	D. A.L. N		
SIGNATURE OF APPLICANT Bruce Kornh	oluth ADDRESS:	DATE:	PHONE:	1) Midden 3		
RESPONSIBLE PERSON IN CHARGE OF WOR	K, TITLE		PHONE:	CEO DISTRICT		
		DOW DISC DUTY				
white-Pe	ermit Desk Green-Assessor's Canar	y-D.P.W. PINK-Public File	ivory Card-Inspector	D. Jada		

BUILDING PERMIT REPORT

ATE: 31 Dec 96 ADDRESS: 551 Congress ST.
EASON FOR PERMIT: Change of USE / INT. Renova Tions.
UILDING OWNER: Henry Audesse
CONTRACTOR:
ERMIT APPLICANT: $\frac{1}{2}$ $\frac{1}{4}$ APPROVAL: $\frac{1}{2}$
DENED: 2824/

CONDITION OF APPROVAL OR DENIAL

- 1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- 2. Before concrete for foundation is placed, approvals from the Development Review coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
- 3. Precaution must be taken to protect concrete from freezing.
- 4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 5. Private garages located <u>beneath habitable rooms</u> in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the eQUIVALENT applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
- 6. Guardrail & Handrails A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
- 7. Headroom in habitable space is a minimum of 7'6".
- 8. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread. 7" maximum rise.
- 9. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
- 10. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a nininium net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508min), and a minimum net clear opening of 5.7 sq. ft.
- 11. Each apartment shall have access to two (20 separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
- 12. All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self closer's.
- 13. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
- 14. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's building code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

- A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
- X16. The Fire Alarm System shall be maintained to NFPA #72 Standard.
- 17. The Sprinkler System shall maintained to NFPA #13 Standard.
- X 18. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023, & 1024. Of the City's building code. (The BOCA National Building Code/1996)
 - 19. All construction and demolition debris must be disposed at the City's authorized reclamation site. The fee rate is attached. Proof of such disposal must be furnished to the office of Inspection Services before final Certificate of Occupancy is issued or demolition permit is granted.
 - 20. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
 - 21. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
 - 22. This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's office.
 - 23. Ventilation shall meet the requirements of Chapter, 12 Sections 1210, of the City's Building Code.
 - 24. Any exterior alterations including signage is subject to separate roulew

26.


P. Samuel Hoffers, Chief of Code Enforcement

cc: Lt. McDougall, PFD Marge Schmuckal

LAND USE - ZONING REPORT ADDRESS: 55 DATE menes have Inse with **REASON FOR PERMIT:** Audesse C-B-L: 37-BUILDING OWNER: Henr Korbblutz Stuca PERMIT APPLICANT: handitus DENIED: APPROVED: W (CONDITION(S) OF APPROVAL

- 1. During its existence, all aspects of the Home Occupation criteria, Section 14-410, shall be maintained.
- 2. The footprint of the existing _______ shall not be increased during maintenance reconstruction.
- 4. Your present structure is legally nonconforming as to rear and side setbacks. If you were to demolish the building on your own volition, you will <u>not</u> be able to maintain these same setbacks. Instead you would need to meet the zoning setbacks set forth in today's ordinances. In order to preserve these legally non-conforming setbacks, you may only rebuild the garage in place and in phases.
- 5. This property shall remain a single family dwelling. Any change of use shall require a separate permit application for review and approval.
- Our records indicate that this property has a legal use of ______ units. Any change in this approved use shall require a separate permit application for review and approval. Separate permits shall be required for any signage.
- 8. Separate permits shall be required for future decks and/or garage.
- 9. Other requirements of condition_____

Marge Schmuckal, Zoning Administrator, Asst. Chief of Code Enforcement



18	+	32	52	42	22	22	4	Ş	=	34	5	Ń	5	Ł	13	1	-	10	٢	5	۴.	9	- 's	5	**	2	
									1		'				K	a		BWINBOR									
						-						CLOSE		=	X				24		L						
						• • • •				_		ef.	5										-				
-													\mathcal{F}							-					-		
			-								,																
															AS AS	STUDIO							ļ				
			-	r 4-3	at the same										K	010					i an ai bei					14.20	
		-		-	- 19					42'						36.02						1.00			4. 0		
	-									0													†				
										-			-10'9	H	-+	-6	0"	-	t'o"_								
2													-					F									
	-1		-						-				100 A	1	C		-	2	STERE				i I	1			
	× 4														1		OFFICE	Mark	30		n i n	61					
	1											1					#		~			0		1			
- 1		1																			l		1				
					1	-								-		-	ter int with							1		-	
-														-		ļ				•				1	-		
							-									* 7**		ы ч						1			
4-	N	4	BR	11	E LA CALL	PER	125		10							-									1		
775-0	ORTL	TY BE	BRUCE		2 - 2	Pese	551 CONG		OAK	-			-											÷	1		
512	2	AC	Ko		ELT -	4 13	102		ST.					~	s v	t	-			-		ļ	1	i			
Eil	NN' C	S No	KORNE		24	onstruc	RESS ST.		Ľ						SPACE	CTAIL								1	1		
194.	8	4.	Rot		0	PUCT			=			-								A	-		' !	e K	ж Ц		
-270	HO3		MON			Flor																	ì	r 1	4	1	
40.		- (Ref	1		Ì			-			-		-	-		-					1	1	I.			1
_			SALT	ł	40	-30	ES			ļ	-			1. m - m				-	1	-	-		ļ	4			
1			- w		the	2×	STIMA		-			+					-		+		- · ·	1	ł	l			ļ

