

-	•	e - Building or Use l 1 Tel: (207) 874-8703		""	rmit No: 01-092	Issue Date		CBL:	E006001
	ion of Construction:	Owner Name:	, 1'ax. (207) 674-67	h	r Address:		- E001	Phone:	3000001
l	High St	Mmc Realty C	orp		ramha (St	Y OF PO	RTIA	i	4-6989
	ess Name:	Contractor Name			actor Address		MILAI	774-6989	
n/a		Gallant, Joe		15 R	ochester St	Westbrook		207857	5037
Lesse	e/Buyer's Name	Phone:		Permi	Permit Type:				Zone: 2
n/a		n/a		Alte	erations - Co	ommercial			18-7
Past 1		Proposed Use:	1		Permit Fee: Cost of Work:			EO District:	
Con	nmercial / Office	■ 1	Commercial / Office; Remove &		\$48.00	\$3,50	00.00	2	
		create new ent	form new office and	FIRE	Typiova			SPECTION: e Group: 13 Type: 25	
						Denied	Ose Group	' 10	Type, 2 P
							BOCA	1.00 M	1997
Prop	osed Project Description:			-		•	PER	MIX 133	WX8//
Nev	v Office Space			Signa	ture:	AMM?	Y .	Equin.	Alfa
				PEDE	STRIAN AC	TIVITIES DIST	TRICT (P.A	.D.)	7///
				Actio	n: Appr	oved App	proved w/Co	nditions [	enied
				Signa	ture:	not = D	$_{\scriptscriptstyle  m D}$	ate:	
Perm	it Taken By:	Date Applied For:			-	g Approva	al		
gg		07/27/2001			201111	e uhbrou	41	/	
1.	This permit application	does not preclude the	Special Zone or Rev	iews	Zoi	ning Appeal		Historic Pr	reservation
	Applicant(s) from meeti Federal Rules.	ng applicable State and	Shoreland		☐ Variance			Not in District or Landma	
2.	Building permits do not septic or electrical work		☐ Wetland ☐ Miscellaneous				Does Not Require Review		
3.	Building permits are voi within six (6) months of		Flood Zone		Conditional Use			Requires Review	
	False information may in permit and stop all work		☐ Subdivision ☐ Site Plan		☐ Interpretation ☐ Approved			Approved w/Conditions	
			Maj Minor M	M	Denie	d		Denied	0
			Date:	?	Date:		Date	:	$\supset$
			7/3/	loi			P' WITH	ERMIT !! I REQUI	SSUED IREMENTS
			CERTIFICAT	TON			4414		
I hav jurise shall	e been authorized by the diction. In addition, if a	owner of record of the na owner to make this appli permit for work described eer all areas covered by su	med property, or that ication as his authoriz d in the application is	the project agentissued,	it and I agre I certify tha	e to conform at the code of	to all app ficial's aut	licable lav horized re	vs of this epresentative
SIGN	JATURE OF APPLICANT		ADDRE	SS		DATE	3	PI	HONE
RES	PONSIBLE PERSON IN CHA	RGE OF WORK, TITLE				DATE		Di	HONE

# All Purpose Building Permit Application

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

the City, payment arrangements	must be made before petitilis of any kind	
Location/Address of Construction:	177 High St	
Total Square Footage of Proposed Structure (interior rem	re square Footage of Lot ?	
Tax Assessor's Chart, Block & Lot Chart# 035 Block#_ Lot#	Owner: Joe Wishcamper	Telephone: 774-6989
Lessee/Buyer's Name (If Applicable)	Applicant name, address & telephone: Wishcamper Prop. Inc. 177 High 34 774-6989	Cost Of 3,500.00 Work: \$ 3,500.00
entrence ac	to form now office.  to inlarge office space :	
Contractor's name, address & telephone: # 857-5037 Who should we contact when the permit Mailing address:	is ready: Joe Gallant	st westbrook
IF THE REQUIRED INFORMATION IS NOT INCL DENIED AT THE DISCRETION OF THE BUILDING INFORMATION IN ORDER TO APROVE THIS PE	G/PLANNING DEPARTMENT, WE MAY REQUERMIT.	L BE AUTOMATICALLY DIRE ADDITIONAL

I hereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

all areas covere			<u> </u>		
Joseph	Halley	PEPT. OF BUILDIN	IG INSPECTION	20/01	<del></del>
					ssued
,,,	Land Specific Co.		· 	\ /'	4/07/0
	i F			souply	4
	Joseph	Joseph Halley	Joseph Hallert CITY OF BUILDIN	Joseph Halley CITY OF PORT A BONE	Joseph Halley City of POST A Date: 120 01  nit, you may not commence NAV WOOK until the permit is is

BUILDING PERMIT REPORT

DATE: 30 July 300 | ADDRESS: 173 High STreeT CBL: 037-E-906

REASON FOR PERMIT: 15 Torior renewations

BUILDING OWNER: MC Realty Co-P

PERMIT APPLICANT: 1CONTRACTOR Toe Galland,

USE GROUP: 8 51 CONSTRUCTION TYPE: 2 B CONSTRUCTION COST: 3,500,0 PERMIT FEES: 48000

The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments)

The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions shall be met: 421422423444

This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

 Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."

- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 4. Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
- 5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
- Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.
- 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
- 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- 11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B.H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 ¼" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7) R-3 (ONE & TWO FAMILY DWELLINGS) GUARD HEIGHT IS 36" MINIMUM.
- 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- 13. Stair construction in <u>Use Group R-3 & R-4 is a minimum of 10" tread and 7 %" maximum rise.</u> All other Use Group minimum 11" tread. T' maximum rise. (Section 1014.0)
- 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- 15. The Minimum required width of a corridor shall be determined by the most restrictive of the criteria under section 1011.3 but not less then 36".
- 16. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
- 17. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 18. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
- 19. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations): In the immediate vicinity of bedrooms In each story within a dwelling unit, including basements (21. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0) 22. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard. 23. The Sprinkler System shall be installed and maintained to NFPA #13 Standard. 24. 'All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999) 25. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year". 26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services. 27. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & 28. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done. 29. All requirements must be met before a final Certificate of Occupancy is issued. 30. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996). Code/ 1990).

31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical September 1990). Code/1993). (Chapter M-16)
Please read and income Code/1993). (Chapter M-16)

32 Please read and implement the attached Land Use Zoning report requirements. Den M. T. A. Provided Approvaled Solutions 2305.3, 2305.3, 2305.4.4 and 2305.5.1 of the City's Building Code. 34. Bridging shall comply with Section 2305.16. 35. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0) 36. All flashing shall comply with Section 1406.3.10. 37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999) Metal Slubs one To be used in blues of This Ses. Building Inspector McDougall, PFD Marge Schmuckal, Zoning Administrator Michael Nugent, Inspection Service Manager ムグロ・リノ \*\*This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.

...THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)

\*\*\*\*ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.

\*\*\*\*\*CERTIFICATE OF OCCUPANCY FEE \$50.00

#### UNIT DEED

File Condo 38,37 401

GARAGE ASSOCIATES of Portland, a Maine limited partnership with its principal place of business at Portland, County of Cumberland, State of Maine, in consideration of One Dollar and other valuable consideration, grants to A-4 Realty Associates of Maine, a New Hampshire partnership, whose mailing address is 177 High Street, Portland, Maine Ø4101, with Warranty Covenants, the Units ("Units") designated as Unit 7, Unit 38, Unit 39, Unit 40 and Unit 41 of The Gateway, a Condominium located in the City of Portland, County of Cumberland and State of Maine ("Condominium") created pursuant to the provisions of the Maine Condominium Act, (the "Act") by The Gateway, a Condominium, Declaration of Condominium, dated December 1, 1986 and recorded in the Cumberland County Registry of Deeds, Book 7621, Page 103, as amended by a First Amendment to Declaration of Condominium dated March 9, 1987, and recorded in said Registry, Book 7669, Page 212 (collectively hereinafter called the "Declaration") and by the Plats and Plans incorporated into the Declaration and recorded therewith in the Cumberland County Registry of The Units are subject to and have the benefit of the Declaration, the Plats, Plans and the Act which are incorporated herein by reference, to which reference is hereby made for a more particular description of the real property hereby conveyed and of the rights, obligations, easements, development rights, special Declarant rights, air rights, restrictions, covenants and conditions pertaining thereto. The Units are conveyed subject to such taxes and assessments, including Common Expenses, allocable to the Units, if any, as are not due and payable on the date of delivery of this deed.

Units 38, 39, 40 and 41 are hereby conveyed subject to the right hereby reserved of Garage Associates of Portland, its successors and assigns, to take full and complete possession of such units for a period of not more than 24 consecutive months in order to facilitate construction activities in or relating to Unit 9, the common elements, and/or on adjoining property; provided, however, that, during such period of possession, Garage Associates of Portland, its successors and assigns, as owner of Unit 9, shall provide 4 parking spaces for use by Grantee in Unit 9 of The Gateway, a Condominium.

IN WITNESS WHEREOF, Garage Associates of Portland has caused this instrument to be signed by High Street Development.

(d)

\*Corporation, its General Partner, by its officer hereunto duly authorized, this 10 to day of November, 1987.

Signed, Sealed and Delivered
in the Presence of:

Alson /

GARAGE ASSOCIATES OF PORTLAND
By High Street Development
Corporation, Its General Partners

By: Thuthy M. On

Its Vice President

STATE OF MAINE CUMBERLAND, ss.

November 10, 1987.

Personally appeared before me the above-named TIMOTHY M.

O'Neil Not Provided of said High Street Development Corporation, and acknowledged the foregoing to be his free act and deed in his said capacity and the free act and deed of said Corporation.

Notary Public/Attorney-at-Law

BRUCE M. TOMPKIUS

## Cover letter / Construction detail

Area 1 Remove approximately 20' of <u>non bearing</u> wall Build new 2x4 non-bearing wall according to plan.

Relocate entrance door in new wall.

Area 2 Remove shelving and built INS. Build small 2x4 wall to form an office. Install office entrance door in that wall.

Area 3 Build 3 new 2x4 non-bearing walls to form a new office. Install 1 new office entrance door.

All walls being built are non-bearing, walls will be anchored to the floor and tops will be secured to the bottom of the steel trusses.

All walls will be sheet rocked with ½" (taped, sanded and painted)

## **Electrical Detail**

Area 1 Remove any wiring in walls to be taken down.

No new wiring in this area. Ye quine & permitting in the part of the part

Area 2 Reuse switch that is there and add 2 more ceiling lights. Outlets on wall will be dropped 2'.

Area 3 Relocate switch to new wall and add 2 more ceiling lights. Install 5 outlets in new walls.

## Cover letter / Construction detail

Area 1 Remove approximately 20' of non bearing wall Build new 2x4 non-bearing wall according to plan. Relocate entrance door in new wall.

Area 2 Remove shelving and built INS. Build small 2x4 wall to form an office. Install office entrance door in that wall.

Area 3 Build 3 new 2x4 non-bearing walls to form a new office. Install 1 new office entrance door.

All walls being built are non-bearing, walls will be anchored to the floor and tops will be secured to the bottom of the steel trusses.

All walls will be sheet rocked with ½" (taped, sanded and painted)


## **Electrical Detail**

Area 1 Remove any wiring in walls to be taken down. No new wiring in this area.

Area 2 Reuse switch that is there and add 2 more ceiling lights. Outlets on wall will be dropped 2'.

Area 3 Relocate switch to new wall and add 2 more ceiling lights. Install 5 outlets in new walls.


# walls to be built walls to be removed



IS FRANKLIN STREET
PORTLAND, MAINE 04101
201.115.1100

WISHCAMPER PROPERTIE 171 HIGH STREET PORTLAND, MAINE

FURNITURE PLAN



PAVILION

15 FRANKLIN STREET PORTLAND, MAINE Ø41Ø1 207.775.71ØØ

WISHCAMPER PROPERTIE

171 HIGH STREET

PORTLAND, MAINE

SCALE: 1/8"=1'-0" DATE: 2/22/01 DRAWN BY:

DRAWN BY: JBK SALES:

PROJECT MGR:


REVISIONS: 2/22/01

5/2/Ø1 5/8/Ø1

PROJECT NAME: WISHCAMP

FURNITURE PLAN

Note: All plans, drawings and specifications are the property of Creative Office Pavilion and are not to be duplicated.



PAVILION

15 FRANKLIN STREET PORTLAND, MAINE 04101 207.775.7100

WISHCAMPER PROPERTIES 171 HIGH STREET PORTLAND, MAINE

9CALE:

1/8"=1'-0"

DATE:

2/22/0!

DRAWN BY:

JBK

SALES:

PROJECT MGR:

REVISIONS: 2/22/Ø1

5/2/ØI 5/8/ØI

PROJECT NAME: WISHCAMP

FURNITURE PLAN

and are not to be duplicated.

-	•	e - Building or Use l 1 Tel: (207) 874-8703		""	rmit No: 01-092	Issue Date		CBL:	E006001
	ion of Construction:	Owner Name:	, 1'ax. (207) 674-67	h	r Address:		- E001	Phone:	3000001
l	High St	Mmc Realty C	orp		ramha (St	Y OF PO	RTIA	i	4-6989
	ess Name:	Contractor Name			actor Address		MILAI	774-6989	
n/a		Gallant, Joe		15 R	ochester St	Westbrook		207857	5037
Lesse	e/Buyer's Name	Phone:		Permi	Permit Type:				Zone: 2
n/a		n/a		Alte	erations - Co	ommercial			18-7
Past 1		Proposed Use:	1		Permit Fee: Cost of Work:			EO District:	
Con	nmercial / Office	■ 1	Commercial / Office; Remove &		\$48.00	\$3,50	00.00	2	
		create new ent	form new office and	FIRE	Typiova			SPECTION: e Group: 13 Type: 25	
						Denied	Ose Group	' 10	Type, 2 P
							BOCA	1.00 M	1997
Prop	osed Project Description:			-		•	PER	MIX 133	WX8//
Nev	v Office Space			Signa	ture:	AMM?	Y .	Equin.	Alfa
				PEDE	STRIAN AC	TIVITIES DIST	TRICT (P.A	.D.)	7///
				Actio	n: Appr	oved App	proved w/Co	nditions [	enied
				Signa	ture:	not = D	$_{\scriptscriptstyle  m D}$	ate:	
Perm	it Taken By:	Date Applied For:			-	g Approva	al		
gg		07/27/2001			201111	e uhbrou	41	/	
1.	This permit application	does not preclude the	Special Zone or Rev	iews	Zoi	ning Appeal		Historic Pr	reservation
	Applicant(s) from meeti Federal Rules.	ng applicable State and	Shoreland		☐ Variance			Not in District or Landma	
2.	Building permits do not septic or electrical work		☐ Wetland ☐ Miscellaneous				Does Not Require Review		
3.	Building permits are voi within six (6) months of		Flood Zone		Conditional Use			Requires Review	
	False information may in permit and stop all work		☐ Subdivision ☐ Site Plan		☐ Interpretation ☐ Approved			Approved w/Conditions	
			Maj Minor M	M	Denie	d		Denied	0
			Date:	?	Date:		Date	:	$\supset$
			7/3/	loi			P' WITH	ERMIT !! I REQUI	SSUED IREMENTS
			CERTIFICAT	TON			4414		
I hav jurise shall	e been authorized by the diction. In addition, if a	owner of record of the na owner to make this appli permit for work described eer all areas covered by su	med property, or that ication as his authoriz d in the application is	the project agentissued,	it and I agre I certify tha	e to conform at the code of	to all app ficial's aut	licable lav horized re	vs of this epresentative
SIGN	JATURE OF APPLICANT		ADDRE	SS		DATE	3	PI	HONE
RES	PONSIBLE PERSON IN CHA	RGE OF WORK, TITLE				DATE		Di	HONE

# All Purpose Building Permit Application

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

the City, payment arrangements	must be made before petitilis of any kind	
Location/Address of Construction:	177 High St	
Total Square Footage of Proposed Structure (interior rem	re square Footage of Lot ?	
Tax Assessor's Chart, Block & Lot Chart# 035 Block#_ Lot#	Owner: Joe Wishcamper	Telephone: 774-6989
Lessee/Buyer's Name (If Applicable)	Applicant name, address & telephone: Wishcamper Prop. Inc. 177 High 34 774-6989	Cost Of 3,500.00 Work: \$ 3,500.00
entrence ac	to form now office.  to inlarge office space :	
Contractor's name, address & telephone: # 857-5037 Who should we contact when the permit Mailing address:	is ready: Joe Gallant	st westbrook
IF THE REQUIRED INFORMATION IS NOT INCL DENIED AT THE DISCRETION OF THE BUILDING INFORMATION IN ORDER TO APROVE THIS PE	G/PLANNING DEPARTMENT, WE MAY REQUERMIT.	L BE AUTOMATICALLY DIRE ADDITIONAL

I hereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

all areas covere			<u> </u>		
Joseph	Halley	PEPT. OF BUILDIN	IG INSPECTION	20/01	<del></del>
					ssued
,,,	Land Specific Co.		· 	\ /'	4/07/0
	i F			souply	4
	Joseph	Joseph Halley	Joseph Hallert CITY OF BUILDIN	Joseph Halley CITY OF PORT A BONE	Joseph Halley City of POST A Date: 120 01  nit, you may not commence NAV WOOK until the permit is is

BUILDING PERMIT REPORT

DATE: 30 July 300 | ADDRESS: 173 High STreeT CBL: 037-E-906

REASON FOR PERMIT: 15 Torior renewations

BUILDING OWNER: MC Realty Co-P

PERMIT APPLICANT: 1CONTRACTOR Toe Galland,

USE GROUP: 8 51 CONSTRUCTION TYPE: 2 B CONSTRUCTION COST: 3,500,0 PERMIT FEES: 48000

The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments)

The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions shall be met: 421422423444

This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

 Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."

- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 4. Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
- 5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
- Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.
- 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
- 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- 11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B.H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 ¼" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7) R-3 (ONE & TWO FAMILY DWELLINGS) GUARD HEIGHT IS 36" MINIMUM.
- 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- 13. Stair construction in <u>Use Group R-3 & R-4 is a minimum of 10" tread and 7 %" maximum rise.</u> All other Use Group minimum 11" tread. T' maximum rise. (Section 1014.0)
- 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- 15. The Minimum required width of a corridor shall be determined by the most restrictive of the criteria under section 1011.3 but not less then 36".
- 16. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
- 17. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 18. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
- 19. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations): In the immediate vicinity of bedrooms In each story within a dwelling unit, including basements (21. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0) 22. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard. 23. The Sprinkler System shall be installed and maintained to NFPA #13 Standard. 24. 'All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999) 25. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year". 26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services. 27. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & 28. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done. 29. All requirements must be met before a final Certificate of Occupancy is issued. 30. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996). Code/ 1990).

31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical September 1990). Code/1993). (Chapter M-16)
Please read and income Code/1993). (Chapter M-16)

32 Please read and implement the attached Land Use Zoning report requirements. Den M. T. A. Provided Approvaled Solutions 2305.3, 2305.3, 2305.4.4 and 2305.5.1 of the City's Building Code. 34. Bridging shall comply with Section 2305.16. 35. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0) 36. All flashing shall comply with Section 1406.3.10. 37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999) Metal Slubs one To be used in blues of This Ses. Building Inspector McDougall, PFD Marge Schmuckal, Zoning Administrator Michael Nugent, Inspection Service Manager ムグロ・リノ \*\*This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.

...THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)

\*\*\*\*ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.

\*\*\*\*\*CERTIFICATE OF OCCUPANCY FEE \$50.00

#### UNIT DEED

File Condo 38,37 401

GARAGE ASSOCIATES of Portland, a Maine limited partnership with its principal place of business at Portland, County of Cumberland, State of Maine, in consideration of One Dollar and other valuable consideration, grants to A-4 Realty Associates of Maine, a New Hampshire partnership, whose mailing address is 177 High Street, Portland, Maine Ø4101, with Warranty Covenants, the Units ("Units") designated as Unit 7, Unit 38, Unit 39, Unit 40 and Unit 41 of The Gateway, a Condominium located in the City of Portland, County of Cumberland and State of Maine ("Condominium") created pursuant to the provisions of the Maine Condominium Act, (the "Act") by The Gateway, a Condominium, Declaration of Condominium, dated December 1, 1986 and recorded in the Cumberland County Registry of Deeds, Book 7621, Page 103, as amended by a First Amendment to Declaration of Condominium dated March 9, 1987, and recorded in said Registry, Book 7669, Page 212 (collectively hereinafter called the "Declaration") and by the Plats and Plans incorporated into the Declaration and recorded therewith in the Cumberland County Registry of The Units are subject to and have the benefit of the Declaration, the Plats, Plans and the Act which are incorporated herein by reference, to which reference is hereby made for a more particular description of the real property hereby conveyed and of the rights, obligations, easements, development rights, special Declarant rights, air rights, restrictions, covenants and conditions pertaining thereto. The Units are conveyed subject to such taxes and assessments, including Common Expenses, allocable to the Units, if any, as are not due and payable on the date of delivery of this deed.

Units 38, 39, 40 and 41 are hereby conveyed subject to the right hereby reserved of Garage Associates of Portland, its successors and assigns, to take full and complete possession of such units for a period of not more than 24 consecutive months in order to facilitate construction activities in or relating to Unit 9, the common elements, and/or on adjoining property; provided, however, that, during such period of possession, Garage Associates of Portland, its successors and assigns, as owner of Unit 9, shall provide 4 parking spaces for use by Grantee in Unit 9 of The Gateway, a Condominium.

IN WITNESS WHEREOF, Garage Associates of Portland has caused this instrument to be signed by High Street Development.

(d)

\*Corporation, its General Partner, by its officer hereunto duly authorized, this 10 to day of November, 1987.

Signed, Sealed and Delivered
in the Presence of:

Alson /

GARAGE ASSOCIATES OF PORTLAND
By High Street Development
Corporation, Its General Partners

By: Thuthy M. On

Its Vice President

STATE OF MAINE CUMBERLAND, ss.

November 10, 1987.

Personally appeared before me the above-named TIMOTHY M.

O'Neil Not Provided of said High Street Development Corporation, and acknowledged the foregoing to be his free act and deed in his said capacity and the free act and deed of said Corporation.

Notary Public/Attorney-at-Law

BRUCE M. TOMPKIUS

## Cover letter / Construction detail

Area 1 Remove approximately 20' of <u>non bearing</u> wall Build new 2x4 non-bearing wall according to plan.

Relocate entrance door in new wall.

Area 2 Remove shelving and built INS. Build small 2x4 wall to form an office. Install office entrance door in that wall.

Area 3 Build 3 new 2x4 non-bearing walls to form a new office. Install 1 new office entrance door.

All walls being built are non-bearing, walls will be anchored to the floor and tops will be secured to the bottom of the steel trusses.

All walls will be sheet rocked with ½" (taped, sanded and painted)

## **Electrical Detail**

Area 1 Remove any wiring in walls to be taken down.

No new wiring in this area. Ye quine & permitting in the part of the part

Area 2 Reuse switch that is there and add 2 more ceiling lights. Outlets on wall will be dropped 2'.

Area 3 Relocate switch to new wall and add 2 more ceiling lights. Install 5 outlets in new walls.

## Cover letter / Construction detail

Area 1 Remove approximately 20' of non bearing wall Build new 2x4 non-bearing wall according to plan. Relocate entrance door in new wall.

Area 2 Remove shelving and built INS. Build small 2x4 wall to form an office. Install office entrance door in that wall.

Area 3 Build 3 new 2x4 non-bearing walls to form a new office. Install 1 new office entrance door.

All walls being built are non-bearing, walls will be anchored to the floor and tops will be secured to the bottom of the steel trusses.

All walls will be sheet rocked with ½" (taped, sanded and painted)

## **Electrical Detail**

Area 1 Remove any wiring in walls to be taken down. No new wiring in this area.

Area 2 Reuse switch that is there and add 2 more ceiling lights. Outlets on wall will be dropped 2'.

Area 3 Relocate switch to new wall and add 2 more ceiling lights. Install 5 outlets in new walls.