SECTION 1 / S2
1"=1'-0"

SECTION 2 / S2
1"=1'-0"

SECTION 3 / S1 S2
1"=1'-0"

SECTION 4 / S3
1"=1'-0"

SECTION 5 / S1
1"=1'-0"

NOTE:
THE FOLLOWING VEHICLE BARRIER AND PEDESTRIAN GUARDRAIL CONDITIONS MUST BE MET:
A. MINIMUM PEDESTRIAN GUARDRAIL HEIGHT FROM TOP OF FENCE TO CURB IS 3'-6".
B. MINIMUM VEHICLE BARRIER HEIGHT FROM TOP OF HSS BARRIER TO DRIVE SURFACE IS 2'-9"
NOTIFY ENGINEER IMMEDIATELY IF ANY OF THESE CONDITIONS CANNOT BE MET.

SECTION 6 / S2
1"=1'-0"

SECTION 7 / S1 S2
1"=1'-0"

SECTION 8 / S3
1"=1'-0"

NOTE: CONTRACTOR VIF THE LOCATION OF THE SPLICE PLATES. NOTIFY ENGINEER IF LESS THAN 10" OF WING PLATE IS EMBEDDED INTO HSS BUMPER

SECTION 9 / S2
1"=1'-0"

SECTION 10 / S3
1"=1'-0"

THIS DRAWING IS AN INSTRUMENT OF SERVICE AND SHALL REMAIN THE PROPERTY OF BECKER STRUCTURAL ENGINEERS INC. IT SHALL NOT BE REPRODUCED, COPIED, LENT OR DISPOSED OF DIRECTLY OR INDIRECTLY NOR USED FOR ANY PURPOSE, OTHER THAN FOR WHICH IT IS SPECIFICALLY FURNISHED AND MUST BE RETURNED TO BECKER STRUCTURAL ENGINEERS INC. ON COMPLETION OF WORK, IF REQUESTED.

BECKER STRUCTURAL ENGINEERS
75 York Street, Portland, Maine 04101
207.879.1888 ▪ beckerstructural.com

STATE OF MAINE
TODD M. NEAL
NO. 9406
LICENSED
PROFESSIONAL ENGINEER

Reviewed for Code Compliance
Inspections Division
Approved as Noted
Date: 09/04/15

Rev. No	Date	Issued For	Apprd
	5/27/15 6/30/15	FOR BID FOR PERMIT	

GATEWAY PARKING GARAGE
PORTLAND, MAINE
FACADE REPAIRS PHASE 1

SECTIONS

Designed: JMM	Scale: AS NOTED
Drawn: ATS	Date: 5/27/15
Checked: TMN	Becker Job Number: 3521

S3