

# Schedule of Finish Hardware

for

**Westin/Eastland Hotel**

**C2 Restaurant Replacement Door**

157 High St

Portland, ME

Job # 5293918/15-6356



**EXACTITUDE**  
**HARDWARE CONSULTANTS**

A DIVISION OF THE COOK & BOARDMAN GROUP, LLC

12 Sky View Drive • Cumberland Foreside, ME 04110 • Phone: 207-829-8631 • Fax: 207-781-2059

**General Contractor**

Bill Daly

Westin Portland Harborview Hotel

Portland, ME

Phone: Fax:

**Salesperson:**

Michael Boivin

Email:

**Project Manager:**

Email:


**Prepared by:**

Stefan Martin

**Submittal Date:**

July 15, 2015

Revised:



"AHC's"



"Chain of Custody Certified"

# Opening List

<u>Opening</u>	<u>Hdw Set</u>	<u>Hdw Heading</u>	<u>Opening Label</u>	<u>Door Type</u>	<u>Frame Type</u>
001	001	001			

## Manufacturer List

<u>Code</u>	<u>Name</u>
MC	McKinney
NA	National Guard
HA	Hager

## Finish List

<u>Code</u>	<u>Description</u>
10B	Oil Rubbed Bronze
US10B	Oil Rubbed Bronze

## Hardware Schedule

### HEADING #001 (SET #001)

Opening Description: 2'10" x 7'0" x 1-3/4" x WD x WD

1	Single Door #001	Exterior from Restaurant		RHR
3	Hinges	TA2714 4 1/2 X 4 1/2 NRP	10B	MC
1	Exit Device Trim	45CE AUG	US10B	HA
1	Threshold	950 VDKB 36"		NA
1	Door Sweep	200NDKB 36"		NA

Note: Reuse existing Exit Device and Closer. Jarrow weatherstrip by PMI

# McKINNEY Hinge Catalog

## Full Mortise Bearing Hinges

### Five Knuckle Standard Weight Series

**McKINNEY**

1-800-346-7707


www.mckinneyhinge.com

TA2014

Stainless steel base or available in brass or bronze base material polished and plated or furnished in prime or powder coat.

TA2714

Steel base polished and plated or furnished in prime or powder coat finish.




#### Available Options:

- NRP (non-removable pin)
- TB (ball bearing)
- TCA (concealed bearing)
- RC (round corner - 1/4" radius furnished unless specified otherwise)
- HT (hospital tip)
- BT (ball tip)
- ST (steeple tip)
- SSF (safety stud feature)
- QC (ElectroLynx hinge) 2, 4, 6, 8, 10 or 12 wire available
- CC (concealed circuit) 4, 6 or 8 wire available\*
- CS (concealed switch - handling required)\*
- MM (magnetic monitoring)
- "S" (sherardizing, our additional rust resistant base under prime coat on steel base)
- Slip In (Type 1 or Type 2)
- Beveled Edge (where doors are beveled on hinge side specify TA4314 or TA4714)

\* Not available in Stainless

#### APPLICATION



#### Available Sizes

Inches	MM	Gauge
3 1/2 x 3 1/2	88.9 x 88.9	.123
4 x 4	101.6 x 101.6	.130
4 1/2 x 4	114.3 x 101.6	.134
4 1/2 x 4 1/2	114.3 x 114.3	.134
5 x 4 1/2	127 x 114.3	.146
5 x 5	127 x 127	.146
6 x 6*	152.4 x 152.4	.160

\* Not available in Stainless

#### Packing:

All standard weight full mortise non-ferrous hinges are packed with all machine x 1/2 wood screws. Steel hinges (except USP) are packed all machine x all wood screws. For special screws consult price book on availability.

#### ANSI Cross Reference:



A2112 Brass, Bronze  
A5112 Stainless  
A8112 Steel

Recommended for standard weight, medium frequency doors, or doors with closing devices.

## 45CE Cylinder Escutcheon

**Function:**

- OS - Key locks or unlocks lever



### PRODUCT SPECIFICATIONS

**LEVER:**

- Archer, August, Charles, Johnston, Joshua, Louis, Warren, William, Withnell (clutching lever)

**ESCUTCHEON:**

- 2-3/4" x 10-3/4" (70 mm x 273 mm)

**FINISHES:**

- US3, US4, US10, US10B, US26, US26D

**CYLINDER:**

- Mortise cylinder, 3902, sold separately

**PROJECTION:**

- 2-13/16" (71 mm) for Archer; 2-7/8" (73 mm) for August; 3-3/8" (86 mm) for Charles; 3-1/16" (78 mm) for Johnston; 3-17/32" (90 mm) for Joshua; 3-3/16" (81 mm) for Louis; 3-13/32" (87 mm) for Warren; 3-1/5" (89 mm) for William; 2-11/16" (68 mm) for Withnell

### Hager Exit Device Lever Options



#### Archer Lever

Available on:


- 4500 Series Trim (45BE, 45CE, 45DT, 45NL)
- 4500 Series Trim Electrified (45ET)
- 4600 Series Trim (46BE, 46CE, 46DT, 46NL)
- 4700 Series Trim (47BE, 47CE, 47DT, 47NL)
- 4700 Series Key-in-Lever Trim (47KD, 47KE, 47KN, 47KP)



#### August Lever

Available on:


- 4500 Series Trim (45BE, 45CE, 45DT, 45NL)
- 4500 Series Trim Electrified (45ET)
- 4600 Series Trim (46BE, 46CE, 46DT, 46NL)
- 4700 Series Trim (47BE, 47CE, 47DT, 47NL)
- 4700 Series Key-in-Lever Trim (47KD, 47KE, 47KN, 47KP)



#### William Lever

Available on:

- 4500 Series Trim (45BE, 45CE, 45DT, 45NL)
- 4500 Series Trim Electrified (45ET)
- 4600 Series Trim (46BE, 46CE, 46DT, 46NL)



#### Withnell Lever

Available on:

- 4500 Series Trim (45BE, 45CE, 45DT, 45NL)
- 4500 Series Trim Electrified (45ET)
- 4600 Series Trim (46BE, 46CE, 46DT, 46NL)
- 4700 Series Trim (47BE, 47CE, 47DT, 47NL)
- 4700 Series Key-in-Lever Trim (47KD, 47KE, 47KN, 47KP)






#### Apollo Knob:

Available on:

- 4700 Series Key-in-Lever Trim (47KE, 47KN) (available only in US32D finish)

## ADA Compliant Bumper Seal Thresholds

All thresholds this section




**BUMPER SEAL**  
Seals against the door providing weather resistance

Vinyl ("V") supplied unless other material specified


Options:  
NGP-TPV ("N")  
Silicone ("S")

## Stop Strips

All stop strips this section



#6 self-tapping machine screw provided



#6 self-tapping machine screw provided

### MATERIALS & FINISHES


- Aluminum mill finish
- DKB - Aluminum dark bronze finish




• Optional: Slip Resistant SIA Finish

### FASTENERS

#10 x 1-1/2" FH zinc plated wood screws furnished. Dark bronze supplied with DKB thresholds.



#10 self-tapping machine screw provided



#10 self-tapping machine screw provided



NATIONAL GUARD PRODUCTS, INC.

Phone 800-647-7874  
Fax 800-255-7874

orders@ngpinc.com  
quotes@ngpinc.com

www.ngp.com





### Neoprene Sweeps









#6 x 3/4" Stainless Steel Sheet Metal Screws furnished.  
Screw holes slotted for adjustment.  
Neoprene is black

All products this page



Material Finishes:

A - clear anodized aluminum  
DKB - dark bronze  
no suffix = mill aluminum  
neoprene is black



### Reinforced Neoprene Sweep

### Polyurethane Sweeps

### Silicone Sweep

