						PERM	NIT ISSU	JED			
	Portland, Maine - gress Street, 04101					mit Ne: 01-0726	Issue Date:		<b>CBL:</b> 037 F02	2001	
Location of Construction: Owner Name:					Owner Address:			Phone:			
477 Congress St October Corpor						and. Me 04	10FND	0FND 207-871-1290			
Business N	_	Contractor Name			1 Carial Plz Portland, Me 0410F Contractor Address:				Phone		
n/a		Boulos Proper	ty Management		One Canal Plaza Portland				2077721333		
Lessee/Buy	er's Name	Phone:			Permit Type:					Zone: >	
n/a		n/a			Alterations - Commercial			B-5			
Past Use:		Proposed Use:			Permit Fee: Cost of Work:		k: 0	EO District:			
Commer	cial / Oct. Corp.	Renovations to	o Existing		\$774.00 \$125,000.00				2		
Bathrooms:To			ower Floors 4-14.					Use Grou	ECTION: Group: ISQUED Type: 173 RMIT ISQUED Type: 173 REMENTS REAL FEMENTS REAL FEMENTS		
	Project Description:	T1 4.14						$\square$			
Renovate	e Bathrooms in Tower	Floors 4-14		Signature:			Set Amuel MIL				
			PEDESTRIAN ACTIVITYES DISTRICT         Action:       Approved         Action:       Approved			w/Conditions Denied					
1					Signat	ture:		I	Date:		
Permit Tal cih	ken By: ]	Date Applied For: 06/18/2001				Zoning	Approva	l			
1. This	permit application do	es not preclude the	Specia	l Zone or Revie	ws	Zonin	ng Appeal		Historic Prese	ervation	
Applicant(s) from meeting applicable State and Federal Rules.		Shoreland			Variance			Dot in District or Landmark			
	. Building permits do not include plumbing, septic or electrical work.		🔲 Wetland			Miscellaneous		[	Does Not Require Review		
<ol> <li>Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work</li> </ol>		Flood Zone		Conditional Use			Requires Review				
		Subdivision					Approved				
			Site F	Plan			:d		Approved w/C	Conditions	
			Maj Date:			Denied		A	Denied	aiorbot	
				<u>    (e    </u>	ing.				AIT ISSUED EQUIREME	Te view	

#### CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provision of the code(s) applicable to such permit.

SIGNATURE OF APPLICANT	ADDRESS	DATE	PHONE
		DATE	PHONE

### THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

**Building or Use Permit Pre-Application** 

Attached Single Family Dwellings/Two-Family Dwelling

Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building) :	477 Cong	ress St. bathrooms	ven	ovation			
Total Square Footage of Proposed Structure		Square Footage of Lot					
Tax Assessor's Chart, Block & Lot Number     22       Chart# 37     Block# F     Lot# (8,00,00)	Owner: October	- Corporation		Telephone#: 871 - 12	90		
Owner's Address: c/o Boulos Property Management One Canal Plaza Portland, ME 04101	Lessee/Buyer's N	iame (If Applicable)	1	st Of Work: 125,000	F∝ \$ 774.08		
Proposed Project Description: (Please be as specific as possible) Renovate bathrooms in tower floors 4-14.							
Contractor's Name, Address & Telephone Boulds Proper One Canal Pla	rty Manager	ment land, ME 04101			Rec'd By		
Current Use: bathrooms		Proposed Use: bathroom	nS				

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

•All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II. •All plumbing must be conducted in compliance with the State of Maine Plumbing Code.

•All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III. •HVAC (Heating, Ventililation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

You must Include the following with you application:

1) A Copy of Your Deed or Purchase and Sale Agreement Call Kin at 871-1290 when Ready

2) A Copy of your Construction Contract, if available

3) A Plot Plan/Site Plan

Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

#### 4) Building Plans

Unless exempted by State Law, construction documents must be designed by a registered design professional. A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant:	Paul Unenech	Date: 6 18 0 1
TD	D	5( 00 \$1,000,00 perseties cost thereafter

Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter. Additional Site review and related fees are attached on a separate addendum

		BUILDING PERMIT REPORT
	DATE	: 21 June 2001 ADDRESS: 477 Gargeess STE CBL: 037-F-022
	REAS	ON FOR PERMIT: Bathroom reno. LITS Thru 14 Th FLooms.
	BUIL	DINGOWNER: OCTOBEr Corp.
	PERN	IT APPLICANT: /CONTRACTOR Boulos Proporty Mapot.
	USE (	GROUP: <u>B</u> CONSTRUCTION TYPE: <u>1B</u> CONSTRUCTION COST: <u>125000</u> permit fees: <u>794,00</u>
•	The Ci The Ci	ity's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments) ity's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
		CONDITION(S) OF APPROVAL
	This p	permit is being issued with the understanding that the following conditions shall be met: $\frac{\times}{25}$
		22,23
¥	2. B	his permit does not excuse the applicant from meeting applicable State and Federal rules and laws. efore concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A hour notice is required prior to inspection) " <u>ALL</u> LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."
	3. For the second secon	bundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 ercent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The ickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not ss than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain e or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations hall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and hall be covered with not less than 6" of the same material. Section 1813.5.2
	m	bundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a aximum 6' O.C. between bolts. Section 2305.17
	5. W	Vaterproofing and dampproofing shall be done in accordance with <u>Section 1813.0</u> of the building code. recaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.
	7. It	is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the oper setbacks are maintained.
	8. Pr sp	vivate garages located <u>beneath habitable rooms</u> in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior baces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. <u>Private garages attached</u> de by side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch
	9. A	/psum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999) Il chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical ode/1993). Chapter 12 & NFPA 211
	10 5	bund transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
	11. G pr ox m pr a or 10	uardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the urpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In ecupancies in Use Group A, B.H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid aterial such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would rovide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an utside diameter of at least 1 ¼" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 014.7)
	12. H	eadroom in habitable space is a minimum of 7'6". (Section 1204.0)
	13. St	rair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 ½" maximum rise. All other Use Group minimum 11" tread,
	14 T	' maximum rise. (Section 1014.0) he minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
	15. T	the Minimum required width of a corridor shall be determined by the most restrictive of the criteria under section 1011.3 but not less then 36". Were sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door sporoved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools.

Where windows are provided as <u>means of egress or rescue</u> they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)

- 17. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
- 19. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

- 20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
  - In the immediate vicinity of bedrooms
  - In all bedrooms
  - In each story within a dwelling unit, including basements
- 21. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 22 The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
- 23. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
- 24. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
- 25. Section 25 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 27. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
- **28.** All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. <u>No closing in of walls until all</u> <u>electrical</u> (min. 72 hours notice) <u>and plumbing inspections have been done</u>.
- 29. All requirements must be met before a final Certificate of Occupancy is issued.
- 30. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
- X 31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
  - 32. Please read and implement the attached Land Use Zoning report requirements.
  - 33. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
  - 34. Bridging shall comply with Section 2305.16.
  - 35. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)
  - 36. All flashing shall comply with Section 1406.3.10.
  - 37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).

Florises, Building Inspector LF. McDougall, PFD Marge Schmuckal, Zoning Administrator Michael Nugent, Inspection Service Manager WHAN. PSH 10/1/00

\*\*This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.

\*\*\*THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)

\*\*\*\*ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.

#### \*\*\*\*\*CERTIFICATE OF OCCUPANCY FEE \$50.00

477 CONGRESS STREET Toilet room renovations Architectural drawings and specifications

1

1

1

Í

1

1

1

P

1

1

1

5

1

STORED IN ARCHIVES

PDT Architects 49 Dartmouth Street Portland ME July 7, 2000



## CITY OF PORTLAND, MAINE Department of Building Inspection

	C 19 20 C	1
Received from	<u>Cco</u>	a fee
of Scale and a state	Dollars \$ 77	Li (L
for permit to alter Rec. and the		
move demolish at √77 Courses 55555	Est. Cost \$ / 2 5	
CRUE COM 1 - 22		ł —
	Inspector of buildings	

# THIS IS NOT A PERMIT

No work is to be started until PERMIT CARD is actually posted upon the premises. Acceptance of fee is no guarantee that permit will be granted. PRESERVE THIS RECEIPT. In case permit cannot be granted the amount of the fee will be refunded upon return of the receipt less \$5.00 or 10% whichever is greater.

WHITE - Applicant's Copy YELLOW - Office Copy PINK - Auditors Copy