Location of Construction: 594 Congress Street 3rd Floor	Owner: her block		Phone:	236-9900	Permit	8 :90278
Owner Address: 44 Fig. Attmess Camden, 45 04843	Lessee/Buyer's Name:	Phone:	Busines	sName:		ERMIT ISSUED
Contractor Name:	Address:	Phor	ie: 735~67	79	Permit	Tssued:
Past Use:	Proposed Use:	COST OF WOR	RK:	PERMIT FEE: \$ 95.00		APR 1999
Office	Ullion 	FIRE DEPT.	Approved Denied	INSPECTION: Use Group: Type:	CIT	Y OF PORTLAND
			Denied	Use Group: Type: Signature:	Zone:	CBL:037-0-001
Proposed Project Description:	~!····	Digitature.		ES DISTRICT (P.A.D.)	Zoning	Approval:
lovering office reversions.		Action: Signature:	Approved Approved Denied	with Conditions: Date:	☐ ☐ Sho ☐ ☐ Wet ☐ ☐ Floo ☐ Sub	od Zone odivision
Permit Taken By: 33°	Date Applied For:	3-25-99			□Site	e Plan maj ⊡minor⊡mm ⊡
 Building permits do not include plumbing, s Building permits are void if work is not starte tion may invalidate a building permit and ste 	ed within six (6) months of the date of	issuance. False informa			□Inte	nditional Use erpretation proved nied
	***Call in	r p/u - Marth e w (P	ERMITISSUED REQUIREMENTS	☐ Not ☐ Doe	listoric Preservation in District or Landmark es Not Require Review quires Review :
	CERTIFICATION	d work is authorized by	the owner of	record and that I have be		proved with Conditions
I hereby certify that I am the owner of record of the authorized by the owner to make this application if a permit for work described in the application is areas covered by such permit at any reasonable has been described.	as his authorized agent and I agree to s issued, I certify that the code official	o conform to all applicability authorized representated code(s) applicable to such	ole laws of th trive shall ha	ns jurisdiction. In addition		
authorized by the owner to make this application if a permit for work described in the application i areas covered by such permit at any reasonable h	as his authorized agent and I agree to s issued, I certify that the code officia nour to enforce the provisions of the c	o conform to all applicability authorized representatede(s) applicable to such	ole laws of th trive shall ha	n's jurisdiction. In addition we the authority to enter	all	
authorized by the owner to make this application if a permit for work described in the application i	as his authorized agent and I agree to s issued, I certify that the code official	o conform to all applicability authorized representated code(s) applicable to such	ole laws of th trive shall ha	ns jurisdiction. In addition	all	

BUILDING PERMIT REPORT

DATE: 3/26/99 ADDRESS: 594 Congress ST. CBL: \$37-6-001
REASON FOR PERMIT: Office renova T1075.
BUILDING OWNER: HAY BLOCK LLC
PERMIT APPLICANT: Jim Mc Elreavy
USE GROUP BOCA 1996 CONSTRUCTION TYPE 3 B
CONDITION(S) OF APPROVAL
This permit is being issued with the understanding that the following conditions are met:
Approved with the following conditions: $\frac{x_{1}}{20}$, $\frac{20}{21}$, $\frac{23}{23}$
This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

- 2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
- Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 3. 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and 4. a maximum 6' o.c. between bolts. (Section 2305.17)
- Waterproofing and damp proofing shall be done in accordance with Section 1813.0 of the building code. 5.
- Precaution must be taken to protect concrete from freezing. Section 1908.0
- It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify 7. that the proper setbacks are maintained.
- 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
- 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces 11. for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7)
- 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 %" maximum rise. All other Use Group minimum 11" 13. tread, 7" maximum rise. (Section 1014.0)
- 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- 15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)
- 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self 17. closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.0)

18.	The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic
	extinguishment. (Table 302.1.1)
19.	All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of
	the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 &19. (Smoke
	detectors shall be installed and maintained at the following locations):
	In the immediate vicinity of bedrooms
	• In all bedrooms
	 In each story within a dwelling unit, including basements
	In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall
_	receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2.
(20,)	A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved
	type. (Section 921.0)
(21)	The Fire Alarm System shall maintained to NFPA #72 Standard.
22.	The Sprinkler System shall maintained to NFPA #13 Standard.
21) 22. 23.	All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0
	of the City's Building Code. (The BOCA National Building Code/1996)
24.	Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open
	any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
25.	The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification
	from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of
	Inspection Services.
26.	Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
27.	All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until
	all electrical (min. 72 hours notice) and plumbing inspections have been done.
28.	All requirements must be met before a final Certificate of Occupancy is issued.
29.	All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building
••	Code/1996).
30.	Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical
21	Code/1993). (Chapter M-16)
31.	Please read and implement the attached Land Use Zoning report requirements.
32.	Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.5.3 of the City's Building Code.
33.	Glass and glazing shall meet the requirements of Chapter 24 of the building code.
34.	

P. Samuel Hoffses, Building Inspector

cc:

35.

36.

Lt. McDougall, PFD

Marge Schmuckal, Zoning Administrator

PSH 12-14-98 # 5 41

^{**}On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Pre-Application Attached Single Family Dwellings/Two-Family Dwelling Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

		<u> </u>					
Location/Addressof Construction (include Portion of Building) :	594 C	ongress S	it. 31	Hoor.			
Total Square Footage of Proposed Structure		Square Footage of	Lot				
Tax Assessor's Chart, Block & Lot Number Chart# 37 Block# G Lot# /	Owner:	Block Lo	lC	Telephone#: 207 236	n-0909		
Owner's Address: 44 ELM ST. CAMDEN, MAINE 04843					\$ 95-00		
Proposed Project Description:(Please be as specific as possible)							
OFFICE RENOVATION PER DRAWING							
Contractor's Name, Address & Telephone IIM McEe	Treavy	236-077			Rec'd By		
Current Use: Office	<i>U</i>	Proposed Use:	office.				
Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation. •All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II. •All plumbing must be conducted in compliance with the State of Maine Plumbing Code. •All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III. •HVAC(Heating, Ventililation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code. You must Include the following with you application: 1) ACopy of Your Deed or Purchase and Sale Agreement 2) A Copy of your Construction Contract, if available							

3) A Plot Plan/Site Plan

Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

4) Building Plans

Unless exempted by State Law, construction documents must be designed by a registre design professional.

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structure)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas
 equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes/applicable to this permit.

children die provisions of the oc	00y u	ipheaste to any permit.		
Signature of applicant:		Nauton W. Ome.	Date:	3/25/99

Building Permit Fee: \$25.00 for the 1st \$1000.cost plus \$5.00 per \$1,000.00 construction cost thereafter.

Additional Site review and related fees are attached on a separate addendum

cail PIU Mullium Cran 207 236 0909

PL	UMBING AI	PPLICATIO	N ·	037-G-00	0 0	Department of Human Services Division of Health Engineering	
Town Or Plantation	PORTIAN	ADDRESS	4. v.	mike			
Street Subdivision Le				PORTLAND	PERNIT #	6867 STATE COPY	
११७५ ए	PROPERTY OF	WNERS NAME	* ***********************************	Date Permit 5 5	199	\$ Double Fee Charged	
Applicant		First: MATT		Local Plumbing Inspect	or Signature	L.P.I. # <u>S17-38 (F</u>	
Mailing Address Owner/Applic		CE AVE	2 0466				
Owner/Applicant Statement I certify that the information submitted is correct to the best of my knowledge and understand that any falsification is reason for the Local Plumbing Inspector to deny a Permit. 5-3-90				Caution: Inspection Required Unave inspected the installation authorized above and found it to be in compliance with the Maine Plumbing Rules. Local Plumbing Inspector Signature Date Approved			
Control of the contro	V Signature of Owner/A	(A. A	Date		actor dignature		
This An	plication is for	Type	CATA WERE STAN	e To Be Served:	The state of the s		
1. □ NEW PLUMBING 2. □ RELOCATED PLUMBING 3. □ MULTIPLE FAM 4. 🛛 OTHER — SPE			MODULAR C	OR MOBILE HOME	1. MASTER PLUMBER 2. □ OIL BURNERMAN 3. □ MFG'D. HOUSING DEALER / MECHANIC 4. □ PUBLIC UTILITY EMPLOYEE 5. □ PROPERTY OWNER LICENSE # □ 8,3,4,2		
	Hook-Up & Piping Relocation Maximum of 1 Hook-Up Number			Column 2 Type of Fixture	Number	Column 1 Type of Fixture	
	HOOK-UP: to public	sewer in	Number H	osebibb / Sillcock	Number	Bathtub (and Shower)	
	those cases where t is not regulated and the local Sanitary Di	the connection I inspected by	F	loor Drain	01	Shower (Separate)	
	OR		υ	rinal	011	Sink	
	HOOK-UP: to an exi	isting subsurface	D	rinking Fountain	01	Wash Basin	
			In	direct Waste	0,1	Water Closet (Toilet)	
	PIPING RELOCATION Innes, drains, and pipinew fixtures.	<u>DN:</u> of sanitary ping without	w	ater Treatment Softener, Filter, etc.		Clothes Washer	
			G	rease / Oil Separator		Dish Washer	
			, De	ental Cuspidor		Garbage Disposal	
Y	YOR			det	1	Laundry Tub	
	TRANSFER FEE [\$6.00]		0	ther:	_	Water Heater	
				Fixtures (Subtotal) Column 2	1 4	Fixtures (Subtotal) Column 1	
	2	ti desta no c			Ø	Fixtures (Subtotal) .	
	SEE PERMIT FEE SC			CHEDULE	- L	Total Fixtures	
FOR CALCULATIN				\$ 16	Fixture Fee		
			34		\$	Transfer Fee	
-			16 <u>00</u>	+ 2000	\$.	Hook-Up & Relocation Fee	
Page 1 o HHE-211 Re			STATE	+ 2000 Surcharg	\$ 16.	Permit Fee (Total)	