City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: Owner:		Phone:		Permit No: 1364 991364
Owner Address:	Lessee/Buyer's Name:	Phone:	BusinessName:	97-
ich See See See Aus	Startige & Stages	:/*'	Steller & Stuff:	TERMAN ISSUED
Contractor Name:	Address:	Phone:		Permit Issued:
	Ned sectors	T none.	290×3100	
Past Use:	Proposed Use:	COST OF WORK	: PERMIT FEE: \$ 50.00	DEC 1 3 1999
e Clesse ?	. e 205	FIRE DEPT. A		
			The second	. INTY CHANNEL
			enied Use Group: Typ	Zone: CBL:
		0.	0.	e37-627-4
Proposed Project Description:		Signature:	Signature:	Zoning Approval:
rioposed rioject Description.		1 N N N N N N N N N N N N N N N N N N N	CTIVITIES DISTRICT (P.A.	.D.)
			Approved	Special Zone or Reviews:
The major offer they willing not care	the function		pproved with Conditions:	□ □ Shoreland
n brinning so in the source provide the marking in the source of	a sere contra suas se	L L	Denied	□ □ Wetland
				Flood Zone
		Signature:	Date:	
Permit Taken By:	Date Applied For:	10 3 40		Site Plan maj 🗆 Site Plan
		1		
				Zoning Appeal
1. This permit application does not preclude the A	pplicant(s) from meeting applicable	State and Federal rules.		□ Variance
2. Building permits do not include plumbing, sep	tic or electrical work.			
				Conditional Use
3. Building permits are void if work is not started		ssuance. False informa-		
tion may invalidate a building permit and stop	Approved Denied			
	· · · · · · · · · · · · · · · · · · ·	Sent to Sucama		Defied
	i i i i i i i i i i i i i i i i i i i			Historic Preservation
			grane St.	□Not in District or Landmark
		Port Las	4, 22, 1,4161	Does Not Require Review
				□ Requires Review
				tan are ported target a real research
				Action:
	CERTIFICATION			
I hereby certify that I am the owner of record of the				
authorized by the owner to make this application as	ę ę		9	
if a permit for work described in the application is i				nter all
areas covered by such permit at any reasonable hou	ir to enforce the provisions of the co	de(s) applicable to such j	permit	Date:
		17-91	DUONE	
SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE:	
				PERMIT ISSUED
DESDONGIDI E DEDGONINI OU ADOE OF WORK	TITLE		DUONE	WITH REQUIREMENTS
RESPONSIBLE PERSON IN CHARGE OF WORK	, IIILE		PHONE:	CEO DISTRICT
White-Per	mit Desk Green–Assessor's Ca	nary-D.P.W. Pink-Put	olic File Ivory Card-Inspec	tor

DATE: <u>BDEC, 99</u> ADDRESS: <u>556 Congress STr</u> CBL: <u>Ø37-G-Ø1</u> 4
REASON FOR PERMIT: <u>Signage</u>
BUILDING OWNER: Terbax RealTy
PERMIT APPLICANT://///CONTRACTOR_Buyon_Signs
USE GROUP: CONSTRUCTION TYPE: CONSTRUCTION COST: PERMIT FEES: $\frac{3}{2}$
The City's Adopted Building Code (The BOCA National Building code/1996 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
CONDITION(S) OF APPROVAL
This permit is being issued with the understanding that the following conditions are met: $\frac{*/.*BS}{}$

- χ 1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
 - 2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "<u>ALL</u> LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."
 - 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
 - 4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
 - 5. Waterproofing and dampproofing shall be done in accordance with <u>Section 1813.0</u> of the building code.
 - 6. Precaution must be taken to protect concrete from freezing. Section 1908.0
 - 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
 - 8. Private garages located <u>beneath habitable rooms</u> in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. <u>Private garages attached side-by-side to rooms</u> in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of 1.2 inch gypsum board or the equivalent applied to the garage means of 1.2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
 - 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
 - 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
 - 11. Guardrails & Handrails: A guardrail system is a system of building components located near the oOpen sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A,B.H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38"). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 ¼" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
- 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- Stair construction in <u>Use Group R-3 & R-4 is a minimum of 10" tread and 7 ¼" maximum rise</u>. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
- 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- 15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
- 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
- 18. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

- 19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
- 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 21. The Fire Alarm System shall maintained to NFPA #72 Standard.
- 22. The Sprinkler System shall maintained to NFPA #13 Standard.
- 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
- 24. Section 25 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
- 27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. <u>No closing in of walls until all</u> <u>electrical</u> (min. 72 hours notice) <u>and plumbing inspections have been done</u>.
- 28. All requirements must be met before a final Certificate of Occupancy is issued.
- 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
- Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 31. Please read and implement the attached Land Use Zoning report requirements.
- 32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
- 33. Bridging shall comply with Section 2305.16.
- 34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2405.0)
- 435. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1996).

see, Building Inspector Lt. McDougall, PFD Marge Schmuckal, Zoning Administrator

PSH 11/25/99

**On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.

*** THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD.

INFORMATION REQUIREMENTS FOR SIGN PERMIT APPLICATION

Applicants for a sign permit will be asked to submit the following information to the Code Enforcement Office:

- 1. Certificate of Liability listing the City as additional insured. \checkmark
- 2. Letter of permission from the owner
- 3. A sketch plan of lot, indicating location of buildings, driveways and any abutting streets or right of ways. Lengths of building frontages and street frontages should be noted. (see _____ attached)
- 4. Indicate on the plan all existing and proposed signs
- 5. Computation of the following:
 - A) Sign area of each existing and proposed building sign $\mu \mu$
 - B) Sign area height and setback of each existing and proposed freestanding sign $\gamma' = \mu$
- 6. A sketch of any proposed sign(s), indicating dimensions, materials, source of illumination and construction method (see attached).
- 7. Certificate of flammability required for awning/canopy at time of application. $\kappa + \cdot$
- UL # required for lighted signs at the time of Final Inspection. Failure to provide this information will invalidate the Sign Permit.

Fee for permit - \$30.00 plus \$0.20 per square foot

Fee for awning based on cost of work - \$30.00 for the first \$1,000.00, \$6.00 for each additional \$1,000.000.

NOTE: Once a sketch plan has been filed for a property, the code enforcement office will keep a record of the plan so that a new sketch plan will not be required for later changes to signage on the property. In such an instance, applicants will only be required to submit information applicable to the new sign.

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Sign Permit Pre-Application

Attached Single Family Dwellings/Two-Family Dwelling


Multi-Family or Commercial Structures and Additions Thereto


In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.


NOTE**If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building): 556 CONSRESS ST PERTURN								
Total Square Footage of Proposed Structure 4 II ± Square Footage of Lot								
Tax Assessor's Chart, Block & Lot Number Owner: Telephone#: Chart# D37 Block# 6 , Lot# D14 IERBAX REAL 207 772 6400								
Owner's Address: 5 M(LW SF POR 7525 5 500 500 500 500 500 500 500 500 50								
Proposed Project Description: (Please be as specific as possible), TO ERECT SIGN Attatched, to BUIDING at 556 CONSIZED USING NON COTONOP BOHS								
Contractor's Name, Address & Telephone BIPEN SIGNS 799 1185, Rec'd By								
Current Use: Feffil Proposed Use: Jun								
Signature of applicant:								
Signage Permit Fee: \$30.00 plus .20 per square foot of signage								

.







OWNERS CONSENT AND AGREEMENT

I, TERBAX REALTY, TWC, being the owner of the premises located at 556 <u>Concress</u> in Portland, Maine, hereby give consent to the erection of a certain DAVIL PITT AND LOIS VAN PELT MARKI dbz Stones & STUFF sign/awning/banner owned by <u>A</u> over the sidewalk or on building from said premises as described in application to the Division of Inspection Services.

And in consideration of the issuance of said permit, owner of said premises, in event said sign shall cease to serve the purpose for which it was erected or shall become dangerous and in event the owner of said sign shall fail to remove said sign or make it permanently safe in case the sign still serves the purpose for which it was erected, hereby agrees for himself or itself, for his heirs, its successors, and his or its assigns, to complete remove said sign.

Signature of Property Owner

Signature of Lessee

<u>12.6.99</u> Date

Date

CERTIFICATE OF INSURANCE DATE (MM/DD/YY) 12/03/1999									
PRODUCER Smith, Brown & Lyons Agency		THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.							
135 Fletcher St		COMPANIES AFFORDING COVERAGE							
PO Box 950 Kennebunk, ME 04043-0950		A Maine Mutual Fire Insurance Co							
INSURED		COMPANY							
STONES & STUFF		В							
125 Middle St Extension	L.	COMPANY C							
Saco, ME 04072-2804		COMPANY D							
COVERAGES THIS IS TO CERTIFY THAT POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED, NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS, AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.									
CO LTR TYPE OF INSURANCE	POLICY NUMBER	ł	POLICY EFF. DATE (MMDDYY)	POLICY EXPIR. DATE (MMDDYY)	LIMITS				
GENERAL LIABILITY	BP0415203		10/30/1999	10/30/2000	GENERAL AGGREGATE	\$ 1,000,000			
	DF0415205		10/ 30/ 1999	10,30,2000	PRODUCTS-COMP/OPS AGG	\$ 1,000,000			
					PERSONAL & ADV INJURY EACH OCCURRENCE	\$ \$ 1,000,000			
OWNER'S & CONT PROT					FIRE DAMAGE (Any one fire)	\$ 50,000			
					MED EXP (Any one person)	\$ 5,000			
AUTOMOBILE LIABILITY					COMBINED SINGLE LIMIT	\$			
ALL OWNED AUTOS SCHEDULED AUTOS					BODILY INJURY (Per Person)	\$			
HIRED AUTOS NON-OWNED AUTOS					BODILY INJURY (Per Accident)	\$			
					PROPERTY DAMAGE	\$			
GARAGE LIABILITY					AUTO ONLY - EA ACCIDENT	\$			
ANY AUTO					OTHER THAN AUTO ONLY:				
					EACH ACCIDENT	\$			
EXCESS LIABILITY					AGGREGATE EACH OCCURENCE	\$			
UMBRELLA FORM					AGGREGATE	\$			
OTHER THAN UMBRELLA FORM						\$			
WORKERS COMPENSATION AND EMPLOYERS' LIABILITY					STATUTORY LIMITS				
					DISEASE-POLICY LIMIT	\$			
PARTNERS/EXECUTIVE OFFICERS ARE: X EXCL					DISEASE-EACH EMPLOYEE	\$			
OTHER									
DESCRIPTION OF OPERATIONS/LOCATIONS/VEH Additional Insured Terb			River Manage	ement					
P O Box 7525 Portland, ME 04112									
CERTIFICATE HOLDER				CANCELLA	TION				
	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE								
City of Portland	EXPIRATION DATE THEREOF, THE ISSUING COMPANY WILL ENDEAVOR TO MAIL								
389 Congress Street 10 days written notice to the certificate holder named to the left Portland, ME 04104 BUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO OBLIGATION OF LIABILITY									
OF ANY KIND UPON THE ON PARTY ON SAFET OR REPRESENTATIVES.									
ACORD 25-5 LIGHT BROWN (2/93)	ACORD 25 & LIGHT BROWN (3/93) CGI 8/23/94								
				1					