DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK



CITY OF PORTLAND BUILDING PERMIT



This is to certify that COLLEGE OFART MAINE

Located At 540 CONGRESS

Job 1D: 2011-03-530-SIGN

CBL: 037 - - H - 002 - 001 - - - - -

has permission to install a 104 sq. ft. building wall sign

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise closed-in. 48 HOUR NOTICE IS REQUIRED.

A final inspection must be completed by owner before this building or part thereof is occupied. If a certificate of occupancy is required, it must be

03/22/11

Fire Prevention Officer

Code Enforcement Officer / Plan Reviewer

THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY.
PENALTY FOR REMOVING THIS CAR

PERMIT ISSUED

MAR 2 2 2011

City of Portland

City of Portland, Maine - Building or Use Permit Application

389 Congress Street, 04101 Tel: (207) 874-8703, FAX: (207) 8716

| Job No: 2011-03-530-SIGN | Date Applied: 3/2/2011 | | CBL: 037 H - 002 - 00 | 1 | | |
|--|-------------------------------------|---|---|--|---------------------------------------|---|
| Location of Construction: 540 CONGRESS | Owner Name: COLLEGE OF ART MAINE | | Owner Address: 522 CONGRESS S PORTLAND, ME | Phone: | | |
| Business Name: | Contractor Name: Moffett, Shane | | Contractor Addr 686 Main LEWIS | Phone: 782-9654 | | |
| Lessee/Buyer's Name: Reny's | Phone: | | Permit Type: SIGN - PERM - Signage - Permanent | | | Zone: B-3 |
| Past Use: | Proposed Use: SAME: Retail | | Cost of Work: | | | CEO District: |
| rectan | SAME. Retail | | Fire Dept: | Approved Denied N/A | | Inspection: Use Group: Type: 57 1 IR, 3009 |
| Proposed Project Description 540 Congress St. Sign | n: | | Signature: Pedestrian Activ | ities District (P.A.D.) | _ | Signature: |
| Permit Taken By: Gayle | | | | Zoning Approval | i | |
| This permit application does not preclude the Applicant(s) from meeting applicable State and Federal Rules. Building Permits do not include plumbing, septic or electrial work. Building permits are void if work is not started within six (6) months of the date of issuance. False informatin may invalidate a building permit and stop all work. | | Shoreland Wetland Flood Z Subdivis Site Plant Maj Date: | ls one sion | Zoning Appeal Variance Miscellaneous Conditional Use Interpretation Approved Denied Date: | Not in Dis Does not Requires Approved | reservation Within st or Landmark Require Review Review W/Conditions |

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provision of the code(s) applicable to such permit.

| SIGNATURE OF APPLICANT | ADDRESS | MARTE 2 2011 | PHONE |
|---------------------------------|---------|------------------|-------|
| | | City of Portland | |
| DESDONSIDI E DEDSON IN CHARGE (| DATE | PHON | |

BUILDING PERMIT INSPECTION PROCEDURES

Please call 874-8703 or 874-8693 (ONLY)

or email: buildinginspections@portlandmaine.gov

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the city of Portland Inspections Services for the following inspections. Appointments must be requested 48 to 72 hours in advance of the required inspection. The inspection date will need to be confirmed by this office.

- Please read the conditions of approval that is attached to this permit!! Contact this office if you have any questions.
- Permits expire in 6 months. If the project is not started or ceases for 6 months.
- If the inspection requirements are not followed as stated below additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.
- 1. Close-in (Electrical, Framing)
- 2. Final Inspection

The project cannot move to the next phase prior to the required inspection and approval to continue, REGARDLESS OF THE NOTICE OF CIRCUMSTANCES.

IF THE PERMIT REQUIRES A CERTIFICATE OF OCCUPANCY, IT MUST BE PAID FOR AND ISSUED TO THE OWNER OR DESIGNEE BEFORE THE SPACE MAY BE OCCUPIED.

PERMIT ISSUED

MAR 2 2 2011

City of Portland



Strengthening a Remarkable City, Building a Community for Life . www.portlandmaine.gov

Director of Planning and Urban Development Penny St. Louis

Job ID: 2011-03-530-SIGN Located At: 540 CONGRESS CBL: 037 - - H - 002 - 001 - - - -

Conditions of Approval:

Historic

1. Approval based on revised submission received 3/18/2011 which features halo lighting, rather than internally illumination for signs.

Building


- 2. Signage Installation to comply with Chapters 31 & 32 of the IBC 2009 building code.
- Separate permits are required for any electrical, plumbing, sprinkler, fire alarm HVAC systems, heating appliances, commercial hood exhaust systems and fuel tanks. Separate plans may need to be submitted for approval as a part of this process
- 4. Fastener schedule per IBC, 2009.

Signage/Awning Permit Application

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

| Location/Address of Construction: 540 Congress ST. |
|---|
| Tax Assessor's Chart, Block & Lot Owner: Chart# Block# Lot# FFD TRUST 90 CARROLL STREET RUTHNO, ME 04102 Telephone: 207-828-4636 |
| Lessee/Buyer's Name (If Applicable) RENGS RENGRO INC. 731 POUTE NEWCASTLE, ME 04553 Contractor name, address & telephone: NEWCASTLE, ME 04553 |
| Who should we contact when the permit is ready: PETER Marshy phone: 782-954 MAR - 2 2011 |
| Tenant/allocated building space frontage (feet): Length: Height Height Height Lot Frontage (feet) Single Tenant or Multi Tenant Lot Dept. of Building Inspection |
| Current Specific use: RETAIL If vacant, what was prior use: RETAIL Proposed Use: SEE ENCLOSED DRAWINGS 4.3 S.F. GNG. ST. 6.5 S.F. GNG. ST. |
| Information on proposed sign(s): Freestanding (e.g., pole) sign? Yes No Dimensions proposed: Height from grade: Bldg. wall sign? (attached to bldg) Yes No Dimensions proposed: |
| Proposed awning? YesNo Is awning backlit? Yes No Height of awning: Length of awning: Depth: Is there any communication, message, trademark or symbol on it? Yes No If yes, total s.f. of panels w/communications, message, trademark or symbol: s.f. |
| Information on existing and previously permitted sign(s): FRMER SIGNS (LL BEAN ÉOLYMA) HAVE BEEN Freestanding (e.g., pole) sign? Yes No Dimensions: Bldg. wall sign? (attached to bldg) Yes No Dimensions: Awning? Yes No Sq. ft. area of awning w/communication: |
| A site sketch and building sketch showing exactly where existing and new signage is located must be provided. Sketches and/or pictures of proposed signage and existing building are also required. |
| Please submit all of the information outlined in the Sign/Awning Application Checklist. Failure to do so may result in the automatic denial of your permit. |
| n order to be sure the City fully understands the full scope of the project, the Planning and Development Department may request dditional information prior to the issuance of a permit. For further information visit us on-line at www.portlandmaine.gov , stop by the sullding Inspections office, room 315 City Hall or call 874-8703. |
| hereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been athorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all eas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit. |
| Signature of applicants the Muyly-AGONT For RENYS Date: 3-2-2011 |

This is not a permit you may not commence ANY work until the permit is issued.



FABRICATED ALUMINUM REVERSE CHANNEL 5%" DEEP LETTERS AND 3" DEEP TREE LOGOS PAINTED MATTHEWS 'CEDAR BOUGH' [#134, MP 09000] (GREEN)

INTERNAL WHITE LED HALO-LIGHTING FOR LETTERS AND TREE LOGOS

INTERNAL LED LIT FABRICATED ALUMINUM SUB-COPY BOX PAINTED BLACK W/ BLACK TRIM CAPS, MATTE BLACK VINYL ON WHITE ACRYLIC FACES AND WHITE KNOCK OUT COPY

■ 'DARK BLUE' [220-397]

A MAINE ADVENTURE

NON-LIT PROJECTING BLADE SIGN

SCALE: 3/4"=1'-0"



Neakraft Signs Inc. 686 Main Street Lewiston, Maine 04240 Telephone. 207.782.9654 Facsimile: 207.782.0009 1.800.339.2258 http://www.neokraft.com

These plans are the exclusive property of Neckraft Signs, fac, and are the result of the original work of its employees. They are submitted to Neckraft's client for the sale purpose of consideration of whether to purchase these plans or to purchase from Neckraft a sign mountained according to these plans.

Distribution or exhibition of these plans to anyone other than employees of said disent, or use of these plans to construct a sign arimfor to the one embodied beautin, is expressly furbiddeen. In the sevent that such exhibition or construction occurs, invidend respect to be membraned \$1500 in companion for time and effort entailed in creating that plans.

Reny's 13296

| Location: | 544 Congress Street | | |
|------------|---------------------|----------|--|
| | Portland | d, ME | |
| Drawing No | .: 2 of 3 | | |
| Drawn by: | ML | Rep.: PM | |
| Date: | 03.17.2 | 1011 ML | |
| Lead No.: | FL0150 | 97 | |
| Gen Ref.: | 1708 (2 | (004) | |


Custom Sign Fabrication

| Location: | 544 Congress Street | | | |
|------------|---------------------|----------|--|--|
| | Portland | d, ME | | |
| Drawing No | : 2 of 3 | | | |
| Drawn by: | ML | Rep.: PM | | |
| Date: | 03.17.2 | 1011 ML | | |
| Lead No.: | FL0150 | 97 | | |
| Gen Ref.: | 1708 (2 | (004) | | |

O COPYRIGHT 2010, BY NEOKRAFT SIGNS, INC.



END VIEW



| ob Type: | | Signs | | Job Des | cription: | 540 Co | ngress St. | Sign | Job Yea | r: | 2 | 011 |
|-------------------------|--------------------|-----------------------------|---------------|------------------|------------------------|----------------------|-------------------|---|----------|------------------|-------------------|-----------------------|
| uilding Job Sta | atus Code: | Initiate Plan | Review | Pin Valu | ie: | 795 | | | Tenant | Name: | F | teny's |
| ob Application | Date: | | | Public B | uilding Flag: | N | | | Tenant | Number: | 1 | |
| stimated Value | e: | | | Square | Footage: | 104 | | | | | | |
| elated Parties | : | | | COLLEG | E OF MAINE | | | | Prope | erty Owne | er | |
| | | | | NeoKraf | t - Shane Moff | ett | | | GENI | ERAL CON | TRACTO | DR. |
| | | | | | Job Charg | ies | | | | | | |
| Fee Code Description | Charge Amount | Permit Charge Adjustment | Net Cl Amo | | yment Reco Date Num | eipt | Payment Amount | Payment Ad Amou | | Net Pa Amo | yment ount | Outstandin Balance |
| ocation ID: 56 | 582 | | | | | | • | 8. | | | | |
| | | | | | Location De | etails | | | | | - | |
| Alternate Id P | arcel Number | Census Tract G | ISX GISY | GIS Z GIS | Reference Lon | gitude L | atitude | | | | | |
| 004250 037 | 7 H 002 001 | M | 1 | | -70. | 261155 43 | 3.655319 | | | | | |
| | | - | Location Tv | ne Subdivisi | on Code Subdi | vision Sub | Code Rela | ated Persons | Add | dress(es) | | |
| | | - | 1 | 70 - 242-211131 | JII 0010 0101 | -1010111011 | | VALUE - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - | | SS STREET | WEST | |
| | | | | | | | | | | | | |
| Location Use C | ode Varian Code | | e Code I | ire Zone Code | Inside Outside Code | Distri Cod | | eral Location Code | | tion Area ode | Juris | sdiction Code |
| LITERARY & SCIEN | TIFIC | DOWNTOW! BUSINESS | N | | | Historic District | | | DISTRICT | 2 | CENTRA DISTRIC | L BUSINESS |
| | | | | - | Structure D | etails | | | | - | | |
| Structure: 10 | 4 sa ft wall | sian | | | | | | | | | | |
| Occupancy Typ | - | 3.9.1 | | | | | | _ | | | | |
| | | | | and the second | | | | | _ | | | |
| | e Type Code | | Status Type | Square Foota | age Estimated | | | dress | | | | |
| Stores & Custome | r Services (Merca | ntile) 0 | | | | 54 | 0 CONGRESS | S STREET WEST | | | | |
| Longitude Lati | tude GIS X G | ISY GISZ GIS | Reference | | | | | User Defined | Property | Value | | |
| | | | | | | | | Fixtures-Fluore | escent | 0 | | |
| | | | | | | | | Fixtures-Fluore | escent | 52 | | |
| | | | | | | | | Receptacles | | 0 | | |
| | | | | | | | | | | | | |





| | | | | | User Defined Property | Value | |
|--|-------------------------------|-------------------------------------|-------------------|--------------------------|------------------------------|-------|---|
| | | | | | State ID | 1111 | |
| Structure: Loc id | 000005681 | Alt id 002363 | | | | | |
| Occupancy Type Co | ode: | | | | | | _ |
| Structure Type Code | Structure Sta | tus Type Square Footag | e Estimated Value | Address | . | | |
| CONVERSION | 6 | 27137,88 | | 540 CONGRESS STREET WEST | _ | | |
| Longitude Latitude | GIS X GIS Y | GIS Z GIS Reference | | | User Defined Property | Value | |
| 0 0 | М | | | | Fixtures-Fluorescent | 0 | |
| | | | | | Fixtures-Fluorescent | 52 | |
| | | | | | Receptacles | 0 | |
| | | | | | Receptacles | 62 | |
| | | | | | State ID | 1111 | |
| CONVERSION | GISX GISY | 27137,88 GIS Z GIS Reference | | 540 CONGRESS STREET WEST | User Defined Property | Value | |
| 0 0 | M | dia L dia Reference | | | Fixtures-Fluorescent | 0 | |
| | | | | | Fixtures-Fluorescent | 52 | |
| | | | | | Receptacles | 0 | |
| | | | | | Receptacles | 62 | |
| | | | | | State ID | 1111 | |
| | | | | | | | |
| Structure: Loc id | 000046120 | Alt id 004250 | | | | | |
| Structure: Loc id Occupancy Type Co | | Alt id 004250 | | | | | |
| | ode: | Alt id O04250 Structure Status Type | Square Footage Es | stimated Value Add | lress | | |
| Occupancy Type Co | ode: pe Code | Structure Status Type | Square Footage Es | | Iress S STREET WEST | _ | |
| Occupancy Type Co Structure Ty Stores & Customer Ser | pe Code vices (Mercantile) | Structure Status Type | | | - | Value | |

Job Summary Report Job ID: 2011-03-530-SIGN

Report generated on Mar 7, 2011 10:58:15 AM

Page 3

| User Defined Property | User Defined Property Value | |
|-----------------------|-----------------------------|--|
| Fixtures-Fluorescent | 52 | |
| Receptacles | 0 | |
| Receptacles | 62 | |
| State ID | 1111 | |

Permit #: 20111672

| | | | | Permit D | ata | | | | |
|--------------|-----------------------|----------------------------|--------------------------------|------------|------------------|----------------------|---------------|---------------------------|-----------------------|
| Location Id | Structure Description | Permit Status | Permit Description | Issue Date | Reissue Date | Expiration Da | te | | |
| 5682 | 104 sq. ft wall sign | Initialized | 104 sq. ft. building wall sign | | | | | | |
| | | | In | spection | Details | | | | |
| Inspection I | d Inspection Type I | Inspection Result | Status Inspection Status | Date Schee | duled Start Time | estamp Resul | t Status Date | Final Inspection Flag | _ |
| | | | | Fees Det | ails | | | | |
| Fee Cod | | Permit Charg Adjustment | | j Paymo | | | 385 | ment Adjustment Amount | Payment Ad Comment |
| | Paragraphic Control | | | | | | | | |
| Signs | \$238.00 | | | | | | | | |

1 milatel (2003 2)

FABRICATED ALUMINUM REVERSE CHANNEL LETTERS PAINTED MATTHEWS 'CEDAR BOUGH'

INTERNAL WHITE LED HALO-LIGHTING FOR

FACES AND WHITE KNOCK OUT COPY

INTERNAL LED FACE-LIT FABRICATED ALUMINUM SUB-COPY BOX PAINTED BLACK W/ BLACK TRIM CAPS, MATTE BLACK VINYL ON WHITE ACRYLIC

[#134, MP 09000] (GREEN)

LETTERS AND TREE LOGOS



Neokraft s I G N S

Neokraft Signs Inc. 686 Main Street Lewiston, Maine 04240 Telephone: 207.782.9654 Facsimile: 207.782.0009 1.800.339.2258 http://www.neokraft.com

Custam Sign Fabrication

These plans are the exclusive property of Neokroft Signs, Inc. and are the result of the original work of its amployees. They are submitted to Neokroft's client for the sole purpose of consideration of whether to purchase these plans or to purchase from Neokroft a sign menufactured occording to these plans.

Distribution or exhibition of these plans to anyone other than employees of said client, or use of these plans to construct a sign entiral to the one embodied therein, a expressly forbidden. In the event that such subtlidies or construction course, Neshort separate to be reambursed 3 1500 as comparation for time and effort entitled in creating them plans.

Reny's 13296

| Location: | 544 Congress Street | | | |
|------------|---------------------|----------|--|--|
| | Portlani | , ME | | |
| Drawing No | : 1 of 3 | | | |
| Drawn by: | ML | Rep.: PM | | |
| Date: | 03.17.2 | 011 ML | | |
| Lead No.: | FL0150 | 97 | | |
| Gen Ref.: | 1708 (2 | 004) | | |


TRESUS

A MAINE ADVENTURE

INTERNALLY ILLUMINATED HALO-LIT LETTERS & LOGO W/ FACE-LIT TAGLINE BOX

SCALE: 3/8"=1'-0"

END VIEW



FREE ST. ELEVATION - (SHOWING WINDOW VINYL)

SCALE: 3/16"=1'-0"

• **Blade sign** – with the addition of the Olympia Sports square footage, the entrance to our new store will be confusing to customers. We have proposed a non-lit blade sign over the entrance location as a visual indication to pedestrians.

• **Return and trim cap** – Per your recommendation, we have proposed wrapping the color of our internally lit signs around each letter.

• **Vinyl logos** – we propose a second surface installation (inside part of glass) of vinyl logos as shown.

FREE STREET

• **Dryvit surface** – the dryvit surface will be improved by filling holes and being made ready to paint with a color complementary to the building façade (as shown).

• Logo - we have removed the trees from the sign on Free Street, and have kept the tagline.

• Scale – The size of the sign letters have been significantly reduced from 43" to 32".

• Blade sign – we do not have a blade sign on Free Street.

• Return and trim cap – Per your recommendation, we have proposed wrapping the color of our internally lit signs around each letter.

• Vinyl logos – we propose a second surface installation (inside part of glass) of vinyl logos as shown.

I look forward to hearing back from you, so we can move forward in our increasingly tight Grand Opening schedule. Thanks so much for your help with this project, and I know we'll talk soon.

Sincerely,

Mary Kate Reny

Marketing and Operations

R.H. Reny, Inc.

R.H. RENY, INC.

731 Route 1
Newcastle, Maine 04553
Phone: (207) 563-3177
Fax: (207) 563-5681
E-mail us at:
mkreny @ renys.com



STORES IN MAINE

Damariscotta - Gardiner
Damariscotta Underground
Farmington - Bath - Cainden
Ellsworth - Dexter - Madison
Pittsfield - Saco
Belfast - Bridgton - Wells

February 25, 2011


Deborah Andrews Historic Preservation 389 Congress Street Rm. 308 Portland, Maine 04101


Dear Ms. Andrews:

Enclosed you'll find Renys application for the outdoor signage for our new Portland store. As requested, this final submittal has been updated from the first draft you reviewed, in order to incorporate new information from both you and Peter Murphy at Neokraft Signs, Inc.


CONGRESS STREET

- **Dryvit surface** the dryvit surface will be improved by filling holes and being made ready to paint with a color complementary to the building façade (as shown).
- Raised "frame" feature Neokraft has delineated this feature in Scheme A, and our sign lies within it.
- Logo we have retained both the trees and our tagline, "the Maine Adventure," in our sign on Congress Street, but removed them from the sign on Free Street. Retaining both of these features on the front of the store is pivotal to Renys logo and brand. I cannot overstate how critical it is that we retain these intrinsic and instantly recognizable features of our logo in this new market and store location.
- Scale The size of the sign letters have been significantly reduced from 43" to 32".
- Sign location We have kept the sign in the middle of the storefront, so that our customers are visually cued that Renys is now occupying the entire spaces previously occupied by L.L. Bean and Olympia Sports. Without the benefit of an awning, such as L.L. Beans, we need to unify the entire span of Renys presence in this new use.





EXISTING EIFS WALL 3/4" DIA. PVC SPACERS INSERTED TO MAXIMUM DEPTH IN EXTERIOR INSULATION AND FINISH SYSTEM (EIFS, eg. "DRYVIT") WALL ALL PENETRATIONS TO BE FILLED WITH APPROPRIATE SEALER AT TIME OF INSTALLATION FABRICATED ALUMINUM LETTER MOUNTING LED ILLUMINATION WITHIN ELECTRICAL BOX CLEAR LEXAN BACK LOW VOLTAGE SECONDARY WIRING POWER SUPPLY, LOCATED REMOTELY PLYWOOD BLOCKING -PRIMARY POWER SUPPLY WIRING TYPICAL SECTION LED ILLUMINATED CHANNEL LETTER (TYPICAL)—FLUSH MOUNT TO EIFS WALL NO SCALE NO SCALE



LOK-BOLT ANCHORING SYSTEM AS MFG BY POWERS FASTENERS, NEW ROCHELLE, NY OR EQUAL:

A PRE-ASSEMBLED SINGLE UNIT SLEEVE ANCHOR FOR ANCHORING INTO SOLID AND HOLLOW CONCRETE AND MASONRY SUBSTRATES

PATENTED COMPRESSION RING PULLS FIXTURE FLUSH TO THE WORK SURFACE

AVAILABLE IN CARBON STEEL AND TYPE 304 STAINLESS STEEL; SEVERAL HEAD STYLES

SIZE RANGE: 1/4" DIA. x 5/8" TO 3/4" DIA. x 7 1/4"

PROJECTING SIGN MOUNTING DETAIL (TYP.)

SCALE: NO SCALE



Neokraft Signs Inc. 686 Main Street Lewiston, Maine 04240 Telephone: 207.782,9654 Facsimile: 207.782,0009 1.800.339,2258 http://www.neokraft.com

Custom Sign Fabrication

These plans are the exclusive property of Neokraft Signs, Inc. and are the result of the original work of its employees. They are submitted to Neokraft's client for the sole purpose of consideration of whether to purchase these plans or to purchase from Neokraft a sign respectively of the property of

Distribution or exhibition of these plans to organe other than employees of said client, or use of these plans to constant a sign striking to the one embodied herein, a expressly forbiddeen, in the event that such achibition construction occurs, Neutron legacit to be resembled and the construction occurs, Neutron legacit to be resembled on compensation for time and effort emission in creating thisse plans.

Reny's 13296

| Location: | 544 Congress Street Portland, ME | | | |
|------------|-------------------------------------|----------|--|--|
| | | | | |
| Drawing No | : 3 of 3 | | | |
| Drawn by: | ML | Rep.: PM | | |
| Date: | 03.17.2 | 011 ML | | |
| Lead No.: | FL0150 | 97 | | |
| Gen Ref.: | 1708 (2 | 004) | | |

@ COPYRIGHT 2010, BY NEOKRAFT SIGNS, INC.

2.-0°

333 × 10,25 (= 34,13 th

10'-3%" 8"

INTERNALLY ILLUMINATED LETTERS

SCALE: 3/8"=1'-0"

FACES: 3/16" ACRYLITE GREEN (#506) 2" BLACK TRIM CAP

CANS: 8" DEEP BLACK ALUMINUM 1/5" ARMORPLY BACKS ATTACH TO WALL WITH ALUMINUM SHOES

INT. WHITE LED ILLUMINATION

Neokraft Signs Inc 686 Main Street Lewiston, Maine 04240 Telephone: 207 782 9654 1.800.339.2258 http://www.neokraft.com

Custom Sign Fabrication

These plant are the exclusive purperty of Neotrath Signs, inc. and one the must of the surgent ends of its surgicial ends of its amplieses. They are submitted to Neotrath's client for the role porpose of consideration of whether to purchase those these plants in the purchase short Neotrath's a sign must have a sign of these plants in the purchase short Neotrath's a sign must hastened in conditing to these plants.

than employees of said clean, at use of these plans to map employees of ball claim, a well or mess grains to constitute a sign plantar to the over embodied harron, is expansity fortradien. In the event that portrach bifur or construction occurs, the shard expens to be send-based \$1.500 in compensation for time and effort probled in creating these plans.

Reny's FL015097

SCHEME B

544 Congress Street Location:

Drawing No.: 1 of 2


Rep. PM 01 13 2011

01.20.2011, 01 31.2011,

02 22.2011 ML

Load No FL015098 1708 (2004)

E COMPONE 2010, BY NEDGRAFT SIGNS INC.





/ 2'-7" / / 2'-3" / / 2'-3" / / 2'-7"

FREE ST. ELEVATION - (SHOWING WINDOW VINYL) SCALE: 3/16"=1'-0"

END VIEW

EXISTING BUILDING FRONTAGE NOT TO SCALE



WHITE VINYL WINDOW GRAPHICS

Not to cover of window free of Sid

(8) SETS REQUIRED



Neokraft Signs Inc. 686 Main Street Lewiston, Maine 04240 Telephone: 207.782.9654 Facsimile: 207.782.0009

1.800.339.2258 http://www.neokraft.com

| Transmittal to | BUILDI 389 C | OF PORTLAND NG INSPECTION ONGRESS STREE AND, ME 04101 | ET | Date Job I Re. | 03.2.2011 No. 13296 PERMIT APPLICATION | | |
|----------------|--|--|---|--|---|--|--|
| Item | ☑ Attached☐ Shop Drawings☐ Copy of letter | | ☒ Hand Delivered☐ Prints☐ Change Order | □ Under separate cover □ Samples ☑ Other | ☐ Specifications | | |
| | Copies 1 1 1 1 1 1 1 1 | Date 03.02.2011 | No. 13296 | | SURANCE DING OWNER ES) APPLICATION PERMIT | | |
| Purpose | ☑ For approval☐ For your use☐ As requested | | No exception takenMake corrections notedRevise and resubmit | | ☐ Rejected ☐ Review and comment ☑ Other | | |
| Remarks | Enclosed are materials associated with this permit application for signage for Renys located at 540 Congress Street. Please don't hesitate to contact me if you should require any additional information. | | | | | | |
| | Copy t | o FILE | | | From PETER MURPHY | | |

3.33 × 19 = 63.27

AS SENT TO marc foster VIA EMAIL 2-25-11



Neokraft Signs Inc. 686 Main Street Lewiston, Maine 04240 Telephone: 207.782 9654 Facsimile: 207.782.0009 1.800.339.2258 http://www.neakraft.com

Custom Sign Fabrication

There plans are the exclusive property of Neckottl Signs, mr., and the the result of the angiest work of in employees. They are submitted to Neckottl's client to the arise purpose of consideration of whether in purchose real plant as to purchase from Neokrati a star infactured according to these pions

Distribution or rabilisher of these piles to invene unless that employees of said client, as use of these pilons to constitute a sign aimbor to the one emboded havion, is eggreatly forthicken; to the event that such exhibition is consection occurs. Newton respect to the remoteration of the companion of the remote that the controlled of 1 500 on programments for time and effort emboded or

SCHEME B

544 Congress Street Portland, ME

Rep.: PM


01.20.2011, 01.31.2011,

INTERNALLY ILLUMINATED LETTERS

SCALE: 3/8"=1'-0"

3/16" ACRYLITE GREEN (#506) FACES WITH 2" BLACK TRIM CAP

8" DEEP ALUMINUM RETURNS PAINTED BLACK, WITH 🖟 ARMORPLY BACKS, ATTACHED TO WALL WITH ALUMINUM SHOES, INTERNAL WHITE LED ILLUM



CONGRESS ST. ELEVATION - (SHOWING WINDOW VINYL) SCALE: 1/8"=1'-0"

SIZES VARY (SURVEY REQUIRED)

WHITE VINYL WINDOW GRAPHICS SCALE: NONE

(14 SETS REQUIRED)

/ ⁵" / 3'-0" 2'-8" 1.10 -20 A MAINE ADVENTURE

3'-6"

NON-LIT PROJECTING BLADE SIGN

7 total = 9.78

Congress St

Averen A 9" TYP

5'.0"

8"

END VIEW

VERIET / VERIET / VERIFY // VERIFY //

NON-LIT

BLADE SIGN

0

02.22.2011 ML Lead No. FL015098 1708 (2004)


Reny's

FL015097

Drawing No.: 2 of 2 Drawn by

MI

01.13.2011



Peter Murphy

Sun, 27 Feb 2011 07:48:12 -0500 Date sent: Subject: Re: Renys Signage From: Marc Foster <fostema@gmail.com> To: peter@neokraft.com "Craig A Foster, Sr. " < craigfstr4@gmail.com> Copies to Peter, We are satisfied with the signs. Please let me know if you need anything else. Thanks, Marc Foster FFD Trust 207-408-5789 On Fri, Feb 25, 2011 at 2:30 PM, Peter Murphy peter@neokraft.com> wrote: > Marc, attached are drawings showing the proposed signs for Renys. Your > approval is > required as part of our submittal to the City, and it can be as simple as a > return email. > Please don't hesitate to contact me if you should require any additional > information. (my cell > is 650-7632). > Peter Murphy > Neokraft Signs Inc. > 686 Main Street > Lewiston, ME USA 04240 > 207-782-9654 > http://www.neokraft.com > The following section of this message contains a file attachment > prepared for transmission using the Internet MIME message format. > If you are using Pegasus Mail, or any other MIME-compliant system, > you should be able to save it or view it from within your mailer. > If you cannot, please ask your system administrator for assistance. ---- File information -----

File: FL015097 RENYS Portland Storefront Signage 20110225.pdf

25 Feb 2011, 14:17

Date:

> Size: 231302 bytes.

> Type: Unknown

> >

Marc C. Foster 207.408.5789



Peter Murphy

From: "Peter Murphy" <peter@neokraft.com>

Organization: Neokraft Signs, Inc.
To: fostema@gmail.com

Date sent: Fri, 25 Feb 2011 14:30:19 -0500

Subject: Renys Signage

Send reply to: peter@neokraft.com

Copies to: freny@renys.com,

mkreny@renys.com,
peter@neokraft.com

Priority: normal

Marc, attached are drawings showing the proposed signs for Renys. Your approval is

required as part of our submittal to the City, and it can be as simple as a return email.

Please don't hesitate to contact me if you should require any additional information. (my cell is 650-7632).

Peter Murphy
Neokraft Signs Inc.
686 Main Street
Lewiston, ME USA 04240
207-782-9654
http://www.neokraft.com

538 CONGRESS DURANT BLOCK


have large Chicago-style windows, which originally brought large amounts of daylight deep into the interior of the building.

Small-paned transom windows remain in some window units. The window groups are separated vertically by fluted pilasters with imaginative capitals, and horizontally by spandrel panels decorated with small pilasters and cartouches The entire wall and cornice system is constructed of terra cotta, it is the most interesting and best-executed application of this material in Portland.

The original storefront was classically simple, composed of large piers reaching from sidewalk to a continuous horizontal sign panel covering the lintels. The piers and lintels enframed display windows of huge glass lights with transom windows above The center bay of the original building was and remains occupied by the main entrance

The Durant Block, a four-story structure built around 1908, is a good representative of the turn-ofthe-century Commercial style. It has a simple upper cornice of metal and a frieze with a handsome Greek key design of three-dimensional brick. The windows constitute the major design element of the facade Third and fourth floor windows are original, in bold frames with central metal piers and massive steel lintels Second floor windows, which are part of the same masonry opening as the third floor units, are separated from the third floor sash by a steel lintel. The central two-story-high window above the main' building entrance remains in its original

Historical photographs show that the two first floor storefronts were detailed differently, one with large grid-glass, transoms with an awning below them, the other with display windows all the way up to the sign panel and an awning above. Both were typical of storefronts of the day, but showed how common guidelines.



542 CONGRESS J.J. NEWBERRY

The building that today houses the J J. Newberry store was built for the F. W. Woolworth chain in 1946. on designs drawn prior to World War II by Clevendon, Varney & Pike of Boston. The two-story Art Deco structure replaced three substantial four-story buildings from the late nineteenth century

A fine example of the Art Deco style, this building is typical of many stores constructed for

even in one- and two-story buildings. Egyptian, Byzantine, and Moorish motifs are often incorporated, as at bronze window transom panels on this building. The unusual arrangement of lights in the second story windows is also representative of this style. The undulating terra-cotta surfaces of the upper facade create interesting shadow lines and carry the eye upward rather than along the facade.

NEW RENYS LOCATION


550 CONGRESS ASA HANSON HEIRS BLOCK

The Asa Hanson Heirs Block, also known as the Charles Perry Building, was built in 1888-89 to plans drawn by architects Francis H. Fassett and Frederick A Tompson

The building is a handsome late-Victorian commercial block, with characteristics of the Italianate and Romanesque Revival styles It has a cornice of corpelled brick brackets with medallions of terra cotta between. Another highlight is the gabled parapet over the central, upper story entrance and

sidered. detail, s with bricl patterns. mension. duce in One-over place at windows ence of t mercial a than-usu. group of

stairway



522 CONGRESS

Type A

The upper stories of 522 Congress Street are in nearly original condition. Only the street-level storefront has been substantially altered from its original appearance. As built, the main storefront piers continued from the sidewalk to the cornice, interrupted only by a continuous sign panel of modest proportions. Four-part show windows in large frames between the piers have been replaced by larger tinted-glass windows in minimal modern frames, while the piers and bulkheads have been covered with polished stone. In addition, a deep canopy has been added, stretching the entire length of the building and edged with a large sign panel with applied letters. Though the street level has been changed dramatically, modifications are well considered and have been carried out using high-quality materials.

SHORT TERM

Maintain existing facade and storefront; Clean and repair terra-cotta components; Install matching interior window treatments in second, third, and fourth floor windows.

LONG TERM

Because of availability of ample photo documentation, the option exists to restore the storefront to its original appearance, including window frames, pilasters, piers, doors, and awnings. A restoration would include removal of the canopy, to be replaced by awnings. This is only a suggestion, as the present storefront is of high-quality design and materials and there is no need for replacement.

538 CONGRESS

Type B

First floor storefronts and sign areas have been substantially altered below the lower cornice which remains in place. Much of the original detail of the storefronts has been covered or lost under undistinguished 1960s and 1970s modernizations, that have neither relationship to the original building nor to each other. Brick used at the street level is not consistent with that of the upper facade. Some of the second floor windows have been modified; on the west side wood shutters have been applied and on the east side, one unit has been covered with a plywood panel, while the corresponding transom sash above has been altered.

SHORT TERM

Repair second, third, and fourth story windows, return to original appearance and condition; Provide new signs confined to lower cornice sign panels, using materials in keeping with the building's quality and a typeface appropriate for the vintage of the building.

LONG TERM

Quality of building warrants rehabilitation or restoration of street level, based on historical photographs; Thorough exploration should be carried out to determine if any original storefront material remains under more recent work: Recent brickwork at the street level should be replaced with brickwork consistent with that of upper stories, (Consider size, shape, color of replacement brick, as well as profile and color of mortar.); Complete storefront replacement should include reconstruction of transom windows, display windows, central arch, doors, awnings, and sign size/location.

NEW RENYS LOCATION

542 CONGRESS J.J. NEWBERRY

Type A

The storefront is quite open and is almost all glass in metal frames. There has been little change except for a new sign panel and sign, and the elimination of an original central entrance. Though relatively well done, the new sign is slightly oversized and made of materials that do not match the quality or sophistication of the building's design.

SHORT TERM

Repair terra cotta at obsolete sign mountings; Clean and repoint terra cotta to emphasize the fine lines of the building's Art Deco detailing; Maintain upper story windows, window frames, and bronze relief transom panels; Replace missing bulkhead grille with new one that matches others.

LONG TERM

Replace sign and sign panel with ones more sympathetic with original design (quality materials, appropriate typeface).

u (1) 有色有兰物 先 有三种 无

550 COi HANSO

Type A


At the st panel, p have bee of moder quality ar (such as tions ign the build maintaine chitecture

SHORT

Maintain existing Remove sign, re, metal s. nice sig appropri chitects

LONG '

Quality complet tion, ba: docume ration si mine ho rial rem. recent v should i. signs, d. heads, c and awr







CERTIFICATE OF LIABILITY INSURANCE

OP ID: RO

01/19/11

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).


| PRODUCER Allen Insurance Camden 34-36 Elm Street PO Box 578 Camden, ME 04843 | | 800-439-4311 207-236-6647 | CONTACT NAME: PHONE (A/C, No, Ext): E-MAIL ADDRESS: PRODUCER CUSTOMER ID #: RHREN-1 | | | |
|--|---|-------------------------------|---|----------------------|--|--|
| | | | INSURER(S) AFFORDING COVERAGE | NAIC # | | |
| INSURED | R H Reny Inc | | INSURER A: Continental Western Ins Co | | | |
| | John Reny 731 Route 1 Newcastle, ME 04553 | | INSURER B: Maine Employers Mutual | 11149 | | |
| | | | INSURER C: | | | |
| | | | INSURER D: | | | |
| | | | INSURER E : | | | |
| | | | IMBURER F : | | | |
| COVERA | GES CE | RTIFICATE NUMBER: | REVISION NUMB | ER: | | |
| THIS IS | TO CERTIFY THAT THE POLICIE | S OF INSURANCE LISTED BELOW H | AVE BEEN ISSUED TO THE INSURED NAMED ABOVE F | OR THE POLICY PERIOD | | |

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES, LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

| LTR | TYPE OF INSURANCE | INSR W | NO POLICY NUMBER | POLICY EFF | (MM/OD/YYYY) | LIMIT | 3 | |
|-----------|---|---------|-------------------------------|---------------------------------|--------------|--|----|-----------|
| | GENERAL LIABILITY | | | | | EACH OCCURRENCE | \$ | 1,000,000 |
| A | X COMMERCIAL GENERAL LIABILITY | | CPP008266418 | 09/30/10 | 09/30/11 | PREMISES (Ea conjumpings) | \$ | 300000 |
| | CLAIMS-MADE X OCCUR | | | | | MED EXP (Any one person) | s | 150001 |
| | | | | | | PERSONAL & ADV INJURY | 2 | 1,000,000 |
| | | | | | | GENERAL AGGREGATE | s | 2,000,000 |
| ĺ | GEN'L AGGREGATE LIMIT APPLIES PER: | | | | | PRODUCTS - COMPIOP AGG | s | 2,000,000 |
| | POLICY PRO- | | | | | Emp Ben, | \$ | 1,000,000 |
| | AUTOMOBILE LIABILITY | | | | | COMBINED SINGLE LIMIT (Ea accident) | s | |
| | ANY AUTO | | | | | BODILY INJURY (Per person) | S | |
| [| ALL OWNED AUTOS | | | | | BODILY INJURY (Par accident) | S | |
| | SCHEDULED AUTOS HIRED AUTOS | | | | | PROPERTY DAMAGE (Per accident) | s | |
| | NON-OWNED AUTOB | | | | | | 5 | |
| | | | | | | | \$ | |
| \bigcap | UMBRELLA UAB OCCUR | | | | - | EACH OCCURRENCE | S | |
| | EXCESS LIAB CLAIMS-MADE | | | | | AGGREGATE | S | |
| | DEDUCTIBLE | | | | | | \$ | |
| | RETENTION \$ | | | | | | \$ | |
| | WORKERS COMPENSATION AND EMPLOYERS' LIABILITY | | | | | WC STATU- OTH- | | |
| В | ANY PROPRIETOR/PARTNER/EXECUTIVE | | 1810089492 | 09/30/10 | 09/30/11 | E.L. EACH ACCIDENT | 5 | 500,000 |
| | (Mendatory In NH) | N/A | | | | E.L. DISEASE - EA EMPLOYEE | 5 | 500,000 |
| | If yea, describe under DESCRIPTION OF OPERATIONS below | 1 | | | | E.L. DISEASE - POLICY LIMIT | 5 | 500,000 |
| | | | | | | | | |
| | | | | | | | | |
| DESC | CRIPTION OF OPERATIONS / LOCATIONS / VEHICLE | ES (Att | ch ACORD 101, Additional Remo | orks Schedule, If more space la | required) | | | |

| DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ABBCH ACORD 101, Additional Remorks Schedule, If more space to required)
Evidencing General Liability insurance for the Certificate Holder listed
for premises located at 540-542 Congress St, Unit 2, Portland, ME

| CERTIFICATE HOLDER | CANCELLATION | | |
|---|---|--|--|
| City of Portland 389 Congress St Portland, ME 04104 | SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED IN THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVED ACCORDANCE WITH THE POLICY PROVISIONS. AUTHORIZED REPRESENTATIVE Peter M. Williams, CIC | | |




MOUNTING PENETRATION DETAIL (CONGRESS STREET)


SCALE: 3/8"=1'-0"

TO EXISTING EIFS I DETAIL)

AAXIMUM DEPTH H SYSTEM (EIFS,

H APPROPRIATE





PATENTED COMPRESSION RING PULLS FIXTURE

AVAILABLE IN CARBON STEEL AND TYPE 304 STAINLESS STEEL; SEVERAL HEAD STYLES

SIZE RANGE: 1/4" DIA. x 5/8" TO 3/4" DIA. x 7 1/2"

FLUSH TO THE WORK SURFACE



Neokraft Signs Inc. 686 Main Street Lewiston, Maine 04240 Telephone: 207.782.9654 Facsimile: 207.782.0009 1.800.339.2258 http://www.neokraft.com

Custom Sign Fabrication

These plans are the exclusive property of Neakraft Signs, Inc. and are the result of the original work of its employees. They are submitted to Neakraft's client for the sale purpose of consideration of whether to purchase these plans or to purchase from Neakraft a sign monufactured according to these plans.

Distribution or exhibition of these plans to anyone other than employees of said client, or use of these plans to construct o sign similar to the one embodied herein, is expressly forbidden. In the event that such exhibition or construction occurs, Neokraft expects to be reimbursed \$1500 in compensation for time and effort entailed in creating these plans.

Reny's FL015097

PERMIT DRAWING

| Location: | 544 Congress Street | | |
|------------|-------------------------|----------|--|
| | Portland, ME | | |
| Drawing No | .: 1 of 2 | | |
| Drawn by: | ML | Rep.: PM | |
| Date: | 01.13.2011 | | |
| Rev.: | 01.20.2011, 01.31.2011, | | |
| | 02.22.2011 ML | | |
| Lead No.: | FL015098 | | |
| Gen Ref.: | 1708 (2004) | | |
| | | _ | |



2" BLACK TRIM CAP


CANS: 8" DEEP BLACK ALUMINUM
1/2" ARMORPLY BACKS
ATTACH TO WALL WITH
ALUMINUM SHOES

INT. WHITE LED ILLUMINATION

634.35.F.




3/8"=1'-0"



FREE ST. ELEVATION - (SHOWING WINDOW VINYL)

SCALE: 3/16"=1'-0"







Neokraft Signs Inc. 686 Main Street Lewiston, Maine 04240 Telephone: 207.782.9654 Facsimile: 207.782.0009 1.800.339.2258 http://www.neokraft.com

Custom Sign Fabrication

These plans are the exclusive property of Neokraft Signs, Inc. and are the result of the original work of its employees. They are submitted to Neokraft's client for the sole purpose of consideration of whether to purchase these plans or to purchase from Neokraft a sign manufactured occarding to these plans.

Distribution or exhibition of these plans to anyone other than employees of said client, or use of these plans to construct a sign similar to the one embodied herein, is expressly forbidden. In the event that such exhibition or construction occurs, Neokraft expects to be reimbursed \$1500 in compensation for time and effort entailed in creating these plans.

Reny's FL015097

PERMIT DRAWING

| 544 Congress Street | | |
|-------------------------|--|--|
| Portland | , ME | |
| 1 of 2 | , | |
| ML | Rep.: PM | |
| 01.13.2 | 011 | |
| 01.20.2011, 01.31.2011, | | |
| 02.22.2 | 011 ML | |
| FL01509 | 8 | |
| 1708 (2004) | | |
| | Portland 1 of 2 ML 01.13.20 01.20.20 FL01509 | |






INTERNALLY ILLUMINATED LETTERS

SCALE: 3/8"=1'-0"

3/16" ACRYLITE GREEN (#506) FACES WITH 2" BLACK TRIM CAP

8" DEEP ALUMINUM RETURNS PAINTED BLACK, WITH $\frac{1}{2}$ " ARMORPLY BACKS, ATTACHED TO WALL WITH ALUMINUM SHOES; INTERNAL WHITE LED ILLUM.







Neokraft Signs Inc. 686 Main Street Lewiston, Maine 04240 Telephone: 207.782.9654 Facsimile: 207.782.0009 1.800.339.2258 http://www.neokraft.com

Custom Sign Fabrication

These plans are the exclusive property of Neokroft Signs, Inc. ond ore the result of the original work of its employees. They are submitted to Neokroft's client for the sole purpose of consideration of whether to purchase these plans at to purchase from Neokroft a sign monufactured occording to these plans.

Distribution or exhibition of these plans to anyone other than employees of soid client, or use of these plans to construct a sign similar to the one embodied herein, is expressly forbidden. In the event that such exhibition or construction occurs, Neokraft expects to be reimbursed \$1500 in compensation for time and effort entailed in creating these plans

Reny's FL015097

PERMIT DRAWING

| Location: | 544 Congress Street | | | |
|-----------------------|-------------------------|----------|--|--|
| | Portland, ME | | | |
| Drawing No | .: 2 of 2 | | | |
| Drawn by: | ML | Rep.: PM | | |
| Date: | 01.13.2011 | | | |
| Rev.: | 01.20.2011, 01.31.2011, | | | |
| | 02.22.2 | 011 ML | | |
| Lead No.: | FL0150 | FL015098 | | |
| Gen Ref.: 1708 (2004) | | 004) | | |