F1
Hollow Metal

F2
Hollow Metal

F3
Hollow Metal

F4
Hollow Metal

3 / A3.1 FRAMES TYPES
SCALE: 1/4" = 1'-0"

A **B** **C** **D** **E**

F **G** **H**

4 / A3.1 DOOR TYPES
SCALE: 1/4" = 1'-0"

5 / A3.1 INTERIOR WINDOW TYPES
SCALE: 1/4" = 1'-0"

DOOR No.	LOCATION From	LOCATION To	DOOR Size	DOOR Type	DOOR Material	DOOR Finish	FRAME Type	FRAME Material	SIDELITE Size	SIDELITE Material	HARDWARE Group	HARDWARE Function	COMMENTS
LOWER LEVEL DOORS													
001	VESTIBULE 008	NEW STAIR 001	3'-0" X 7'-0"	E	HM	PTD	F4	HM	3'-0"	HM		PASSAGE SET	
002	CLASSROOM 007	VESTIBULE 008	3'-0" X 7'-0"	E	HM	PTD	F4*	HM	3'-0"	HM		EXIT DEVICE	*REVERSE FRAME
003	VESTIBULE 008	PERF./ RECORDING 004	3'-0" X 7'-0"	E	HM	PTD	F4	HM	3'-0"	HM		CLASSROOM LOCKSET	
004	STORAGE 007A	CLASSROOM 007	3'-0" X 7'-0"	A	HM	PTD	F1	HM	NA	NA		STOREROOM LOCKSET	
005	ELEVATOR LOBBY 014	REC. CONTROL RM. 003	3'-0" X 7'-0"	E	HM	PTD	F4	HM	2'-0"	HM		CLASSROOM LOCKSET	
006	ISO BOOTH	REC. CONTROL RM. 003	3'-0" X 7'-0"	H	HM	PTD	F1	HM	NA	NA		PASSAGE SET	
007	PERF. / RECORDING 004	STORAGE 004A	3'-0" X 7'-0"	A	HM	PTD	F1	HM	NA	NA		STOREROOM LOCKSET	
008	SPRINKLER 006	UNUSED 005	3'-0" X 7'-0"	A	HM	PTD	F1	HM	NA	NA		STOREROOM LOCKSET	
009	PRACTICE 012	HALLWAY 013	3'-0" X 7'-0"	B	HM	PTD	F1	HM	NA	NA		CLASSROOM LOCKSET	
010	PRACTICE 011	HALLWAY 013	3'-0" X 7'-0"	B	HM	PTD	F1	HM	NA	NA		CLASSROOM LOCKSET	
011	PRACTICE 010	HALLWAY 013	3'-0" X 7'-0"	B	HM	PTD	F1	HM	NA	NA		CLASSROOM LOCKSET	
012	COMPUTER LAB 009	HALLWAY 013	3'-0" X 7'-0"	E	HM	PTD	F4	HM	NA	NA		CLASSROOM LOCKSET	
013	STORAGE 001A	NEW STAIR 001	3'-0" X 7'-0"	A	HM	PTD	F1	HM	NA	NA		STOREROOM LOCKSET	
014	HALLWAY 015	FUTURE PHOTO DEPT. 017	3'-0" X 7'-0"	A	HM	PTD	F1	HM	NA	NA		STOREROOM LOCKSET	
015	HALLWAY 013	EXIST. STAIR #1	3'-0" X 7'-0"	F	HM	PTD	F1	HM	NA	NA		FIRE RATED EXIT DEVICE	
016	HALLWAY 015	RESTROOM 023	3'-0" X 7'-0"	A	HM	PTD	F1	HM	NA	NA		PUSH - PULL SET	
017	HALLWAY 015	UTILITY 022	3'-0" X 7'-0"	A	HM	PTD	F1	HM	NA	NA		STOREROOM LOCKSET	
018	HALLWAY 016	EXIST. STORAGE 018	6'-0" X 7'-0"	G	HM	PTD	F2	HM	NA	NA		STOREROOM LOCKSET	
019	HALLWAY 016	EXIST. STORAGE 018	6'-0" X 7'-0"	G	HM	PTD	F2	HM	NA	NA		STOREROOM LOCKSET	
020	HALLWAY 016	EXIST. STAIR #2	3'-0" X 7'-0"	F	HM	PTD	F1	HM	NA	NA		FIRE RATED EXIT DEVICE	
021	PHOTO STUDIO 024	ELEVATOR LOBBY 014	6'-0" X 7'-0"	G	HM	PTD	F2	HM	NA	NA		CLASSROOM LOCKSET	PROVIDE VISON LITES
022	FIRE ALARM 031	ELEVATOR LOBBY 014	3'-0" X 7'-0"	A	HM	PTD	F1	HM	NA	NA		STOREROOM LOCKSET	
023	CREWE GALLERY 025	ELEVATOR LOBBY 014	6'-0" X 7'-0"	D	SCWD	Clear	F2	HM	NA	NA		FIRE RATED EXIT DEVICE	
024	CREWE GALLERY 025	EXIST. STAIR #3	6'-0" X 7'-0"	D	SCWD	Clear	F3	HM	1'-8"			FIRE RATED EXIT DEVICE	
025	CREWE GALLERY 025	UNUSED 028	3'-0" X 7'-0"	A	HM	PTD	F1	HM	NA	NA		STOREROOM LOCKSET	
026	PUMP RM 030	CREWE GALLERY 025	3'-0" X 7'-0"	A	HM	PTD	F1	HM	NA	NA		STOREROOM LOCKSET	
027	GALLERY LOBBY 002	UNUSED 005	3'-0" X 7'-0"	A	HM	PTD	F1	HM	NA	NA		STOREROOM LOCKSET	
028	CREWE GALLERY 025	GALLERY STORAGE 026	3'-6" X 7'-0"	A	HM	PTD	F1	HM	NA	NA		STOREROOM LOCKSET	
FIRST FLOOR DOORS													
101	NEW STAIR 001	MAIN LOBBY	6'-0" X 7'-5"	C	GL	NA	SEE DET	STL	NA	NA		PUSH - PULL SET	

2 / A3.1 DOOR SCHEDULE
NO SCALE

NOTE:
PROVIDE DOOR CLOSERS FOR ALL EGRESS DOORS AND DOORS TO/FROM HALLWAYS, LOBBIES, AND VESTIBULES.

RR|A
Richard Renner|Architects
133 South Main Street
Sebago Lake, ME 04070
508.651.2385
508.651.0911 fax
35 Pleasant Street
Portland, ME 04101
207.773.9699
207.773.9599 fax

LICENSED ARCHITECT CHARLES A. YOUNG 4118 STATE OF MAINE

Reviewed for Code Compliance Inspections Division Portland, Maine
Date: 10/03/14

PERMIT SUBMITTAL
AUGUST 07, 2014

MAINE COLLEGE OF ART
Lower Level Renovations

PHASE I

522 Congress Street
Portland, Maine

Door and Finish Schedules, Door and Frame types

Drawn by: CNY **File Name:**
Scale: AS SHOWN **Project No.** 2014-01.00
Date: 08.07.14 **Revised:**

MECA
LOWER LEVEL
Renovations

A3.1