



In these two classrooms
Let's assume we can hang an acoustic ceiling or GW ceiling at 11'

Plaster Ceiling
CH 1/4"-5 1/4"

Soffits 9'-8 1/2" Hts

Open to floors above

1 THIRD FLOOR PHASE ONE LIGHTING PLAN
SCALE: 3/16" = 1'-0"

TYPE	SYMBOL	DESCRIPTION
AP	—•—	SUSPENDED DIRECT/INDIRECT FLUORESCENT (OFFICES)
BP	—•—	SUSPENDED DIRECT/INDIRECT FLUORESCENT (FIRST FLOOR) OPEN CEILING
CP	—•—	SUSPENDED DIRECT/INDIRECT FLUORESCENT (CLASSROOMS)
DP4	—•—	SUSPENDED DIRECT/INDIRECT FLUORESCENT (2ND FLOOR)
DP8	—•—	SUSPENDED DIRECT/INDIRECT FLUORESCENT (2ND FLOOR) W/ASHER, HEIGHT = 9'
EP4	—•—	4' SUSPENDED FLUORESCENT WALL W/ASHER, HEIGHT = 9'
EP8	—•—	8' SUSPENDED FLUORESCENT WALL W/ASHER, HEIGHT = 9'
EP12	—•—	12' SUSPENDED FLUORESCENT WALL W/ASHER, HEIGHT = 9'
FR2	—•—	2' RECESSED FLUORESCENT WALL W/ASHER
FR4	—•—	4' RECESSED FLUORESCENT WALL W/ASHER
HS	—•—	STAIRWELL FLUORESCENT INDIRECT
IS	—•—	FLUORESCENT UNDERCABINET INDIRECT
JS	—•—	SURFACE MOUNTED FLUORESCENT DIRECT/INDIRECT
KW	—•—	FLUORESCENT WALL BRACKET FOR GLASS
LW	—•—	FLUORESCENT WALL BRACKET
NT	—•—	TRACK HEAD
EX4 EX8	—•—	REUSED FLUORESCENT UTILITY FIXTURE