

510-516 CONGRESS STREET
1911-1947



GENERAL BUSINESS ZONE

PERMIT ISSUED

Permit No. 0554

MAY 18 1933

APPLICATION FOR PERMIT TO ERECT SIGN
OVER PUBLIC SIDEWALK OR STREET

Portland, Maine, May 15, 1933.

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to erect the following described sign extending over a public sidewalk or street in accordance with the Building Code of the City of Portland, and the following specifications:

Location 510 Congress St. Ward 4 Within Fire Limits? Yes Dist. No. 1

Owner of building to which sign is to be attached Fred N. Dow

Name and address of owner of sign Davis & Cartland Co., 510 Congress St.

Contractor's name and address The Kimball System of Portland, 51 Cross Telephone R-1514

When does contractor's bond expire? Jan. 7, 1934

Information Concerning Building

No. stories _____ Material of wall to which sign is to be attached Brick and stone

Details of Sign and Connections

Electric? Yes Vertical dimension after erection 33" Horizontal _____

Weight 100 lbs., Will there be any hollow spaces? yes Any rigid frame? yes

Material of frame 2 x 4 angle iron No. advertising faces 2 material galv. metal

No. rigid connections 2 Are they fastened directly to frame of sign? yes

No. through bolts none Size --- Location, top or bottom ---

No. guys 2 material galv. cable Size 3/16"

Minimum clear height above sidewalk or street 15'

Maximum projection into street 5'6"

CERTIFICATE OF OCCUPANCY
OR CLOSING-IN IS WAIVED.

Signature of contractor

The Kimball System Fee \$ _____
H. F. Colburn

APPLICANT'S COPY

Oliver T. Sanborn
CHIEF OF FIRE DEPT.

Ward 4 Permit No. 33/551
Loc 510 Congress St.
Owner Davis + Castland Co
Date of permit 5/16/33.
Sign tractor
Final Inspn. 6/2/33

6/2/33
6/2/33
6/2/33

OVER PUBLIC SIDEWALK OR STREET
PERMITS FOR PERMIT TO ERECT SIGN

Permit to erect sign

to be erected on the sidewalk or street

Detail of Sign and Connection
to be erected on the sidewalk or street

to be erected on the sidewalk or street

to be erected on the sidewalk or street

Ward 4 Permit No. 31/433
Location 516 Congress St.
Owner Foster Dairy Co.
Date of permit 4/11/31
Notif. closing-in _____
Inspn. closing-in _____
Final Notif. _____
Final Inspn. 5/1/31
Cert. of Occupancy issued None

NOTES

~~4/23/31 - Landing extends
only about 3' beyond
side of road on East side
of lot 6 - on other side
Saddenless side of lot
channels - 1/2 thick - ag?~~

#3031A-1

Copy to Col. Fred N. Dow-12 Monument Square

September 17, 1939

The Portland Company
53 Fore Street
Portland, Maine

Attention: Mr. Milton I. Libby

Gentlemen:

Enclosed is the building permit covering erection of
fire escape for Col. Fred N. Dow at the rear of 514 Congress Street.

Please refer to Section 503 of the Building Code which
specifies the type of construction permitted in standard fire
escapes. Apparently, some of the details on your plan do not
comply with this section. For instance, in some cases the
balconies or landings are not shown to extend at least nine
inches beyond windows intended for exits.

Please see to it that the building Code is complied
with in all particulars.

Very truly yours,

Inspector of Buildings.

WM/HC
Enc.



APPLICATION FOR PERMIT

Class of Building or Type of Structure Second Class

Portland, Maine, September 13, 1930

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to erect alter install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 614 Congress Street Ward 4 Within Fire Limits? yes Dist. No. 1

Owner's or Lessee's name and address Fred H. Dow, 12 Monument Sq., Telephone P 1770

Contractor's name and address The Portland Co., 68 Fore St., Telephone P 1770

Architect's name and address Murray Mfg. Co., North Berwick Main.

Proposed use of building Office purposes No. families

Other buildings on same lot

Description of Present Building to be Altered

Material brick No. stories 4 Heat Style of roof Roofing

Last use Office Building No. families

General Description of New Work

To erect metal fire escape from top floor to ground on rear of building
as per plan submitted

Details of New Work

Size, front depth No. stories Height average grade to highest point of roof

To be erected on solid or filled land? earth or rock?

Material of foundation Thickness, top bottom

Material of underpinning Height Thickness

Kind of roof Roof covering

No. of chimneys Material of chimneys of lining

Kind of heat Type of fuel Distance, heater to chimney

If oil burner, name and model

Capacity and location of oil tanks

Is gas fitting involved? Size of service

Corner posts Sills Girt or ledger board? Size

Material columns under girders Size Max. on centers

Studs (outside walls and carrying partitions) 2x4-16" O.C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.

Joists and rafters: 1st floor , 2nd , 3rd , roof

On centers: 1st floor , 2nd , 3rd , roof

Maximum span: 1st floor , 2nd , 3rd , roof

If one story building with masonry walls, thickness of walls? height?

If a Garage

No. cars now accommodated on same lot , to be accommodated

Total number commercial cars to be accommodated

Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?

Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no

Plans filed as part of this application? yes No. sheets 2

Estimated cost \$ 500. Fee \$.75

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? Yes

Signature of owner Fred H. Dow
By The Portland Co.

INSPECTION CONVEYED

Oliver T. Sanborn

CHIEF OF FIRE DEPT.

Milton J. Leary

2038

Permit No.

SEP 17 1930

20317

4 Permit No. 30/2038

Location 514 Congress St.

Owner Fred W. Howe

Date of permit 9/17/30

Notif. closing-in

Inspn. closing-in

Final Notif.

Final Inspn.

Cert. of Occupancy issued

NOTES

10/17/30 Fire escape
erected A.G.

~~REVISION FOR PERMIT~~

REVISION FOR PERMIT

REVISION FOR PERMIT

REVISION FOR PERMIT

Alterations to Store Front of Foster Airy Co.

8/22/30

Cellar Stairway:-

- Yes 1. Can it be open as planned?
- 2. Is it more than 6' wide in clear?
- ? 3. Is there to be a handrail on both sides?
- X 4. How about closet underneath?

Sidewalk Work:-

- 1. Will Commissioner of Public Works' approval be necessary?

Fire Proofing of Steel:-

- 1. What material and method is to be used.

Toilet Compartment:-


- 1. Vent thru roof of 56" sq in. required.

Structural

33" @ 21" # I beam on 34' span good for

$\frac{I}{C} =$

$$A = 42550$$



$$(29 \times 34 - 26 \times 12) / 120 = 80880$$

$$\frac{80880}{34} = 2380 \text{ lb per ft}$$

$$(A) \frac{26 \times 17 \times 260}{2} = 42500$$

$$R_1 = \frac{20}{34} \times 42500 + 17 \times 2380 = 25000 + 40460 = 65460$$

$$M = (65460 \times 14 - 14 \times 2380 \times 7) / 12 = (683200) / 12$$

$$= 56933.33 \text{ ft-lb}$$

Alt. to first stone Frosting - Qery

(2)

X 10" L @ 23.5" on 12' span gold for 24,600
 12 x 16.5 x 135 = 26,730

OK. 18" SJ 124 joints on 19' span - 17" oc.
 gold for 19 x 21 = 4028

19 x 1.42 x 135 = 3642

214
 14
 856
 214
 2996

OK. 10" SJ 102 joints on 14' span - 17" oc.
 gold for 14 x 214 = 2996

14 x 1.42 x 135 = 2584

1142
 14
 166
 142
 1988
 125
 9940
 5964
 1988
 50780

Permit not to include sidewalk
 Lab.

2" fireproofing on 33" I beam.

August 23, 1930

Messrs. John Calvin and John Howard Stevens,
Chapman Building,
Portland, Me.

Gentlemen:

We are sending today to Goggins and Clark the building permit covering general construction work in connection with the alterations in the building occupied by Foster-Ivory Co. at 516 Congress St. The following matters are called to your attention therewith:

The new stairs to the basement, since it is proposed to be more than 3'-6" in width, is required to have a handrail on both sides. It is understood that this basement is not to be used for the present for the public, and that, if it is to be so used in the future, additional means of egress will be provided.

The change in construction of a part of the sidewalk is not included in this permit as jurisdiction over that part of the work lies in the Public Works Department. You should take up the matters of license to do it and the design with the Commissioner of Public Works.

It is understood from the contractor that fitted tile fireproofing is to be used upon the large girder beam. This is satisfactory but attention is called to the fact that the thickness of this fireproofing is required to be 1" on top and 2" elsewhere on account of its depth. The columns supporting this beam call for 1 1/2" on edges of flanges and 3" elsewhere.

No vents for the new toilet rooms are shown on the plans or mentioned in the specifications. Since these rooms are to have no outside windows in them, each room requires a vent shaft at least 56 square inches in cross-section. These shafts should extend through the roof and discharge not to be offensive to any windows or other openings in the same or other building.

A copy of this letter is being sent to the contractor.

Very truly yours,

*Permit
Given 8/24/30
[Signature]*

*A.J.S.
No closed frontage
shown under
stairs as I see it. I
think toilet room
the stairs will
keep to middle
is permitted
[Signature]*



APPLICATION FOR PERMIT

Class of Building or Type of Structure Second Class

Portland, Maine, Aug 20, 1930

Permit No. _____

1860
AUG 28 1930
B.G. 87-1/30

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to erect alter install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 516 Congress Street Ward 4 Within Fire Limits? yes Dist. No. 1

Owner's or Lessee's name and address Foster-Avery Co., 516 Congress St. Telephone _____

Contractor's name and address Googins & Clark, 46 Portland St. Telephone 841-4

Architect's name and address J. C. & J. E. Strydom

Proposed use of building Store No. families _____

Other buildings on same lot _____

Description of Present Building to be Altered

Material brick No. stories 2 Heat _____ Style of roof _____ Roofing _____

Last use store No. families _____

General Description of New Work

To ~~make~~ make alterations to store front as per plans and specifications submitted
Preliminary permit to do tearing out and demolishing only issued August 25, 1930.

Details of New Work

Size, front _____ depth _____ No. stories _____ Height average grade to highest point c roof _____

To be erected on solid or filled land? _____ earth or rock? _____

Material of foundation _____ Thickness, top _____ bottom _____

Material of underpinning _____ Height _____ Thickness _____

Kind of roof _____ Roof covering _____

No. of chimneys _____ Material of chimneys _____ of lining _____

Kind of heat _____ Type of fuel _____ Distance, heater to chimney _____

If oil burner, name and model _____

Capacity and location of oil tanks _____

Is gas fitting involved? _____ Size of service _____

Corner posts _____ Sills _____ Girt or ledger board? _____ Size _____

Material columns under girders _____ Size _____ Max. on centers _____

Studs (outside walls and carrying partitions) 2x4-16" O.C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.

Joists and rafters: 1st floor _____, 2nd _____, 3rd _____, roof _____

On centers: 1st floor _____, 2nd _____, 3rd _____, roof _____

Maximum span: 1st floor _____, 2nd _____, 3rd _____, roof _____

If one story building with masonry walls, thickness of walls? _____ height? _____

If a Garage

No. cars now accommodated on same lot _____, to be accommodated _____

Total number commercial cars to be accommodated _____

Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? _____

Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no

Plans filed as part of this application? yes No. sheets 56

Estimated cost \$5000. Fee \$3.75

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Foster-Avery Co.
By Googins & Clark

Signature of owner

By F. T. Googins

INSPECTION COPY

2789A

Ward 4 Permit No P 30/1860

Location 516 Congress St.

Owner Foster - Ames Co.

Date of permit 8/28/30

Notif. closing-in

asp sing-in

Final Notif.

Final Inspn.

Cert. of Occupancy issued

NOTES

8/29/30 - Called Mr. John
Howard Stevens on phone
and told him closet
for storage under stairs
is not permissible - A.G.
9/1/30 - Te van on the
large beams & column
up to 10' high - A.G.
9/17/30 - Talked with John
that beams support
large side wall in room
below - Worked - A.G.
9/19/30 - completed
beams and columns - A.G.
9/26/30 - Started for
1. removed plastering
- A.G.
Finished a new
1st floor room
not ready for

plastering - A.G.
10/17/30 - Given log
given to close in. A.G.
Bad condition of ceiling
may be at smoke / 1st
A.G.
12/4/30 - Work complete
space under stairs
was not to be taken
off - A.G.

711 Chapman Building
477 Congress Street

3d/316

*File Foster
J.V.*

John Calvin Stevens. F.A.I.A.
John Howard Stevens. A.I.A.
Architects.

Portland, Maine.

August 11, 1930.

Mr. Warren McDonald,
Inspector of Buildings,
Portland, Maine.

Dear sir:

It seemed to us that we should go on record regarding the situation at Foster-Avery Store regarding fire escape.

When you called our attention to the necessity of a second means of exit, and said that it could be a fire escape if we wished, you also said it would have to meet the approval of the Chief of the Fire Department, if it were a fire escape.

We then called for the Chief by telephone, but he was out. The next day when we called he was out again, but when we said that it was desirable to know as early as possible what we had to provide, we were told that the speaker would meet us at the building.

We accordingly met him, Mr. Moulton I think, took him into the second story and showed him the conditions. I asked him if it would be permissible to go out a window at the rear on to an adjoining flat roof one story above the ground. When he learned there was no means of getting a ladder to the ground, (because owner did not control the next property) he said "No".

Then I showed him two possibilities of using windows with a swinging ladder to the ground, one at end of room where space between buildings was only about 4'0" and the other at side of room next to Congress St. at the back corner where the ladder would go down into a court about 20'0" wide.

He said that was alright, but asked why we couldn't use the fire-escape that he saw on the next wall, and we went into the old part of the shoe department and saw a window that was barred which would give access to the roof by removing the bars, and from there to the fire escape. This old fire escape had no extension ladder to reach the ground and I remarked that if we could use that fire escape we would have to induce the owner of the building to provide the extension.

Mr. Moulton said that such an arrangement would be approved. We made a joke of the fact that it would not cost Foster-Avery Co. anything for a fire escape, and after some general conversation, as Mr. Moulton started down the stairs, I said, "Then we can do it either way we wish and be alright.", and he replied "Yes, either way. E."

John Calvin Stevens. F.A.I.A.
John Howard Stevens. A.I.A.
Architects.

Portland, Maine.

711 Chapin Building
477 Congress Street.

W. McD

2

August 11, 1930.

We therefore proceeded to finish the new portion. It is now done, and if it is necessary to install a new fire escape it cannot be bolted through the wall as required without spoiling the present inside finish and causing a lot of unnecessary expense to the owner.

It seems to us that Chief Sanborn should uphold the ruling made by his deputy.

Sincerely yours,

JHS:JMC
Copy to
Mr. Whipple²

John Howard Stevens

30/1316-I

Copy to Messrs. John Calvin & John Howard Stevens
December 26, 1930

Foster-Avery Company
516 Congress Street
Portland, Maine

Gentlemen:

With reference again to the alterations in the building which you occupy at 516 Congress Street, a new fire escape has not been provided leading from this second story to the location indicated by the Chief of the Fire Department, and we cannot, therefore, close this work from our records, that portion of the building being occupied in the meantime without a certificate of occupancy as required by law.

I am at a loss to understand why you did not proceed to install the fire escape immediately after the examination of the store by Chief Sanborn and myself, and at that time a fire escape could have been installed without any rearrangement of fixtures. At the last time I visited your store, fixtures had been located across the window from which this fire escape would lead in such a manner as to make a troublesome change necessary in the fixture.

However, it is necessary for you to proceed without delay to have this fire escape installed.

Please advise upon what date you think you can have the work completed.

Very truly yours,

Inspector of Buildings.

30/1316

August 18, 1930

Messrs. John Calvin & John Howard Stevens
477 Congress Street
Portland, Maine

Gentlemen:

Replying to your letter of August 11th concerning the fire escape at the Foster-Avery Store, I am sure that everybody associated with the situation is sorry indeed for the misunderstanding that arose concerning the alternate means of egress.

However, it seems to me that, in spite of the misunderstanding that existed, it is necessary for Foster-Avery to proceed with the installation of fire escape in the location indicated by the Chief of the Fire Department.

From the standpoint of this office, the building permit was issued upon the condition that an alternate means of egress be provided which should be adequate in the opinion of the Chief of the Fire Department. It appears that Deputy Moulton had no authority to make a decision for his Chief. I agree with the Chief that the existing means of egress out through a small window and over the roof to the existing fire escape is not adequate, and I believe that the applicant for the permit must assume the responsibility for not securing the first hand opinion of the Chief, himself.

Very truly yours,

Inspector of Buildings.

RS/HC

CC-Chief of the Fire Department
Foster-Avery Co.-Attention: Mr. Whipple

33/1318-I

R-7/31/30

July 25, 1930

Messrs. John Calvin & John Howard Stevens
477 Congress Street
Portland, Maine

Gentlemen:

Referring to the alterations in the building occupied by Foster-Avery Company at 518 Congress Street, at the time of issuing the building permit it was agreed that a suitable fire escape would be provided in a location approved by the Chief of the Fire Department for an emergency means of egress from the second floor.

Upon inspection, we find that the work is nearing completion and that the time is approaching when that portion of the building will be opened to the public, but there are no apparent steps being taken to provide the fire escape.

If not already under way, these steps should be taken to provide this fire escape, as it is illegal to admit the public to this part of the building until a certificate of occupancy has been issued from this office. We are unable to issue the certificate until the fire escape is in service.

Very truly yours,

Inspector of Buildings.

WM/HC

CC-Foster-Avery Co.-Wm. H. Whipple, Treas.
The Brown Construction Co.

330,1318-I

July 25, 1930

Messrs. John Calvin & John Howard Stevens
477 Congress Street
Portland, Maine

#2238A-I

June 27, 1930

Messrs. John Calvin & John Howard Stevens
477 Congress Street
Portland, Maine

Gentlemen:

We are today issuing to the Brown Construction Company permit for alterations to the building at 516 Congress Street for The System Company according to plans and specifications received from your office.

This permit is granted with the understanding that a second method of egress from the second floor of this building is to be provided by means of an outside fire escape in a location approved by the Chief of the Fire Department.

It will be necessary to cover the installation of this fire escape under a permit separate from that under which the alterations are made.

Please be governed accordingly.

Very truly yours,

Inspector of Buildings.

AJS/HG
CC-Brown Construction Co.

30A
711 Chapin Building
477 Congress Street:

John Calvin Stevens. E.A.I.A.
John Howard Stevens. A.I.A.
Architects

Portland, Maine.

These two sheets of plans illustrate
alterations as per accompanying speci-
fications. Engineering design by
John Howard Stevens.

John Howard Stevens.

6/23
Held for information
from Mr. Stevens
as regards second
means of exit.

6/23 A.J.S.
Mr. Stevens called up
Said you would be in at
one - also that Sanborn
would have to approve any
plan for exit and he was
going to talk with him.

PO-469

6/24/30 - Mr. Stevens out
of town for day.
6/27/30 - Mr. Stevens says
fire escape will be
provided - A.J.S.



(G) GENERAL BUSINESS ZONE

APPLICATION FOR PERMIT

Class of Building or Type of Structure Second ClassPermit No. 1316Portland, Maine, June 20, 1930

JUN 27 1930

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to ~~erect~~ alter install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 516 Congress Street Ward 4 Within Fire Limits? Yes Dist. No. 1
Owner's or Lessee's name and address Foster & Avery Store, 516 Congress St. Telephone _____
Contractor's name and address Brown Construction Co., 574A Congress St. Telephone F 6430
Architect's name and address _____
Proposed use of building mercantile
Other buildings on same lot _____ No. families _____

Description of Present Building to be Altered

Material brick No. stories 2 Heat _____ Style of roof _____ Roofing _____
Last use mercantile No. families _____

General Description of New Work

To make alterations to second floor of building as per plans and specifications submitted

Details of New Work

Size, front _____ depth _____ No. stories _____ Height average grade to highest point of roof _____
To be erected on solid or filled land? _____ earth or rock? _____
Material of foundation _____ Thickness, top _____ bottom _____
Material of underpinning _____ Height _____ Thickness _____
Kind of roof _____ Roof covering _____
No. of chimneys _____ Material of chimneys _____ of lining _____
Kind of heat _____ Type of fuel _____ Distance, heater to chimney _____
If oil burner, name and model _____
Capacity and location of oil tanks _____
Is gas fitting involved? _____ Size of service _____
Corner posts _____ Sills _____ Girt or ledger board? _____ Size _____
Material columns under girders _____ Size _____ Max. on centers _____
Studs (outside walls and carrying partitions). 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.
Joists and rafters: 1st floor _____, 2nd _____, 3rd _____, roof _____
On centers: 1st floor _____, 2nd _____, 3rd _____, roof _____
Maximum span: 1st floor _____, 2nd _____, 3rd _____, roof _____
If one story building with masonry walls, thickness of walls? _____ height? _____

If a Garage

No. cars now accommodated on same lot _____, to be accommodated _____
Total number commercial cars to be accommodated _____
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? _____

Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no
Plans filed as part of this application? yes & Specif. No. sheets 2
Estimated cost \$ 1500. Fee \$ 3.75
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? Yes

INSPECTION COPY

Signature of owner

By Brown Construction Co.Ed L. Brown

Ward 4 Permit No. 34/3/6 PS

Location 516 Congress St

Owner Foster Greer Co

Date of permit 6/27/30

Notif. closing-in

Inspr. closing-in

Final Notif.

Final Insp.

Cert. of Occupancy issued

NOTES

6/27/30 - Told Mr. Stevens over phone that it would be necessary to support floor timbers on a shelf angle or a nailing strip bolted to the web of the I beam rather than on the bottom flange of the beam. A.G.

7/2/30 - Still bell in place new floor.

7/15/30 - Steel ceiling on new windows in O.P.

7/24/30 - Work completed.

Get ready to remove.

in about fire escape - A.G.

7/25/30 - Letter to Stevens, Whipple & contractor concerning fire escape.

8/2/30 - Examined with chief Sanborn who refused to accept existing fire escape as means of egress. It was agreed that fire escape would be placed outside wall of new depart-ment leading down to driveway. mnd

9/12/30 - No fire escape yet.

9/19/30 - Permit for fire escape has been issued. A.G.

11/26/30 - Letter to F. A. & copy to architect - mnd

1/28/31 - J. H. Stevens says F. A. are getting prices on fire escape. - mnd



(C) GENERAL BUSINESS ZONE

APPLICATION FOR PERMIT

Class of Building or Type of Structure Second Class

Portland, Maine, May 7, 1929

PERMIT ISSUED

MAY 7 1929

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to erect alter install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 510 Congress Street Ward 4 Within Fire Limits? Yes Dist. No. 1
Owner's or Lessee's name and address Cropley & Anderson 510 Congress St. Telephone _____
Contractor's name and address Brown & Berry, Inc. 22 Monument Sq. Telephone 4395
Architect's name and address _____
Proposed use of building Mercantile No. families _____
Other buildings on same lot _____

Description of Present Building to be Altered

Material brick No. stories 4 Heat _____ Style of roof _____ Roofing _____
Last use Mercantile No. families _____

General Description of New Work

To put in temporary crossway partition 15' long and 9'6" high

REINFORCEMENT ENTIRE LATHING
IN CLOSING IS WAIVED.
CERTIFICATE OF OCCUPANCY
REQUIREMENT IS WAIVED.

Details of New Work

Size, front _____ depth _____ No. stories _____ Height average grade to highest point of roof _____
To be erected on solid or filled land? _____ earth or rock? _____
Material of foundation _____ Thickness, top _____ bottom _____
Material of underpinning _____ Height _____ Thickness _____
Kind of roof _____ Roof covering _____
No. of chimneys _____ Material of chimneys _____ of lining _____
Kind of heat _____ Type of fuel _____ Distance, heater to chimney _____
If oil burner, name and model _____
Capacity and location of oil tanks _____
Is gas fitting involved? _____ Size of service _____
Corner posts _____ Sills _____ Girt or ledger board? _____ Size _____
Material columns under girders _____ Size _____ Max. on centers _____
Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.
Joists and rafters: 1st floor _____, 2nd _____, 3rd _____, roof _____
On centers: 1st floor _____, 2nd _____, 3rd _____, roof _____
Maximum span: 1st floor _____, 2nd _____, 3rd _____, roof _____
If one story building with masonry walls, thickness of walls? _____ height? _____

If a Garage

No. cars now accommodated on same lot _____, to be accommodated _____
Total number commercial cars to be accommodated _____
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? _____

Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no
Plans filed as part of this application? no No. sheets _____
Estimated cost \$ 50 Fee \$ 50
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

INSPECTION COPY

Signature of owner

Cropley & Anderson
By Brown & Berry, Inc.

by E. L. Soule

9148

✓ Ward 4 Permit No. 29/735

Location 510 Congress St.

Owner Copley & Anderson

Date of permit 5/7/29

Notif. closing-in _____


Inspn. closing-in _____

Final Notif. _____


Final Inspn. _____

Cert. of Occupancy issued _____

NOTES



Rodgers & Sons Corp.



(G) GENERAL BUSINESS ZONE



APPLICATION FOR PERMIT

Class of Building or Type of Structure Filling Station

Permit No. 730

MAY 10 1929

Portland, Maine April 23, 1929

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to ~~erect~~ install the following ~~building structure~~ equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 85 Free Street (510-516 Congress St.) Ward 4 Within Fire Limits? Yes Dist. No. 1

Owner's ~~or lessor's~~ name and address Dodge Taxicab Corp. 751 Free Telephone _____

Contractor's name and address Mexican Petroleum Corp. Kelsey St. So. Port. Telephone 7 6933

Architect's name and address _____

Proposed use of building _____ No. families _____

Other buildings on same lot _____

Description of Present Building to be Altered

Material _____ No. stories _____ Heat _____ Style of roof _____ Roofing _____

Last use _____ No. families _____

General Description of New Work

To install one 1000 gallon tank and one 500 gallon tank and 2 5 gallon pumps.

Tanks to be buried underground. Public Use. New Additional installation

Details of New Work

Storage applied for

Size, front _____ depth _____ No. stories _____ Height average grade to highest point of roof _____

To be erected on solid or filled land? _____ earth or rock? _____

Material of foundation _____ Thickness, top _____ bottom _____

Material of underpinning _____ Height _____ Thickness _____

Kind of roof _____ Roof covering _____

No. of chimneys _____ Material of chimneys _____ of lining _____

Kind of heat _____ Type of fuel _____ Distance, heater to chimney _____

If oil burner, name and model _____

Capacity and location of oil tanks _____

Is gas fitting involved? _____ Size of service _____

Corner posts _____ Sills _____ Girt or ledger board? _____ Size _____

Material columns under girders _____ Size _____ Max. on centers _____

Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.

Joists and rafters: 1st floor _____, 2nd _____, 3rd _____, roof _____

On centers: 1st floor _____, 2nd _____, 3rd _____, roof _____

Maximum span: 1st floor _____, 2nd _____, 3rd _____, roof _____

If one story building with masonry walls, thickness of walls? _____ height? _____

If a Garage

No. cars now accommodated on same lot _____, to be accommodated _____

Total number commercial cars to be accommodated _____

Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? _____

Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no

Plans filed as part of this application? yes No. sheets 1

Estimated cost \$ 500. Fee \$.15

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? Yes

Dodge Taxicab Corp.

By Mexican Petroleum Corp.

Signature of owner

By A. Lopez Matias

INSPECTION COPY

Alvin B. Sanborn

CHIEF OF FIRE DEPT.

9667

Ward 4 Permit No. 29/780

Location 85 Ave St.

O Checker Cab Co

Date of permit 5/10/29

Notif. closing-in


up sing-in

Final Notif.

Final Inspn.

Cert. of Occupancy issued

NOTES





APPLICATION FOR PERMIT

Class of Building or Type of Structure Second Class

Portland, Maine, February 6, 1929

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to erect alter install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 81 Free Street (514-516 Congress St.) Ward 4 Within Fire Limits? Yes Dist. No. 1
Owner's or Lessee's name and address El'sha Seama, 251 Oxford St. Telephone F 9542 M
Contractor's name and address Owner Telephone _____
Architect's name and address _____
Proposed use of building _____ No. families _____
Other buildings on same lot _____

Description of Present Building to be Altered

Material brick No. stories 2 1/2 Heat _____ Style of roof _____
Last use Lodging No. families _____

General Description of New Work

To demolish building

Details of New Work

Size, front _____ depth _____ No. stories _____ Height average grade to highest point of roof _____
To be erected on solid or filled land? _____ earth or rock? _____
Material of foundation: _____ Thickness, top _____ bottom _____
Material of underpinning _____ Height _____ Thickness _____
Kind of roof _____ Roof covering _____
No. of chimneys _____ Material of chimneys _____ of lining _____
Kind of heat _____ Type of fuel _____ Distance, heater to chimney _____
If oil burner, name and model _____
Capacity and location of oil tanks _____
Is gas fitting involved? _____ Size of service _____
Corner posts _____ Sills _____ Girt or ledger board? _____ Size _____
Material columns under girders _____ Size _____ Max. on centers _____
Studs (outside walls and carrying partitions) 2x4-16" O.C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.
Joists and rafters: 1st floor _____, 2nd _____, 3rd _____, roof _____
On centers: 1st floor _____, 2nd _____, 3rd _____, roof _____
Maximum span: 1st floor _____, 2nd _____, 3rd _____, roof _____
If one story building with masonry walls, thickness of walls? _____ height? _____

If a Garage

No. cars now accommodated on same lot _____, to be accommodated _____
Total number commercial cars to be accommodated _____
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? _____

Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no
Plans filed as part of this application? no No. sheets _____
Estimated cost \$ _____ Fee \$ 1.00
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? Yes


INSPECTION COPY

Signature of owner E. Seama

8495

Ward 47 Permit No. 29/104
Location 81 Free St.
Owner Elisha Seaman
Date of permit 2/6/29
Notif. closing-in _____
Inspn. closing-in _____
Fin. & Notif. _____
Fin. Insp. 4/10/29 W.D.
Cert. of Occupancy issued _____

NOTES





Location, ownership and detail must be correct, complete and legible. Separate application required for every building. Plans must be filed with this application.

Application for Permit to Build

(1st and 2nd CLASS BUILDING)

TO THE

INSPECTOR OF BUILDINGS

Portland, Me., December 8, 1923 19

The undersigned hereby applies for a permit to build, according to the following Specification:—

Plans must be submitted in duplicate, one set to be filed with the Department and the duplicate set thereof (bearing the approval of the Inspector of Buildings) shall be kept on the work and exhibited on demand to any Building Inspector of the City of Portland

Location, No. 81 Free Street (514-516 Congress St.) Wd. 4
Name of owner is? Philip H. Loveitt Address, 116 Winter Street
Name of mechanic is? Charles Bradley So Portland, Maine
Name of architect is? _____
Material of building? brick
Building to be occupied for? office 1st or 2d class? _____
How many families? _____ No. of stories? _____
How near the line of the street? _____
Will the building be erected on solid or filled land? solid If in block, how many? _____
Size of lot, No. of feet front? _____; feet rear? _____; feet deep? _____
Size of building, No. of feet front? 10ft No. of feet rear? 10ft No. of feet deep? 12ft
No. of stories in height, above basement? 1 No. of feet in height from sidewalk to highest point of roof? 12ft
Material of foundation? cement If concrete, submit specifications.
Will foundation be laid on earth, rock or piles? _____
Length of piles? _____ Wood or concrete piles? _____
Number of rows? _____
Distance on centres? _____
Diameter top? _____ Bottom? _____
Capped with stone or concrete? _____
Piles cut off at what grade? _____
External walls, } thickness { 12in 1st. 2d. 3d. 4th. 5th. 6th. 7th. 8th. 9th.
Party walls, } 1st. 2d. 3d. 4th. 5th. 6th. 7th. 8th. 9th.
Are the walls solid or vaulted? solid Material? _____
What will be the materials of front? _____ Material of roofing? tar & gravel
Will the roof be flat, pitch, mansard or hip? flat
What will be the material of cornice? iron
What will be means of access to roof? _____
Are there any hoistways or elevators? _____ How protected? _____
How is building heated? stove Thickness of shell of flue? _____
Fire stops provided? yes Method of fire stops? _____
Means of extinguishing fire? _____
Stairways enclosed in brick walls? _____ Thickness of such walls? _____
Means of egress? _____

If the building is to be occupied as a Tenement House, give the following particulars:

Height of cellar? _____ Height of first story, _____ Height of basement? _____
fifth, _____ sixth, _____ seventh, _____ eighth, _____ ninth, _____ tenth, _____
Is the cellar or the basement to be occupied for habitation? _____
Distance from surrounding buildings? front, _____; side, _____; rear, _____
If there is a building already erected on the front or rear of lot, give height? _____
State how many ways of egress are to be provided, _____
Style of egress? _____ Inside stairs or outside fire escapes, or both? _____
Will the building comply with the requirements of statutes? _____
Estimated Cost, \$ 700.
Signature of owner or authorized representative, P. H. Loveitt
Address, 116 Winter Street
Plans submitted? _____ Received by? _____

PERMIT MUST BE OBTAINED BEFORE BEGINNING WORK.



Location, ownership and detail must be correct, complete and legible. Separate application required for every building. Plans must be filed with this application.

Application for Permit to Build

(1st and 2nd CLASS BUILDING)

Portland, Me., April 10, 1918 19

TO THE
INSPECTOR OF BUILDINGS:

The undersigned hereby applies for a permit to build, according to the following Specifications:—

Location, No. 81 Free Street (512-516 Congress St.) Wd. 4
Name of owner is? A. Goodside Address Fidelity Bldg.
Name of mechanic is? Gailley & Small 17 Boyd St.
Name of architect is? None (Makes his own plan)
Material of building? brick 1st or 2d class? 2d class
Building to be occupied for? public garage No. of Stores? none
How many families? none
How near the line of the street? 50 ft.
Will the building be erected on solid or filled land? solid If in block, how many?
Size of lot, No. of feet front? 100 feet rear? 100 feet deep? 100
Size of building, No. of feet front? 40 No. of feet rear? 50 No. of feet deep? 50
No. of stories in height, above basement? one No. of feet in height from sidewalk to highest point of roof? 14 ft.
Material of foundation? stone If concrete, submit specifications.
Will foundation be laid on earth, rock or piles? earth
Length of piles? Wood or concrete piles?
Number of rows?
Distance on centres?
Diameter top? Bottom?
Capped with stone or concrete?
Piles cut off at what grade? Grade of basement?
External walls, } thickness { 1st. 12" 2d. 3d. 4th. 5th. 6th. 7th. 8th. 9th.
Party walls, } 1st. 2d. 3d. 4th. 5th. 6th. 7th. 8th. 9th.
Are the walls solid or vaulted? solid Material? brick
What will be the materials of front? brick, glass and wood
Will the roof be flat, pitch, mansard or hip? flat Material of roofing. tar and gravel
What will be the material of cornice? Metal
What will be means of access to roof?
Are there any hoistways or elevators? None How protected?
How is building heated? steam Thickness of shell of flue? 6" - tile lined
Fire stops provided? Method of fire stops?
Means of extinguishing fire? Sprinkling system
Stairways enclosed in brick walls? none Thickness of such walls?
Means of egress? one large door
To be built mill construction

If the building is to be occupied as a Tenement House, give the following particulars:

Height of cellar? Height of basement?
Height of first story, second, third, fourth, fifth, sixth, seventh, eighth, ninth, tenth.
Is the cellar or the basement to be occupied for habitation?
Distance from surrounding buildings? front, side, side, rear.
If there is a building already erected on the front or rear of lot, give height?
State how many ways of egress are to be provided?
Style of egress? Inside stairs or outside fire escapes, or both?
Will the building comply with the requirements of statutes? Yes
Estimated Cost,
\$ 5,000.00

Signature of owner or authorized representative,

Address,

Gailley & Small
17 Boyd Street

Plans submitted? Received by?

Plans must be submitted in duplicate, one set to be filed with the Department and the duplicate set thereof (bearing the approval of the Inspector of Buildings) shall be kept on the work and exhibited on demand to any Building Inspector of the City of Portland

PERMIT MUST BE OBTAINED BEFORE BEGINNING WORK.



Location, ownership and detail must be correct, complete and legible. Separate application required for every building. Plans must be filed with this application.

Application for Permit to Build

(1st and 2nd CLASS BUILDING)

To THE

INSPECTOR OF BUILDINGS:

Portland, Me., December 12, 1917 19

The undersigned hereby applies for a permit to build, according to the following Specifications:—

Plans must be submitted in duplicate, one set to be filed with the Department and the duplicate set thereof (bearing the approval of the Inspector of Buildings) shall be kept on the work and exhibited on demand to any Building Inspector of the City of Portland

Location, No. 510 Congress St. Wd. 4
Name of owner is? Fred A. Day 12 Monument Square
Name of mechanic is? W. A. Reddon & Co. 60 Union St.
Name of architect is? Frederic A. Thompson Brown block
Material of building? brick 1st or 2d class? 2nd class
Building to be occupied for? offices and stores No. of Stores? three
How many families? none
How near the line of the street? street line
Will the building be erected on solid or filled land? solid If in block, how many?
Size of lot, No. of feet front? 50 feet rear? feet deep? 75
Size of building, No. of feet front? 50 No. of feet rear? No. of feet deep? 75
No. of stories in height, above basement? four; No. of feet in height from sidewalk to highest point of roof? 45 ft.
Material of foundation? stone If concrete, submit specifications.
Will foundation be laid on earth, rock or piles? earth
Length of piles? Wood or concrete piles?
Number of rows?
Distance on centres?
Diameter top? Bottom?
Capped with stone or concrete?
Piles cut off at what grade? Grade of basement?
External walls, } thickness { 1st, 16" 2d, 12" 3d, 12" 4th, 12" 5th, 6th, 7th, 8th, 9th,
Party walls, } 1st, 2d, 3d, 4th, 5th, 6th, 7th, 8th, 9th,
Are the walls solid or vaulted? solid Material? brick
What will be the materials of front? brick, glass and wood
Will the roof be flat, pitch, mansard or hip? flat Material of roofing? tar and gravel
What will be the material of cornice? metal
What will be means of access to roof? stairway
Are there any hoistways or elevators? elevator How protected? brick walls and fire doors
How is building heated? steam Thickness of shell of flue? none
Fire stops provided? Yes Method of fire stops? concrete
Means of extinguishing fire? fire extinguishers
Stairways enclosed in brick walls? No Thickness of such walls?
Means of egress? two stairways and two doors
If the building is to be occupied as a Tenement House, give the following particulars:
Height of cellar? Height of basement?
Height of first story, second, third, fourth, fifth, sixth, seventh, eighth, ninth, tenth,
Is the cellar or the basement to be occupied for habitation?
Distance from surrounding buildings? front, side, rear,
If there is building already erected on the front or rear of lot, give height?
State how many ways of egress are to be provided,
Style of egress? Inside stairs or outside fire escapes, or both?
Will the building comply with the requirements of statutes? Yes
Estimated Cost, Ventilation in toilets as per ordinance
\$20,000.00
Signature of owner or authorized representative, W. A. Reddon & Co.
Address, 80 Union St
Plans submitted? Received by?

PERMIT MUST BE OBTAINED BEFORE BEGINNING WORK.



Location, Ownership and detail must be correct, complete and legible.
Separate application required for every building.
Plans must be filed with this application.

Application for Permit for Alterations, etc.

To the
INSPECTOR OF BUILDINGS:
Portland, October 1, 1917 191

The undersigned applies for a permit to alter the following-described building:—
Location 510-512 Congress St. Ward, 4 in fire-limits: Yes
Name of Owner or Lessee, Fred M. Day Address 12 Monument Sq.
" " Contractor, Sherman Pearce & H. A. Brown " 139 Sherman St.
" " Architect, Owners " "
Description of Building: Material of Building is brick Style of Roof, flat Material of Roofing, tar & gravel
Present Size of Building is 80 feet long; 50 feet wide. No. of Stories, three
Bldg. Cellar Wall is constructed of stone is inches wide on bottom and batters to inches on top.
Underpinning is brick is inches thick; is feet in height.
Height of Building, 45 ft. Wall, if Brick; 1st, 2d, 3d, 4th, 5th
What was Building last used for? stores No. of Families? none
What will Building now be used for? stores & offices Estimated Cost, \$ 15,000.

DETAIL OF PROPOSED WORK

Tear down the present building;
To comply with the Ordinance

IF EXTENDED ON ANY SIDE

Size of Extension, No. of feet long? ; No. of feet wide? ; No. of feet high above sidewalk?
No. of Stories high? ; Style of Roof? ; Material of Roofing?
Of what material will the Extension be built Foundation?
If of Brick, what will be the thickness of External Walls? inches; and Party Walls inches.
How will the extension be occupied? How connected with Main Building?

WHEN MOVED, RAISED OR BUILT UPON

No. of Stories in height when Moved, Raised or Built upon? Proposed Foundations
No. of feet high from level of ground to highest part of Roof to be?
How many feet will the External Walls be increased in height? Party Walls

IF ANY PORTION OF THE EXTERNAL OR PARTY WALLS ARE REMOVED

Will an opening be made in the Party or External Walls? in Story.
Size of the opening? How protected?
How will the remaining portion of the wall be supported?

Signature of Owner or
Authorized Representative

Address

F. M. Day
Sherman Pearce

PERMIT MUST BE OBTAINED BEFORE BEGINNING WORK



Location, Ownership and detail must be correct, complete and legible.
Separate application required for every building.
Plans must be filed with this application.

Application for Permit for Alterations, etc.

To the Portland February 17, 1917 1917

INSPECTOR OF BUILDINGS:

The undersigned applies for a permit to alter the following-described building:—

Location 510 Congress St. Ward 4 in fire-limits? Yes

Name of Owner or Lessee, Fred W. Dow Address Evening Express

" " Contractor, F. O. Bailey Co. " 46 Exchange St.

" " Architect, _____ " _____

Descrip-
tion of
Present
Bldg.

Material of Building is wood Style of Roof, flat Material of Roofing, tar & gravel

Size of Building is 30 feet long; 8 feet wide. No. of Stories, 2

Cellar Wall is constructed of _____ is _____ inches wide on bottom and batters to _____ inches on top.

Underpinning is _____ is _____ inches thick; is _____ feet in height.

Height of Building, _____ Wall, if Brick; 1st, _____ 2d, _____ 3d, _____ 4th, _____ 5th, _____

What was Building last used for? photographer's room No. of Families? _____

Building to be occupied for: jewelry store Estimated Cost, \$ 500.00

DETAIL OF PROPOSED WORK

Sheathing inside with compo board; take out sash and glass in window

and put in plate glass

IF EXTENDED ON ANY SIDE

Size of Extension, No. of feet long? _____; No. of feet wide? _____; No. of feet high above sidewalk? _____

No. of Stories high? _____; Style of Roof? _____; Material of Roofing? _____

Of what material will the Extension be built _____ Foundation? _____

If of Brick, what will be the thickness of External Walls? _____ inches; and Party Walls _____ inches.

How will the extension be occupied? _____ How connected with Main Building? _____

WHEN MOVED, RAISED OR BUILT UPON

No. of Stories in height when Moved, Raised or Built upon? _____ Proposed Foundations? _____

No. of feet high from level of ground to highest part of Roof to be? _____

How many feet will the External Walls be increased in height? _____ Party Walls _____

IF ANY PORTION OF THE EXTERNAL OR PARTY WALLS ARE REMOVED

Will an opening be made in the Party or External Walls? _____ in _____ Story.

Size of the opening? _____ How protected? _____

How will the remaining portion of the wall be supported? _____

Signature of Owner or
Authorized Representative

Address

F. O. Bailey Co.
210 Crockett

PERMIT MUST BE OBTAINED BEFORE BEGINNING WORK

Estimated cost 45 - 75



City of Portland.

3254

May 1st 1911.

To the Inspector of Buildings of the City of Portland:

The undersigned respectfully makes application for a permit to erect enlarge a building on Longue street, at number 570 to be _____ stories high _____ feet long, _____ feet wide; also an addition to be _____ stories high, _____ feet long, _____ feet wide, and to be used as a _____

The material to be used in the erection enlargement of said building is to be as follows:

Exterior walls to be made of _____

Roof to be made of _____

Gutters to be made of _____

Cornices to be made of _____

Bay windows to be made of _____

Dormer windows to be made of _____

The builder is _____

Address _____

The architect is _____

Address _____

The owner is _____

Address _____

(Applicant to sign here) C. C. Leighton

OFFICE OF
INSPECTOR OF BUILDINGS,
FOR THE
CITY OF PORTLAND.

OFFICE HOURS:
10-11 A. M. 4-5 P. M.

The above petition was granted the 1st day of May 1911.



OFFICE HOURS
10 TO 12 M.
4 TO 5 P. M.

City of Portland.

2433

OFFICE OF INSPECTOR OF BUILDINGS

To the Inspector of Buildings of the City of Portland:

The undersigned respectfully makes application for a permit to erect/enlarge a building on.....
.....street, at number.....to be.....
.....stories high.....feet long.....
feet wide; also an addition to be.....stories high.....
feet long.....feet wide, and to be used as a.....

CELLAR WALL—To be constructed of.....to be.....inches wide on bottom and
batter to.....inches on top.

UNDERPINNING—To be.....Height of underpinning from top of cellar wall to bottom of
sill.....ft.....inches to be.....inches in thickness.

EXTERIOR WALLS—To be constructed of..... If of Brick, Stone, etc. Total length of wall
.....ft.....inches. Thickness of 1st..... 2d..... 3d..... 4th.....
5th..... 6th..... story walls. If of reinforced concrete state mix and reinforcing system
to be used.

If wood construction, sills to be.....Girders.....
Posts.....Girts.....Studs.....to be spaced.....
This building will be used for the purposes of..... (If for apartments,
tenements, or other family uses state number of families accommodated and number on each floor.
If for manufacturing or mercantile purposes state character of business and amount of estimated
weight to be carried by the floor.)
Number of families on floor.....
Total number of families.....
Manufacturing (state character).....
Estimated load on floors per sq. ft.....
Mercantile business (state character and load per sq. ft.).....

If building is used for tenement house or family use and more than one family, the following provis-
ions of the Building Laws regarding dividing partitions shall be adhered to (Quote Law re. this).

FIRESTOPS—All bearing and center partitions will have firestops cut in tight on top of each partition cap
and between each set of floor timbers. Where ledger boards are used there shall be firestops cut in
tight against bottom of ledger boards, of same size as wall studs. Also wherever the Inspector of
Buildings may consider necessary.

STAIRWAYS—No. in building.....location.....to be enclosed
with.....walls to be lathed with.....lathing.

ROOF—To be constructed of..... Rafters to be.....inches to be spaced.....
.....inches on centers. Roof to be covered with.....

Gutters to be made of.....Cornices to be made of.....
Bay windows to be made of.....to be covered with.....
Dormer Windows to be made of.....to be covered.....
Chimneys, Smoke flues to be lined with.....and provided with a 10 inch outside collar and an
inside collar to go to the inside of the flue.

Estimated Cost of Building

INSPECTION—The Inspector of Buildings is to be notified when building is ready for lathing and at least
24 hours before the lathing is begun.

The Builder is.....Address.....

The Architect is.....Address.....

The Owner is.....Address.....

No Deviation will be made from the above application without written permission from the Inspector of
Buildings.

The above petition was granted the.....day of.....1911.

(Applicant to sign here.....)

New England Cabinet Works

APPLICATION FOR PERMIT

PERMIT ISSUED

B.O.C.A. USE GROUP

B.O.C.A. TYPE OF CONSTRUCTION

SEP 13 1982

ZONING LOCATION PORTLAND, MAINE Sept. 2, 1982

CITY of PORTLAND

To the CHIEF OF BUILDING & INSPECTION SERVICES, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect, alter, repair, demolish, move or install the following building, structure, equipment or change use in accordance with the Laws of the State of Maine, the Portland B.O.C.A. Building Code and Zoning Ordinance of the City of Portland with plans and specifications, if any, submitted herewith and the following specifications:

LOCATION 510 Congress Street - 1st Floor Fire District #1 ☐ #2 ☐
 1. Owner's name and address Christopher Pachos - same Telephone
 2. Lessee's name and address Carroll Reed - same Telephone 774-3777
 3. Contractor's name and address Telephone

Proposed use of building Sportswear No. of sheets
 Last use vacant No. families
 Material Style of roof Roofing
 Other buildings on same lot
 Estimated contractual cost \$ 2,000.00...

FIELD INSPECTOR—Mr.
 @ 775-5451

Appeal Fees \$
 Base Fee
 Late Fee
 TOTAL \$ 20.00

Renovations, as per plan.

Stamp of Special Conditions

(STANDARD PERMIT TO #1)

NOTE TO APPLICANT: Separate permits are required by the installers and subcontractors of heating, plumbing, electrical and mechanicals.

DETAILS OF NEW WORK

Is any plumbing involved in this work? Is any electrical work involved in this work? .. yes
 Is connection to be made to public sewer? If not, what is proposed for sewage?
 Has septic tank notice been sent? Form notice sent?
 Height average grade to top of plate Height average grade to highest point of roof
 Size, front depth No. stories solid or filled land? earth or rock?
 Material of foundation Thickness, top bottom cellar
 Kind of roof Rise per foot Roof covering
 No. of chimneys Material of chimneys of lining Kind of heat fuel
 Framing Lumber—Kind Dressed or full size? Corner posts Sills
 Size Girder Columns under girders Size Max. on centers
 Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.
 Joists and rafters: 1st floor 2nd 3rd roof
 On centers: 1st floor 2nd 3rd roof
 Maximum span: 1st floor 2nd 3rd roof
 If one story building with masonry walls, thickness of walls? height?

IF A GARAGE

No. cars now accommodated on same lot to be accommodated number commercial cars to be accommodated
 Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?

MISCELLANEOUS

APPROVALS BY: DATE Will work require disturbing of any tree on a public street? .. no
 BUILDING INSPECTION—PLAN EXAMINER
 ZONING: Will there be in charge of the above work a person competent
 BUILDING CODE: to see that the State and City requirements pertaining thereto
 Fire Dept.: are observed? .. yes
 Health Dept.:
 Others:

Signature of Applicant Phone #
 Type Name of above John Lavery for Carroll Reed 1 ☒ 2 ☐ 3 ☐ 4 ☐
 Other
 and Address

FIELD INSPECTOR'S COPY

APPLICANT'S COPY

OFFICE FILE COPY

APPLICATION FOR PERMIT

B.O.C.A. USE GROUP

B.O.C.A. TYPE OF CONSTRUCTION

ZONING LOCATION

PORTLAND, MAINE

00532

July 3, 1982

PERMIT ISSUED

JUL 9 1982

CITY OF PORTLAND

To the CHIEF OF BUILDING & INSPECTION SERVICES, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect, alter, repair, demolish, move or install the following building, structure, equipment or change use in accordance with the Laws of the State of Maine, the Portland B.O.C.A. Building Code and Zoning Ordinance of the City of Portland with plans and specifications, if any, submitted herewith and the following specifications:

LOCATION 510 Congress Street - 2nd floor

1. Owner's name and address Chris Pachios - 562 Congress St.

2. Lessee's name and address Carroll Reed Shops Inc. - same

3. Contractor's name and address Ledgewood Inc. - P. O. Box 8107, 04104

Fire District #1 ☐ #2 ☐

Telephone 800-258-3936

Telephone 775-0741

Proposed use of building ~~contract~~

No. of sheets

Last use

No. families

Material

No. families

No. stories

Roofing

Other buildings on same lot

Estimated contractual cost \$

FIELD INSPECTOR—Mr.

@ 775-5451

Appeal Fees

\$

Base Fee

25.00

Late Fee

TOTAL

\$ 25.00

To demolish 2nd floor 20,000 square feet of area
no utilities

send permit to # 3

Stamp of Special Conditions

NOTE TO APPLICANT: Separate permits are required by the installers and subcontractors of heating, plumbing, electrical and mechanicals.

DETAILS OF NEW WORK

Is any plumbing involved in this work? Is any electrical work involved in this work?
Is connection to be made to public sewer? If not, what is proposed for sewage?
Has septic tank notice been sent? Form notice sent?
Height average grade to top of plate Height average grade to highest point of roof
Size, front depth No. stories solid or filled land? earth or rock?
Material of foundation Thickness, top bottom cellar
Kind of roof Rise per foot Roof covering
No. of chimneys Material of chimneys of lining Kind of heat fuel
Framing Lumber—Kind Dressed or full size? Corner posts Sills
Size Girder Columns under girders Size Max. on centers
Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.
Joists and rafters: 1st floor 2nd 3rd roof
On centers: 1st floor 2nd 3rd roof
Maximum span: 1st floor 2nd 3rd roof
If one story building with masonry walls, thickness of walls? height?

IF A GARAGE

No. cars now accommodated on same lot to be accommodated number commercial cars to be accommodated
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?

APPROVALS BY:

BUILDING INSPECTION—PLAN EXAMINER

ZONING:

BUILDING CODE:

Fire Dept.:

Health Dept.:

Others:

DATE

MISCELLANEOUS

Will work require disturbing of any tree on a public street?

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed?

Signature of Applicant

Type Name of above

William Barthelme for

Phone # same

1 ☐ 2 ☐ 3 ☒ 4 ☐

Other
and Address

FIELD INSPECTOR'S COPY

APPLICANT'S COPY

OFFICE FILE COPY

December 18, 1980

Christy Pachios
592 Congress St.
Portland, Me.

Re: 510 Congress Street (former W.T. Grant Store)

Sir:

The following is a list of violations discovered, at the above named address, during an inspection on December 17, 1980.

- (1) Illegal occupancy of the first floor by the Hickory Farms Store. Fire separations are not up to code and an occupancy permit has not been issued. This area must be vacated immediately.
- (2) Illegal use of mall area for retail sale of merchandise. A waiver was granted to reduce the mall width from twenty to twelve feet and therefore, no obstructions will be allowed in this mall.
- (3) Sliding door leading from mall area into the CVS Store must remain in an open position at all times the store is open to the public.
- (4) Cardboard placed on the walls in the Mall area must be removed immediately, and cardboard will not be placed on any walls within the structure.

This office has granted waivers on this project and has tried to be very cooperative in working with you on this project. However, these violations constitute a very serious situation and I cannot understand your apparent oversight in notifying us before making changes to the structure or occupancy. If these flagrant violations continue, I will not hesitate to withdraw the waiver approval and require a twenty foot mall area.

The above violations must be corrected by no later than December 22, 1981 or legal action will be taken.

Yours truly,

Walter Hilton
Chief Building Inspector

c.c. M. Schmuckal, Bldg. Insp.
c.c. Lt. James Collins, F.B.I.



COMMERCIAL & INDUSTRIAL PROPERTIES, INC.
562 CONGRESS STREET / PORTLAND, MAINE 04101 / 207 774-5541

December 10, 1980

Mr. Walter Hilton
Chief Building Inspector
City of Portland, Maine
Portland, Maine

Dear Mr. Hilton:

Regarding your letter of December 8th, 1980,
prior to Thanksgiving Day Marge Schmuckal informed
us of the necessity of an occupancy permit for the
Hickory Farms store.


I explained to her that the occupancy was for
the Christmas season only. She insisted that we
still needed a permit and asked that I make applica-
tion along with the plan of the floor space to be
occupied.

I then told her that I would write to Hickory
Farms for their plan and upon receipt of same I will
make the necessary application.

Very truly yours,

Christy H. Pachios
Christy H. Pachios

CHP/p
enc



Commercial - DIVERSIFIED REAL ESTATE SERVICE - Industrial

November 28, 1980

Mr. Donald P. Berens, President
Hickory Farms Sales Corp.
900 Jefferson Road, P.O. Box J
Rochester, N.Y. 14623

Dear Mr. Berens:

The City of Portland requires that I obtain
an occupancy permit for your temporary store in
our building at 510 Congress St.


A floor plan of your store must accompany
my application.

I will appreciate immediate compliance.

Very truly yours,

Christy H. Pachios

CHP/p



INTER-OFFICE CORRESPONDENCE

*Grant's
Dollars
Store*

CITY OF PORTLAND, MAINE
HEALTH DEPARTMENT

To: Warren McDonald, Building Inspector DATE: April 6, 1948
From: Wm. B. Bunting, Chief Inspector
Subject: Removal of toilet first floor Grant's Dollar Store

Both Doctor Foster and myself were somewhat surprised to learn that the above toilet has been removed without any authorization from this Department under general plans as authorized by your Department.

This situation makes it difficult in interpreting the Code as we understand it where it involves serving food on the premises.


Very truly yours

Wm. B. Bunting

Wm. B. Bunting
Chief Inspector

*Delivered to
with Dr. Foster
& Mr. Bunting
4/7/48*

Wm. B.





(G) GENERAL BUSINESS ZONE

APPLICATION FOR PERMIT

Class of Building or Type of Structure Heavy Timber

Portland, Maine, June 16, 1947

PERMIT ISSUED

22338
SEP 19 1947

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect ~~alter, repair, demolish~~ the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 510 Congress Street Within Fire Limits? Yes Dist. No. 1
Lessee
Owner's name and address W. T. Grant Company, 510 Congress Street Telephone
Owner
Owner's name and address First Portland National Bank, Tr., 396 Congress St. Telephone
Contractor's name and address W. T. Bishop Co., 109 State St., Boston, Mass. Telephone
Architect Frederick L. Sumner Specifications No Plans Yes No of sheets 24
Proposed use of building Store No. families
Last use Store No. families
Material Heavy Timber No. stories 3 1/2 Heat Steam Style of roof Flat Roofing Asphalt
Other buildings on same lot
Estimated cost \$ 185,000

General Description of New Work

To construct two story addition rear of existing building as per plans.

CERTIFICATE OF OCCUPANCY
REQUIREMENT IS WAIVED

Permit Issued with Letter

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor.

Details of New Work

Is any plumbing involved in this work? Is any electrical work involved in this work?
Height average grade to top of plate Height average grade to highest point of roof
Size, front depth No. stories solid or filled land? earth or rock?
Material of foundation Thickness, top bottom cellar
Material of underpinning Height Thickness
Kind of roof Rise per foot Roof covering
No. of chimneys Material of chimneys of lining Kind of heat fuel
Framing lumber—Kind Dressed or full size?
Corner posts Sills Girt or ledger board? Size
Girders Size Columns under girders Size Max. on centers
Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.
Joists and rafters: 1st floor 2nd 3rd roof
On centers: 1st floor 2nd 3rd roof
Maximum span: 1st floor 2nd 3rd roof
If one story building with masonry walls, thickness of walls? height?

If a Garage

No. cars now accommodated on same lot to be accommodated number commercial cars to be accommodated
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?

APPROVED:

Miscellaneous

Will work require disturbing of any tree on a public place?
Will there be in charge of the above work?
see that the State and City requirements are observed? Yes

Permit Issued

W. T. Grant Company

Signature of owner BY: Ralph A.

NOTION COPY

Permit No. 47-2332
 Location 10 Congress St
 Owner W. J. Grant Co
 Date of permit 9/13/47
 Notif. closing-in
 Inspn. closing-in
 Final Notif.
 Final Inspn.
 Cert. of Occupancy issued

NOTES

See attached inspection record.

5/16/49 - Letter
 to St. L. approving
 ventilation and
 fire alarm equipment
 and all equipment
 of building plant

5/4/49 - Memo
 to Corp. Counsel
 about proceedings

6/23/49 - Letter
 to Corp. Counsel
 about anti-panic

hardware has been
 ordered and will be
 applied as soon as
 it arrives
 9-2-49. Hardware not on
 file

INSPECTION NOT COMPLETED

File: BP 47/2338-I
(510 Congress Street)

Barnett I. Shur, Corporation Counsel

June 4, 1949

Warren McDonald, Insptr. of Bldgs.

Violation of the Building Code with relation to the exterior
door fastenings at W. T. Grant Store, 510 Congress Street

Having ordered the owners of the property and the W. T. Grant Company, lessees, by letter of April 8, 1949 to make good the above violation of the Building Code, as per Section 109 of the Code, and the order not having been complied with by the expiration date of May 10, 1949, this memo is application to you for the purpose of instituting proceedings to compel compliance, as per Section 116 of the Code.

We have talked this matter over several times, and you have copies of my order of April 8, of my separate explanatory letter to the owners of the same date, of a letter to me from P. A. Cunniss of the Grant Construction Department of April 13 and of my answer to him of April 23. There have been no other developments.

While you may desire to take the matter up informally direct with the Grant legal department, and this is agreeable to me, we seem to be up to a "show-down" on this proposition, and I hope and respectfully urge that we proceed with alacrity so that due to summer vacations and court recesses, etc. the matter may not hold over until fall.

Initial proceedings in Municipal Court seem hardly applicable to me, but, if that is attempted, presumably the action would have to be taken against Mr. M. J. McNaboe, Manager of the Grant Store in Portland. Mr. McNaboe had a copy of my order of April 8 but no copies of anything else from this office. If Grant's really intend to fight this case, I imagine they would like to have the initial proceedings in Municipal Court because an appeal would, I suppose, carry it over until fall, and would make us as well as the courts hesitant about starting civil proceedings concurrently.

Subject to your approval, our charge is that W. T. Grant Company, as lessees, changed the building at 510 Congress Street (frontage also at 77-83 Free Street) in such a way as to increase the capacity of the building as to probable number of persons to be accommodated, and as to increased hazard, but failed to make the building comply with the requirements of the Building Code for the total number of persons to be accommodated and for conditions of increased hazard to exist after the change (reference Section 201-d-2), in that the exterior doors on the Congress Street front and the exterior doors on the Free Street front (except one door from the stair tower which was equipped with anti-panic hardware when the building was built) were not equipped with such locks or latches, and only such, that all fastenings which would keep the door from opening will be instantly released, without special knowledge or ability, merely by turning the customary knob or by pressure on a plate or lever (reference Section 212-e-2.5). Also that the W. T. Grant Company is using, occupying

June 4, 1949

and maintaining, and, as party in control of the building, is allowing its use, occupancy and maintenance contrary to the provisions of the Building Code of Portland as to fastenings on doors required as means of egress (reference Section 102c).

In reinforcement of the first of these charges, it will be of interest to you to read the sentence of Section 102b at the top of Page 2 of the Code which commences "no building or part thereof shall be changed.....".

You will remember that we have also had similar difficulties with the Woolworth Store. That situation has been cleared up by supplying the satisfactory hardware on all of the doors, and I am told by the local manager that he was instrumental in getting it fixed promptly because he was afraid we would close the store. It is also my impression that representative of the owners of the property (George Kelley of Congress Square Hotel Company) told them that they better perform or they were likely to get the store closed. I do not think we have authority to close the store, but it worked anyway. The difference between the two situations is mainly that Woolworth's was a brand new building, while Grant's made an enlargement of their existing building. This is the strength of Mr. Cummins contention in his letter, if there is any, and makes considerable difference as to our charges.

Inspector of Buildings

WMB/G

BP 47/2338-I
(510 Congress Street)

May 16, 1949

The Fels Company
42 Union Street
Portland, Maine

Attn: Mr. Leland

Subject: Final inspection of installation of mechanical ventilation, oil burning equipment and adjustment of heating plant at W. T. Grant Store, 510 Congress Street

Gentlemen:

Our inspector reports that the above three jobs of mechanical work,—namely, installation of mechanical ventilation, adjustment of heating plant and installation of oil burning equipment have been completed in compliance with Building Code regulations, there is a discrepancy with regard to the ventilation of the machinery room of the escalator, beyond your control as installing contractor, that does not appear to be contrary to the Building Code in any way, but which we are taking up with the Grant Company's Construction Department in New York to make sure that everything is left in order and without hazard.

Very truly yours,

Inspector of Buildings

WNCB/C

Enclosure: Carbon Copy of this letter

PP 17/2336-1
(510 Congress Street)

April 23, 1949

Mr. F. A. Cawlius
Construction Department
W. T. Grant Company
1441 Broadway
New York 18, New York

Subject: Your letter of April 13 about
exterior door fastenings of Grant Store
at 510 Congress Street

Dear Mr. Cawlius:

Your addition and alterations have added about 500 to the capacity of the building in persons, and that without increasing either the number or the width of the exterior doors to Congress and Free Street. This was allowable only by figuring the total width of all of those exterior doorways as being instantly available for exit. Fastenings, which the Building Code requires, would make this total width of doorways instantly available at all times, and at the same time permit locking all of the doors against entrance from the outside. The fastenings now on the doors, when locked against persons entering the store, are also locked against people getting out—with one exception, the exit door from stair tower 2 to Free Street.

Persons above the first story and in the basement are subject to much more hazard than persons in the first story. All of the increased capacity of your store is in the second story and basement. One safety authority predicts that our next great catastrophe is likely to occur in a department store basement.

Thus you have greatly increased the capacity of your store without increasing the number or width of exterior exits and have also increased the hazard. The Building Code provides, in the case of additions and alterations, that the requirements applying to such an increased number of persons and such increased hazard shall be complied with, and, further, that no building or part thereof shall be changed to increase the number of occupants in such way as to increase non-conformity with the Code or as to increase the hazard to the building or occupants.

With reference to your belief that there is no unsafe condition to be cured, I wish that you might have stood with me on Congress Street in front of your store a short time before closing, a few weeks ago, and seen your employees lock all of the doors on Congress Street (four pairs of doors), except one leaf of one pair, thus leaving an opening only 31 inches wide on the Congress Street front with customers and the staff still in the store. This is common practice in large stores with many doors near closing time, to keep customers out so store may be closed. With fastenings required by the Building Code all of the doors on both fronts could have been locked, and still have them all instantly openable from the inside.

Mr. P. A. Curmius-----

2

April 23, 1949

Imagine this same situation amid the holiday rush with hundreds of people in the store, and during those critical few moments come unusual happening causing panic occurring--only one opening 31 inches wide on the Congress Street front where openings should be 20 feet wide and one 31 inches wide on Free Street where there should be 10 feet.

Do you think it must always be necessary for us to have a terrible catastrophe in each different class of occupancy before we shall be awakened to the need of reasonable precautions against it? If you had not agreed here in my office to supply this adequate hardware during the early stages of the job (remember the conference at which we talked over the fire shutter for the escalator?), this matter would have been brought to a head long before the enlarged store was opened, and there would have been no need of this notice to the owners, this notice only having been necessary to comply with the requirements of the Code and to establish a basis for future legal proceedings.

Very truly yours,

Inspector of Buildings

WMB/C

CC: Mr. Edwin H. Abbott, Jr.
37 Kirkland Street--Appt. 401
Cambridge, Massachusetts

Mr. Neal Dow & First Portland National Bank, Trs.
12 Monument Square--Room 6

Barnett L. Star
Corporation Counsel

W. T. GRANT COMPANY

1441 BROADWAY · NEW YORK 18, N. Y.

April 13, 1949

Mr. Warren McDonald
Inspector of Buildings
City of Portland
Portland, Maine

RECEIVED

APR 15 1949

SEPT. OF BLD'G. INSP.
CITY OF PORTLAND

Dear Mr. McDonald:

Your letter of the 8th, because of the week-end, did not reach me until the 11th. Needless to say, we very much regret that you have seen fit to involve our landlords and to refer a copy of your letter to the Corporation Counsel, particularly as we are proud of our record of cooperation with the authorities in the localities in which we operate stores.

Frankly, Mr. McDonald, we believe not only that there is no unsafe condition to be cured, but also that neither the building ordinance nor the code is applicable to the situation. We do not dispute that an ordinance could have been enacted requiring all owners to install panic-proof hardware on doors, though it seems to us that there might be some question of its validity--if no distinction were made between solid metal doors and glass doors framed in wood of the type used as the means of egress from our store.

As we understand it, the code was adopted on March 4, 1946 and was intended to affect only newly installed doors. It is hardly conceivable that the local legislative body intended that any alterations to an existing building would per se subject the owner or occupant to all or, indeed, to any provision of the building code enacted since the building was originally constructed; but in any case, we respectfully contend that no authority resides in any city official to require what the legislative body might have but did not prescribe.

We earnestly trust that on further consideration you will see the reasonableness of our position and rescind your order.

Very truly yours,

W. T. GRANT COMPANY

P. A. Cunningham
P. A. Cunningham
Construction Department

PAC:TK

C. C. - Mr. Neal Dow
Mr. Barnett I. Shur
Mr. Edwin H. Abbott

Form 3804-S (Rev. 11-46)

Receipt for Registered Article No.

13198

Postmaster per

RWC

Fee paid 25 cents

Class postage 1

Declared value 25

Surcharge paid, \$

Return Receipt fee 25

Spl. Del'y fee

Delivery restricted to addressee:

In person

or order

Fee paid

Indicating employee will place his initials in space

indicating restricted delivery.



NOTICE TO SENDER—Enter below name and address of addressee as an identification. Preserve and submit this receipt in case of inquiry or application for indemnity.

(Name of addressee)

W. Grant

(P. O. and State of address)

Form 3806-S (Rev. 11-36)

Receipt for Registered Article No. 13199

Fee paid 25 cents. Class postage 1

Declared value 75 Surcharge paid, \$

Return Receipt fee 25 Spl. Del'y fee

Delivery restricted to addressee:

In person or order Fee paid

Accepting employee will place his initials in space indicating restricted delivery.

NOTICE TO SENDER—Enter below name and address of addressee as an identification. Preserve and submit this receipt in case of inquiry or application for indemnity.


Neal Don

(Name of addressee)

(P. O. and State of address)



c7-16-19433-3 GPO



FD-20 (Rev. 1-4-40)

RETURN RECEIPT

Received from the Postmaster the Registered or Insured Article, the original number of which appears on the face of this Card.

1

(Signature of addressee)


2

(Signature of addressee's agent—Agent should enter addressee's name on line ONE above)

Date of delivery

194

U.S. GOVERNMENT PRINTING OFFICE 10-5527



POSTAGE PAID
NO. 100

RETURN RECEIPT

Received from the Postmaster the Registered or Insured Article, the original number of which appears on the face of this Card.

Signature of Recipient *[Signature]*

Signature of Postmaster *[Signature]*

Postmaster's Office *[Signature]*

Date of delivery *27/11/19* 19*19*

Form 3806-S (Rev. 11-46)

Receipt for Registered Article No. 13200

Postmaster per *RWC*

POSTMARK

Fee paid *25* cents Class postage *1*

Declared value *4* Surcharges paid, \$

Return Receipt fee *as* Spl. Del'y fee

Delivery restricted to addressee: Fee paid

In person or order Fee paid

Accepting employee will place his initials in space

Indicating restricted delivery.

NOTICE TO SENDER—Enter below name and address of addressee as an identification for delivery.

this receipt in case of inquiry or application for indemnity.

afford

(Name of addressee)

(P. O. and State of address)



POSTAL SERVICE
Rev. 1-1-40

RETURN RECEIPT

Received from the Postmaster the Registered or Insured Article, the original number of which appears on the face of this Card.

W. C. Cannon

B. J. J. J.

Ordinary

1917

